

Table 1.53A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	22,798	22,745	2,255	2,187	638	611
AGE						
12-17	2,762	2,658	1,168	1,144	312	313
18-25	4,516	4,333	674	685	144	146
26 or Older	15,521	15,754	413	358	181	152
GENDER						
Male	14,557	14,691	1,334	1,269	388	368
Female	8,241	8,054	921	918	249	243
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	20,824	20,405	1,892	1,839	520	497
White	18,653	18,334	1,576	1,511	408	378
Black or African American	1,128	1,203	144	215	42	92
American Indian or Alaska Native	254	204	29	14	6	3
Native Hawaiian or Other Pacific Islander	*	48	1	19	1	5
Asian	370	388	106	45	54	11
Two or More Races	338	230	37	34	10	7
Hispanic or Latino	1,975	2,340	363	348	117	114

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.53B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	9.5	9.4	0.9	0.9	0.3	0.3
AGE						
12-17	11.0	10.5	4.6	4.5	1.2	1.2
18-25	14.0	13.3	2.1	2.1	0.4	0.5
26 or Older	8.5	8.5	0.2	0.2	0.1	0.1
GENDER						
Male	12.5	12.5	1.1	1.1	0.3	0.3
Female	6.6	6.4	0.7	0.7	0.2	0.2
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	9.9	9.7	0.9	0.9	0.2	0.2
White	11.2	10.9	0.9	0.9	0.2	0.2
Black or African American	4.0	4.2	0.5	0.8	0.1	0.3
American Indian or Alaska Native	19.6	16.1	2.2	1.1	0.5	0.2
Native Hawaiian or Other Pacific Islander	*	6.7	0.2	2.6	0.1	0.7
Asian	3.7	3.8	1.1	0.4	0.5	0.1
Two or More Races	13.2 ^a	8.8	1.4	1.3	0.4	0.3
Hispanic or Latino	6.4	7.3	1.2	1.1	0.4	0.4

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.54A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	2,762	2,658	1,168	1,144	312	313
GENDER						
Male	1,429	1,360	587	538	141	160
Female	1,333	1,298	581	606	171	153
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	2,309	2,211	967	949	255	264
White	1,801	1,663	783	750	209	197
Black or African American	304	364	98	142	24 ^a	55
American Indian or Alaska Native	22	35	10	10	*	3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	104	96	47	19	9	0
Two or More Races	72 ^a	45	27	21	7	5
Hispanic or Latino	454	448	202	195	58	49
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	918	873	392	344	88	103
Female, White, Not Hispanic	883	790	391	406	120	93
Male, Black, Not Hispanic	161	175	48	59	17	20
Female, Black, Not Hispanic	144	188	50	84	7 ^b	35
Male, Hispanic	216	220	83	105	16	30
Female, Hispanic	237	227	118	90	42	19

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.54B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	11.0	10.5	4.6	4.5	1.2	1.2
GENDER						
Male	11.1	10.5	4.6	4.2	1.1	1.2
Female	10.8	10.5	4.7	4.9	1.4	1.2
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	11.0	10.5	4.6	4.5	1.2	1.3
White	11.6	10.8	5.1	4.9	1.3	1.3
Black or African American	8.0	9.4	2.6	3.7	0.6 ^a	1.4
American Indian or Alaska Native	13.6	21.8	6.0	6.0	*	1.8
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	10.4	9.1	4.7	1.8	0.9	0.0
Two or More Races	16.4 ^a	11.2	6.2	5.3	1.6	1.2
Hispanic or Latino	10.7	10.2	4.8	4.4	1.4	1.1
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	11.6	11.1	4.9	4.4	1.1	1.3
Female, White, Not Hispanic	11.7	10.5	5.2	5.4	1.6	1.2
Male, Black, Not Hispanic	8.2	9.0	2.5	3.0	0.9	1.0
Female, Black, Not Hispanic	7.7	9.8	2.7	4.4	0.4 ^b	1.8
Male, Hispanic	10.0	9.8	3.8	4.7	0.7	1.4
Female, Hispanic	11.5	10.6	5.7	4.2	2.0	0.9

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.55A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	4,516	4,333	674	685	144	146
GENDER						
Male	2,864	2,657	452	447	114	104
Female	1,652	1,675	222	237	30	42
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	3,982	3,759	555	571	116	113
White	3,632	3,373	506	508	99	100
Black or African American	141	188	19	34	9	4
American Indian or Alaska Native	*	28	*	4	0	*
Native Hawaiian or Other Pacific Islander	10	*	1	*	0	*
Asian	81	85	19	13	4	6
Two or More Races	65	68	7	8	3	*
Hispanic or Latino	534	574	119	114	28	33
EDUCATION						
< High School	932	864	119	147	34	34
High School Graduate	1,505	1,467	238	223	49	48
Some College	1,474	1,468	248	264	36	54
College Graduate	605	533	68	52	24	11
CURRENT EMPLOYMENT						
Full-Time	2,311	2,220	269	299	51	50
Part-Time	1,079	1,075	212	220	56	54
Unemployed	409	338	74	62	11	15
Other ¹	717	699	119	103	26	28

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.55B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	14.0	13.3	2.1	2.1	0.4	0.5
GENDER						
Male	17.7 ^a	16.3	2.8	2.7	0.7	0.6
Female	10.3	10.4	1.4	1.5	0.2	0.3
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	15.0	14.1	2.1	2.1	0.4	0.4
White	18.2 ^a	16.8	2.5	2.5	0.5	0.5
Black or African American	3.2	4.2	0.4	0.8	0.2	0.1
American Indian or Alaska Native	*	13.1	*	1.7	0.2	*
Native Hawaiian or Other Pacific Islander	8.1	*	0.6	*	0.2	*
Asian	5.3	5.6	1.2	0.8	0.3	0.4
Two or More Races	18.4	20.0	2.1	2.5	1.0	*
Hispanic or Latino	9.3	10.0	2.1	2.0	0.5	0.6
EDUCATION						
< High School	14.0	13.0	1.8	2.2	0.5	0.5
High School Graduate	13.6	13.1	2.2	2.0	0.4	0.4
Some College	14.3	14.0	2.4	2.5	0.3	0.5
College Graduate	14.6	12.9	1.6	1.3	0.6	0.3
CURRENT EMPLOYMENT						
Full-Time	15.3	14.5	1.8	2.0	0.3	0.3
Part-Time	13.3	13.0	2.6	2.7	0.7	0.7
Unemployed	15.9	13.1	2.9	2.4	0.4	0.6
Other ¹	11.2	11.0	1.9	1.6	0.4	0.4

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.56A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	15,521	15,754	413	358	181	152
GENDER						
Male	10,264	10,673	295	284	134	104
Female	5,257	5,081	118	75	47	48
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	14,533	14,436	371	318	150	120
White	13,220	13,298	287	253	101	82
Black or African American	683	651	27	39	9	33
American Indian or Alaska Native	177	140	*	1	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	186	206	*	14	*	5
Two or More Races	201	117	2	4	*	0
Hispanic or Latino	987	1,318	42	40	32	32
EDUCATION						
< High School	1,798	1,762	71	59	11	54
High School Graduate	4,201	4,110	128	43	91	6
Some College	4,155	4,402	64	67	21	17
College Graduate	5,367	5,480	149	189	58	74
CURRENT EMPLOYMENT						
Full-Time	11,010	11,410	249	222	122	103
Part-Time	1,501	1,683	44	64	10	5
Unemployed	765	492	*	9	*	*
Other ¹	2,245	2,170	69	63	7	43

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.56B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	8.5	8.5	0.2	0.2	0.1	0.1
GENDER						
Male	11.7	12.0	0.3	0.3	0.2	0.1
Female	5.5	5.3	0.1	0.1	0.0	0.0
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	9.0	8.8	0.2	0.2	0.1	0.1
White	10.0	10.1	0.2	0.2	0.1	0.1
Black or African American	3.4	3.2	0.1	0.2	0.0	0.2
American Indian or Alaska Native	18.4	15.8	*	0.1	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.5	2.7	*	0.2	*	0.1
Two or More Races	11.4	6.2	0.1	0.2	*	0.0
Hispanic or Latino	4.7	6.0	0.2	0.2	0.2	0.1
EDUCATION						
< High School	6.0	6.1	0.2	0.2	0.0	0.2
High School Graduate	7.4	7.2	0.2	0.1	0.2	0.0
Some College	9.4	9.8	0.1	0.2	0.0	0.0
College Graduate	10.4	10.1	0.3	0.3	0.1	0.1
CURRENT EMPLOYMENT						
Full-Time	10.6	10.8	0.2	0.2	0.1	0.1
Part-Time	7.7	8.4	0.2	0.3	0.0	0.0
Unemployed	15.9 ^a	9.8	*	0.2	*	*
Other ¹	4.1	3.9	0.1	0.1	0.0	0.1

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.57A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	20,036	20,087	1,087	1,043	325	298
GENDER						
Male	13,128	13,331	747	731	248	208
Female	6,908	6,756	340	312	78	90
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	18,515	18,195	926	889	266	233
White	16,851	16,671	793	761	199	182
Black or African American	824	839	45	73	18	37
American Indian or Alaska Native	231	168	*	4	0	*
Native Hawaiian or Other Pacific Islander	*	40	1	*	0	1
Asian	266	291	59	26	44	11
Two or More Races	265	185	9	13	3	3
Hispanic or Latino	1,521 ^a	1,892	161	154	60	65
EDUCATION						
< High School	2,730	2,627	190	205	45	88
High School Graduate	5,706	5,577	367	265	141	54
Some College	5,629	5,870	312	331	57	71
College Graduate	5,971	6,013	217	241	83	85
CURRENT EMPLOYMENT						
Full-Time	13,321	13,630	518	521	173	153
Part-Time	2,580	2,758	256	284	66	59
Unemployed	1,174 ^a	830	124	72	53	15
Other ¹	2,961	2,869	188	166	33	71

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.57B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	9.3	9.2	0.5	0.5	0.2	0.1
GENDER						
Male	12.7	12.7	0.7	0.7	0.2	0.2
Female	6.2	6.0	0.3	0.3	0.1	0.1
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	9.8	9.6	0.5	0.5	0.1	0.1
White	11.1	10.9	0.5	0.5	0.1	0.1
Black or African American	3.4	3.4	0.2	0.3	0.1	0.1
American Indian or Alaska Native	20.4	15.3	*	0.4	0.0	*
Native Hawaiian or Other Pacific Islander	*	6.4	0.1	*	0.1	0.2
Asian	3.0	3.2	0.7	0.3	0.5	0.1
Two or More Races	12.5	8.4	0.4	0.6	0.2	0.1
Hispanic or Latino	5.7	6.8	0.6	0.6	0.2	0.2
EDUCATION						
< High School	7.5	7.4	0.5	0.6	0.1	0.2
High School Graduate	8.4	8.1	0.5	0.4	0.2	0.1
Some College	10.3	10.6	0.6	0.6	0.1	0.1
College Graduate	10.7	10.3	0.4	0.4	0.1	0.1
CURRENT EMPLOYMENT						
Full-Time	11.2	11.3	0.4	0.4	0.1	0.1
Part-Time	9.4	9.7	0.9	1.0	0.2	0.2
Unemployed	15.9 ^b	10.9	1.7	0.9	0.7	0.2
Other ¹	4.8	4.7	0.3	0.3	0.1	0.1

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.