

**Table 1.83A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	110,057	112,085	34,807	35,041	19,071	19,720
<b>GEOGRAPHIC DIVISION</b>						
Northeast	20,947	21,828	6,644	6,905	3,834	4,042
New England	6,140	6,214	1,883	1,874	1,085	1,108
Middle Atlantic	14,807	15,613	4,760	5,031	2,749	2,935
Midwest	25,043	25,445	7,551	7,602	4,087	4,086
East North Central	17,876	17,995	5,517	5,282	3,032	2,809
West North Central	7,168	7,450	2,034	2,320	1,054	1,277
South	38,391	37,977	11,652	11,747	6,302	6,578
South Atlantic	21,137	20,438	6,227	6,290	3,359	3,558
East South Central	6,124	6,121	1,971	1,898	1,118	1,128
West South Central	11,130	11,418	3,454	3,559	1,824	1,892
West	25,675	26,835	8,960	8,787	4,848	5,014
Mountain	7,850	8,148	2,557	2,410	1,340	1,344
Pacific	17,825	18,687	6,403	6,377	3,508	3,670
<b>COUNTY TYPE</b>						
Large Metro	59,649	61,897	19,138	19,377	10,412	10,958
Small Metro	33,601	33,182	10,739	10,669	6,086	5,980
250K – 1 Mil. Pop.	22,281	22,467	7,209	7,485	4,095	4,257
< 250K Pop.	11,321	10,715	3,530	3,184	1,991	1,723
Nonmetro	16,806	17,007	4,930	4,994	2,573	2,782
Urbanized	7,426	6,981	2,321	2,144	1,272	1,203
Less Urbanized	7,942	8,151	2,271	2,367	1,137	1,336
Completely Rural	1,438	1,875	337	484	165	243

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.83B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	45.8	46.1	14.5	14.4	7.9	8.1
<b>GEOGRAPHIC DIVISION</b>						
Northeast	46.0	47.8	14.6	15.1	8.4	8.9
New England	51.4	51.9	15.8	15.7	9.1	9.3
Middle Atlantic	44.1	46.4	14.2	14.9	8.2	8.7
Midwest	46.2	46.7	13.9	13.9	7.5	7.5
East North Central	47.1	47.2	14.5	13.9	8.0	7.4
West North Central	44.0	45.4	12.5	14.1	6.5	7.8
South	44.6	43.4	13.5	13.4	7.3	7.5
South Atlantic	46.8	44.3	13.8	13.6	7.4	7.7
East South Central	42.6	42.1	13.7	13.1	7.8	7.8
West South Central	41.9	42.3	13.0	13.2	6.9	7.0
West	47.0	48.4	16.4	15.8	8.9	9.0
Mountain	49.1	49.6	16.0	14.7	8.4	8.2
Pacific	46.1	47.9	16.6	16.3	9.1	9.4
<b>COUNTY TYPE</b>						
Large Metro	46.5	47.2	14.9	14.8	8.1	8.4
Small Metro	46.9	46.3	15.0	14.9	8.5	8.4
250K – 1 Mil. Pop.	47.2	47.1	15.3	15.7	8.7	8.9
< 250K Pop.	46.3	44.8	14.4	13.3	8.1	7.2
Nonmetro	41.4	41.9	12.2	12.3	6.3	6.9
Urbanized	44.5	45.4	13.9	13.9	7.6	7.8
Less Urbanized	39.1	40.0	11.2	11.6	5.6	6.5
Completely Rural	40.3	39.4	9.5	10.2	4.6	5.1

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.84A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	7,566 <sup>b</sup>	7,022	5,300 <sup>a</sup>	5,041	2,674	2,511
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1,344 <sup>b</sup>	1,190	991 <sup>a</sup>	883	542	459
New England	386	334	298	263	160	144
Middle Atlantic	959 <sup>a</sup>	856	694	620	382	315
Midwest	1,696 <sup>b</sup>	1,555	1,214 <sup>a</sup>	1,108	584	577
East North Central	1,206 <sup>b</sup>	1,092	867 <sup>b</sup>	762	413	397
West North Central	491	462	347	347	171	180
South	2,598	2,561	1,782	1,826	823	878
South Atlantic	1,361	1,278	933	929	422	440
East South Central	434	423	305	289	138	159
West South Central	802	859	544	608	262	279
West	1,927 <sup>b</sup>	1,716	1,313	1,224	726 <sup>a</sup>	597
Mountain	563	569	387	395	206	206
Pacific	1,364 <sup>b</sup>	1,147	926	829	520 <sup>b</sup>	391
<b>COUNTY TYPE</b>						
Large Metro	3,880	3,686	2,697	2,656	1,405	1,329
Small Metro	2,357 <sup>b</sup>	2,088	1,674	1,524	813	771
250K – 1 Mil. Pop.	1,585	1,435	1,105	1,062	538	560
< 250K Pop.	772	654	569 <sup>a</sup>	462	275 <sup>a</sup>	211
Nonmetro	1,329	1,248	930	861	456	411
Urbanized	537	473	386	322	208	169
Less Urbanized	679	625	469	434	215	196
Completely Rural	113	149	75	106	33	46

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.84B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	30.0 <sup>b</sup>	27.7	21.0 <sup>a</sup>	19.9	10.6	9.9
<b>GEOGRAPHIC DIVISION</b>						
Northeast	29.6 <sup>b</sup>	26.2	21.9 <sup>a</sup>	19.4	11.9 <sup>a</sup>	10.1
New England	32.8	28.4	25.3	22.4	13.6	12.3
Middle Atlantic	28.5 <sup>a</sup>	25.4	20.6	18.4	11.4	9.4
Midwest	29.9 <sup>a</sup>	27.4	21.4 <sup>a</sup>	19.6	10.3	10.2
East North Central	30.1 <sup>b</sup>	27.2	21.6 <sup>b</sup>	19.0	10.3	9.9
West North Central	29.3	28.0	20.7	21.0	10.2	10.9
South	28.9	28.2	19.8	20.1	9.1	9.7
South Atlantic	29.7	27.6	20.4	20.0	9.2	9.5
East South Central	30.0	29.2	21.0	20.0	9.5	10.9
West South Central	27.0	28.8	18.3	20.4	8.8	9.4
West	32.1 <sup>b</sup>	28.2	21.9	20.1	12.1 <sup>b</sup>	9.8
Mountain	32.3	32.4	22.2	22.4	11.8	11.7
Pacific	32.1 <sup>b</sup>	26.6	21.8	19.2	12.2 <sup>b</sup>	9.1
<b>COUNTY TYPE</b>						
Large Metro	29.1 <sup>b</sup>	27.0	20.2	19.4	10.5	9.7
Small Metro	30.8 <sup>b</sup>	28.0	21.9	20.4	10.6	10.3
250K – 1 Mil. Pop.	31.1 <sup>a</sup>	28.1	21.7	20.8	10.5	11.0
< 250K Pop.	30.4	27.7	22.4	19.6	10.8	8.9
Nonmetro	31.5	29.5	22.0	20.4	10.8	9.7
Urbanized	31.6	29.9	22.7	20.3	12.2	10.7
Less Urbanized	31.6	29.2	21.8	20.2	10.0	9.1
Completely Rural	29.9	29.6	19.9	21.0	8.8	9.1

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.85A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	19,043	19,222	10,913	11,117	6,239	6,543
<b>GEOGRAPHIC DIVISION</b>						
Northeast	3,503	3,521	2,287	2,210	1,405	1,365
New England	977	998	655	676	431	437
Middle Atlantic	2,526	2,523	1,631	1,534	974	928
Midwest	4,564	4,397	2,491	2,473	1,386	1,381
East North Central	3,178	3,064	1,784	1,763	1,025	971
West North Central	1,386	1,333	707	710	361	409
South	6,632	6,693	3,643	3,741	2,047	2,195
South Atlantic	3,440	3,335	1,865	1,912	1,040	1,112
East South Central	1,115	1,079	596	595	341	349
West South Central	2,076 <sup>a</sup>	2,279	1,182	1,235	666	734
West	4,344 <sup>a</sup>	4,611	2,492	2,692	1,400	1,603
Mountain	1,413	1,477	773	779	416	463
Pacific	2,930	3,133	1,719	1,913	984	1,140
<b>COUNTY TYPE</b>						
Large Metro	9,705	10,201	5,665	5,997	3,236 <sup>a</sup>	3,555
Small Metro	6,405	6,195	3,691	3,585	2,145	2,146
250K – 1 Mil. Pop.	4,108	4,105	2,409	2,427	1,439	1,485
< 250K Pop.	2,298	2,090	1,282	1,158	706	661
Nonmetro	2,933	2,827	1,556	1,535	857	842
Urbanized	1,425	1,291	801	738	439	432
Less Urbanized	1,323	1,260	643	652	355	344
Completely Rural	185 <sup>a</sup>	276	112	145	64	66

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.85B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	59.2	59.2	33.9	34.2	19.4	20.1
<b>GEOGRAPHIC DIVISION</b>						
Northeast	61.6	61.7	40.2	38.7	24.7	23.9
New England	65.7	66.8	44.0	45.3	29.0	29.2
Middle Atlantic	60.2	59.9	38.9	36.4	23.2	22.0
Midwest	61.3	59.0	33.5	33.2	18.6	18.5
East North Central	62.0	59.8	34.8	34.4	20.0	19.0
West North Central	59.9	57.3	30.6	30.5	15.6	17.6
South	57.5	57.2	31.6	32.0	17.7	18.8
South Atlantic	60.3	57.2	32.7	32.8	18.2	19.1
East South Central	57.2	55.3	30.6	30.5	17.5	17.9
West South Central	53.5 <sup>a</sup>	58.1	30.5	31.5	17.2	18.7
West	57.7	60.5	33.1	35.3	18.6	21.0
Mountain	61.8	63.0	33.8	33.2	18.2	19.7
Pacific	55.9	59.4	32.8	36.3	18.8	21.6
<b>COUNTY TYPE</b>						
Large Metro	58.3	59.3	34.0	34.8	19.4	20.6
Small Metro	60.4	60.0	34.8	34.7	20.2	20.8
250K – 1 Mil. Pop.	59.6	60.6	35.0	35.8	20.9	21.9
< 250K Pop.	61.8	59.0	34.5	32.7	19.0	18.7
Nonmetro	59.4	57.1	31.5	31.0	17.4	17.0
Urbanized	61.9	61.3	34.8	35.0	19.1	20.5
Less Urbanized	57.2	53.5	27.8	27.7	15.3	14.6
Completely Rural	57.1	56.2	34.5	29.5	19.7	13.4

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.86A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	83,448	85,841	18,594	18,883	10,159	10,666
<b>GEOGRAPHIC DIVISION</b>						
Northeast	16,100	17,117	3,366	3,811	1,887	2,218
New England	4,778	4,883	931	934	493	527
Middle Atlantic	11,323	12,235	2,435	2,877	1,394	1,691
Midwest	18,783	19,493	3,846	4,021	2,117	2,128
East North Central	13,492	13,839	2,866	2,758	1,595	1,441
West North Central	5,291	5,655	980	1,263	523	687
South	29,161	28,722	6,227	6,179	3,432	3,505
South Atlantic	16,336	15,824	3,429	3,449	1,898	2,006
East South Central	4,574	4,619	1,070	1,014	638	621
West South Central	8,251	8,279	1,728	1,716	896	878
West	19,404	20,508	5,155	4,872	2,722	2,815
Mountain	5,874	6,101	1,397	1,237	718	676
Pacific	13,530	14,407	3,758	3,635	2,004	2,139
<b>COUNTY TYPE</b>						
Large Metro	46,064	48,010	10,776	10,724	5,771	6,074
Small Metro	24,839	24,898	5,374	5,560	3,128	3,063
250K – 1 Mil. Pop.	16,588	16,927	3,695	3,996	2,118	2,211
< 250K Pop.	8,251	7,971	1,679	1,564	1,010	851
Nonmetro	12,544	12,933	2,444	2,599	1,260	1,529
Urbanized	5,463	5,217	1,134	1,085	625	601
Less Urbanized	5,941	6,265	1,159	1,280	567	796
Completely Rural	1,140	1,450	150	234	67	131

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.86B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	45.6	46.3	10.2	10.2	5.5	5.8
<b>GEOGRAPHIC DIVISION</b>						
Northeast	45.6	48.4	9.5	10.8	5.4	6.3
New England	51.5	52.5	10.0	10.1	5.3	5.7
Middle Atlantic	43.6	46.9	9.4	11.0	5.4	6.5
Midwest	45.7	47.1	9.4	9.7	5.2	5.1
East North Central	46.8	47.8	10.0	9.5	5.5	5.0
West North Central	43.1	45.5	8.0	10.2	4.3	5.5
South	44.5	43.0	9.5	9.2	5.2	5.2
South Atlantic	46.8	44.4	9.8	9.7	5.4	5.6
East South Central	41.6	41.5	9.7	9.1	5.8	5.6
West South Central	41.9	41.3	8.8	8.6	4.5	4.4
West	47.2	49.1	12.5	11.7	6.6	6.7
Mountain	49.1	49.5	11.7	10.0	6.0	5.5
Pacific	46.4	48.9	12.9	12.4	6.9	7.3
<b>COUNTY TYPE</b>						
Large Metro	46.8	47.9	11.0	10.7	5.9	6.1
Small Metro	46.5	46.3	10.1	10.3	5.9	5.7
250K – 1 Mil. Pop.	47.2	47.2	10.5	11.2	6.0	6.2
< 250K Pop.	45.3	44.3	9.2	8.7	5.5	4.7
Nonmetro	40.0	41.2	7.8	8.3	4.0	4.9
Urbanized	43.0	44.6	8.9	9.3	4.9	5.1
Less Urbanized	37.5	39.4	7.3	8.0	3.6	5.0
Completely Rural	39.8	38.5	5.2	6.2	2.4	3.5

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 1.87A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	102,491	105,063	29,506	29,999	16,397	17,209
<b>GEOGRAPHIC DIVISION</b>						
Northeast	19,603	20,638	5,653	6,021	3,292	3,583
New England	5,755	5,881	1,586	1,611	925	964
Middle Atlantic	13,848	14,757	4,067	4,411	2,368	2,619
Midwest	23,347	23,891	6,337	6,494	3,503	3,509
East North Central	16,670	16,903	4,650	4,520	2,619	2,412
West North Central	6,677	6,988	1,687	1,973	884	1,097
South	35,793	35,416	9,870	9,921	5,479	5,700
South Atlantic	19,776	19,159	5,293	5,361	2,937	3,118
East South Central	5,690	5,698	1,666	1,609	979	970
West South Central	10,327	10,559	2,910	2,951	1,562	1,612
West	23,748 <sup>a</sup>	25,119	7,647	7,564	4,122	4,417
Mountain	7,287	7,579	2,170	2,015	1,134	1,139
Pacific	16,461	17,540	5,477	5,548	2,988	3,279
<b>COUNTY TYPE</b>						
Large Metro	55,769	58,211	16,441	16,721	9,007	9,629
Small Metro	31,245	31,093	9,065	9,145	5,273	5,209
250K – 1 Mil. Pop.	20,696	21,032	6,104	6,423	3,557	3,697
< 250K Pop.	10,549	10,061	2,961	2,722	1,716	1,512
Nonmetro	15,477	15,759	4,000	4,133	2,117	2,371
Urbanized	6,888	6,508	1,936	1,822	1,064	1,034
Less Urbanized	7,263	7,525	1,802	1,933	922	1,140
Completely Rural	1,325	1,726	262	378	131	197

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.87B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	47.6	48.2	13.7	13.8	7.6	7.9
<b>GEOGRAPHIC DIVISION</b>						
Northeast	47.9	50.2	13.8	14.7	8.0	8.7
New England	53.4	54.5	14.7	14.9	8.6	8.9
Middle Atlantic	45.9	48.7	13.5	14.6	7.8	8.6
Midwest	48.1	48.9	13.1	13.3	7.2	7.2
East North Central	49.1	49.6	13.7	13.3	7.7	7.1
West North Central	45.7	47.3	11.6	13.4	6.1	7.4
South	46.4	45.1	12.8	12.6	7.1	7.3
South Atlantic	48.7	46.2	13.0	12.9	7.2	7.5
East South Central	44.0	43.5	12.9	12.3	7.6	7.4
West South Central	43.8	44.0	12.3	12.3	6.6	6.7
West	48.8	50.9	15.7	15.3	8.5	8.9
Mountain	51.2	51.6	15.2	13.7	8.0	7.8
Pacific	47.8	50.5	15.9	16.0	8.7	9.4
<b>COUNTY TYPE</b>						
Large Metro	48.5	49.6	14.3	14.2	7.8	8.2
Small Metro	48.8	48.5	14.2	14.3	8.2	8.1
250K – 1 Mil. Pop.	49.2	49.4	14.5	15.1	8.5	8.7
< 250K Pop.	48.1	46.7	13.5	12.6	7.8	7.0
Nonmetro	42.6	43.4	11.0	11.4	5.8	6.5
Urbanized	45.9	47.2	12.9	13.2	7.1	7.5
Less Urbanized	40.0	41.2	9.9	10.6	5.1	6.2
Completely Rural	41.5	40.5	8.2	8.9	4.1	4.6

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.