

**Table 1.88A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	96,772	97,545	25,451	25,375	14,576	14,626
<b>GEOGRAPHIC DIVISION</b>						
Northeast	18,794	19,283	5,181	5,395	3,036	3,164
New England	5,700	5,658	1,534	1,516	891	933
Middle Atlantic	13,094	13,625	3,648	3,880	2,145	2,231
Midwest	22,337	22,577	5,625	5,476	3,182	3,068
East North Central	15,936	15,936	4,073	3,757	2,366	2,079
West North Central	6,401	6,640	1,552	1,719	817	989
South	33,156	32,736	8,309	8,052	4,639	4,556
South Atlantic	18,411	17,769	4,550	4,400	2,516	2,512
East South Central	5,337	5,241	1,435	1,329	863	788
West South Central	9,408	9,726	2,324	2,322	1,259	1,255
West	22,486	22,949	6,336	6,451	3,719	3,838
Mountain	6,809	7,121	1,753	1,653	920	970
Pacific	15,677	15,828	4,583	4,799	2,798	2,868
<b>COUNTY TYPE</b>						
Large Metro	52,523	53,621	14,130	14,252	8,040	8,189
Small Metro	29,652	29,017	7,886	7,704	4,613	4,497
250K – 1 Mil. Pop.	19,614	19,771	5,261	5,493	3,102	3,223
< 250K Pop.	10,038	9,247	2,625 <sup>a</sup>	2,210	1,512	1,273
Nonmetro	14,598	14,906	3,436	3,419	1,923	1,941
Urbanized	6,547	6,211	1,724	1,517	1,007	874
Less Urbanized	6,898	7,079	1,465	1,579	795	938
Completely Rural	1,153	1,615	246	322	121	128

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.88B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	40.2	40.1	10.6	10.4	6.1	6.0
<b>GEOGRAPHIC DIVISION</b>						
Northeast	41.3	42.3	11.4	11.8	6.7	6.9
New England	47.7	47.3	12.8	12.7	7.5	7.8
Middle Atlantic	39.0	40.5	10.9	11.5	6.4	6.6
Midwest	41.2	41.4	10.4	10.0	5.9	5.6
East North Central	42.0	41.8	10.7	9.9	6.2	5.5
West North Central	39.3	40.4	9.5	10.5	5.0	6.0
South	38.5	37.4	9.6	9.2	5.4	5.2
South Atlantic	40.7	38.5	10.1	9.5	5.6	5.4
East South Central	37.1	36.1	10.0	9.1	6.0	5.4
West South Central	35.4	36.1	8.7	8.6	4.7	4.7
West	41.1	41.4	11.6	11.6	6.8	6.9
Mountain	42.6	43.3	11.0	10.1	5.8	5.9
Pacific	40.5	40.6	11.8	12.3	7.2	7.4
<b>COUNTY TYPE</b>						
Large Metro	40.9	40.9	11.0	10.9	6.3	6.2
Small Metro	41.4	40.5	11.0	10.8	6.4	6.3
250K – 1 Mil. Pop.	41.6	41.4	11.2	11.5	6.6	6.8
< 250K Pop.	41.0	38.7	10.7 <sup>a</sup>	9.2	6.2	5.3
Nonmetro	36.0	36.8	8.5	8.4	4.7	4.8
Urbanized	39.2	40.4	10.3	9.9	6.0	5.7
Less Urbanized	34.0	34.7	7.2	7.7	3.9	4.6
Completely Rural	32.3	33.9	6.9	6.8	3.4	2.7

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.89A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	4,788 <sup>b</sup>	4,402	3,656 <sup>a</sup>	3,383	1,909 <sup>a</sup>	1,730
<b>GEOGRAPHIC DIVISION</b>						
Northeast	878	804	699	656	389	360
New England	271	239	219	207	119	123
Middle Atlantic	606	565	481	449	269	237
Midwest	1,111 <sup>b</sup>	952	862 <sup>a</sup>	750	417	389
East North Central	774 <sup>a</sup>	685	605 <sup>a</sup>	534	293	273
West North Central	336 <sup>a</sup>	267	257	216	124	116
South	1,543	1,553	1,169	1,134	544	566
South Atlantic	827	779	620	596	296	295
East South Central	255	238	199	162	88	83
West South Central	460	536	350	376	160	188
West	1,257 <sup>a</sup>	1,094	925	844	559 <sup>b</sup>	415
Mountain	387	381	279	291	161	151
Pacific	871 <sup>b</sup>	712	646	553	398 <sup>b</sup>	264
<b>COUNTY TYPE</b>						
Large Metro	2,460	2,282	1,886	1,839	1,043	940
Small Metro	1,504 <sup>a</sup>	1,351	1,137 <sup>a</sup>	1,009	554	520
250K – 1 Mil. Pop.	1,024	944	752	726	368	386
< 250K Pop.	480	407	385 <sup>b</sup>	284	187 <sup>a</sup>	134
Nonmetro	824	769	633	535	312	270
Urbanized	350	296	272	213	151	114
Less Urbanized	404	382	312	264	138	135
Completely Rural	70	92	50	57	23	21

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.89B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	19.0 <sup>b</sup>	17.4	14.5 <sup>b</sup>	13.3	7.6 <sup>a</sup>	6.8
<b>GEOGRAPHIC DIVISION</b>						
Northeast	19.3	17.7	15.4	14.4	8.6	7.9
New England	23.1	20.3	18.6	17.6	10.2	10.5
Middle Atlantic	18.0	16.8	14.3	13.3	8.0	7.0
Midwest	19.5 <sup>b</sup>	16.8	15.2 <sup>a</sup>	13.2	7.3	6.9
East North Central	19.3 <sup>a</sup>	17.1	15.1 <sup>a</sup>	13.3	7.3	6.8
West North Central	20.1 <sup>a</sup>	16.2	15.3	13.0	7.4	7.0
South	17.1	17.1	13.0	12.5	6.0	6.2
South Atlantic	18.1	16.8	13.5	12.8	6.5	6.4
East South Central	17.6	16.4	13.7	11.2	6.1	5.8
West South Central	15.5	18.0	11.8	12.6	5.4	6.3
West	21.0 <sup>b</sup>	18.0	15.4	13.9	9.3 <sup>b</sup>	6.8
Mountain	22.2	21.7	16.0	16.5	9.2	8.6
Pacific	20.5 <sup>b</sup>	16.5	15.2	12.8	9.4 <sup>b</sup>	6.1
<b>COUNTY TYPE</b>						
Large Metro	18.4 <sup>a</sup>	16.7	14.1	13.5	7.8 <sup>a</sup>	6.9
Small Metro	19.7	18.1	14.9	13.5	7.3	7.0
250K – 1 Mil. Pop.	20.1	18.5	14.7	14.2	7.2	7.6
< 250K Pop.	18.9	17.2	15.2 <sup>a</sup>	12.0	7.3	5.7
Nonmetro	19.5	18.2	15.0 <sup>a</sup>	12.6	7.4	6.4
Urbanized	20.6	18.7	16.0	13.5	8.9	7.2
Less Urbanized	18.8	17.8	14.5	12.3	6.4	6.3
Completely Rural	18.5	18.2	13.2	11.4	6.1	4.3

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.90A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	16,983	17,032	8,963	9,111	5,196	5,388
<b>GEOGRAPHIC DIVISION</b>						
Northeast	3,194	3,216	1,956	1,876	1,210	1,172
New England	906	921	590	576	386	382
Middle Atlantic	2,287	2,295	1,366	1,300	824	790
Midwest	4,149 <sup>a</sup>	3,951	2,087	2,003	1,187	1,141
East North Central	2,875	2,747	1,491	1,424	867	800
West North Central	1,273	1,204	596	579	320	341
South	5,801	5,858	2,914	3,001	1,661	1,731
South Atlantic	3,056	2,969	1,557	1,621	870	937
East South Central	983	970	463	464	273	262
West South Central	1,761	1,919	894	915	518	532
West	3,840	4,007	2,005	2,232	1,138 <sup>a</sup>	1,344
Mountain	1,236	1,264	591	624	333	378
Pacific	2,604	2,743	1,414	1,608	805	966
<b>COUNTY TYPE</b>						
Large Metro	8,632	9,028	4,657	5,007	2,685 <sup>a</sup>	2,965
Small Metro	5,734	5,484	3,066	2,889	1,806	1,753
250K – 1 Mil. Pop.	3,678	3,648	2,007	1,991	1,218	1,232
< 250K Pop.	2,056	1,835	1,060	898	588	522
Nonmetro	2,617	2,520	1,239	1,215	705	669
Urbanized	1,274	1,169	661	611	378	372
Less Urbanized	1,169	1,121	486	503	278	258
Completely Rural	175	231	93	101	49	39

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.90B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	52.8	52.4	27.8	28.0	16.1	16.6
<b>GEOGRAPHIC DIVISION</b>						
Northeast	56.2	56.3	34.4	32.9	21.3	20.5
New England	60.9	61.6	39.6	38.6	25.9	25.5
Middle Atlantic	54.5	54.4	32.6	30.8	19.6	18.8
Midwest	55.8 <sup>a</sup>	53.0	28.0	26.9	15.9	15.3
East North Central	56.1	53.6	29.1	27.8	16.9	15.6
West North Central	55.0	51.8	25.8	24.9	13.8	14.7
South	50.3	50.1	25.3	25.6	14.4	14.8
South Atlantic	53.6	50.9	27.3	27.8	15.2	16.1
East South Central	50.4	49.8	23.7	23.8	14.0	13.4
West South Central	45.4	48.9	23.0	23.3	13.3	13.6
West	51.0	52.6	26.6	29.3	15.1 <sup>a</sup>	17.6
Mountain	54.0	53.9	25.8	26.6	14.6	16.1
Pacific	49.7	52.0	27.0	30.5	15.4	18.3
<b>COUNTY TYPE</b>						
Large Metro	51.8	52.4	28.0	29.1	16.1	17.2
Small Metro	54.1	53.1	28.9	28.0	17.0	17.0
250K – 1 Mil. Pop.	53.4	53.8	29.1	29.4	17.7	18.2
< 250K Pop.	55.3	51.8	28.5	25.4	15.8	14.7
Nonmetro	53.0	50.9	25.1	24.5	14.3	13.5
Urbanized	55.3	55.5	28.7	29.0	16.4	17.7
Less Urbanized	50.5	47.6	21.0	21.4	12.0	11.0
Completely Rural	54.0	46.9	28.5	20.5	15.0 <sup>b</sup>	7.9

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.91A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	75,001	76,111	12,833	12,880	7,471	7,508
<b>GEOGRAPHIC DIVISION</b>						
Northeast	14,723	15,263	2,526	2,863	1,438	1,632
New England	4,522	4,499	725	733	386	428
Middle Atlantic	10,201	10,765	1,801	2,131	1,052	1,203
Midwest	17,077	17,674	2,676	2,724	1,579	1,538
East North Central	12,286	12,505	1,977	1,799	1,205	1,006
West North Central	4,792	5,169	699	924	373	532
South	25,812	25,324	4,226	3,918	2,433	2,258
South Atlantic	14,528	14,020	2,373	2,184	1,350	1,281
East South Central	4,098	4,033	773	703	502	443
West South Central	7,186	7,271	1,080	1,031	581	534
West	17,389	17,849	3,405	3,375	2,021	2,080
Mountain	5,186	5,476	883	738	426	441
Pacific	12,202	12,373	2,522	2,637	1,595	1,639
<b>COUNTY TYPE</b>						
Large Metro	41,431	42,311	7,587	7,405	4,312	4,284
Small Metro	22,414	22,182	3,683	3,806	2,253	2,224
250K – 1 Mil. Pop.	14,912	15,178	2,502	2,777	1,516	1,606
< 250K Pop.	7,503	7,004	1,180	1,028	737	618
Nonmetro	11,156	11,617	1,563	1,669	907	1,001
Urbanized	4,923	4,747	791	693	479	387
Less Urbanized	5,325	5,577	668	812	379	546
Completely Rural	908	1,293	104	164	49	68

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.91B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	41.0	41.1	7.0	6.9	4.1	4.1
<b>GEOGRAPHIC DIVISION</b>						
Northeast	41.7	43.1	7.2	8.1	4.1	4.6
New England	48.7	48.4	7.8	7.9	4.2	4.6
Middle Atlantic	39.2	41.3	6.9	8.2	4.0	4.6
Midwest	41.6	42.7	6.5	6.6	3.8	3.7
East North Central	42.7	43.2	6.9	6.2	4.2	3.5
West North Central	39.0	41.6	5.7	7.4	3.0	4.3
South	39.3	37.9	6.4	5.9	3.7	3.4
South Atlantic	41.6	39.3	6.8	6.1	3.9	3.6
East South Central	37.3	36.2	7.0	6.3	4.6	4.0
West South Central	36.5	36.2	5.5	5.1	3.0	2.7
West	42.3	42.7	8.3	8.1	4.9	5.0
Mountain	43.4	44.4	7.4	6.0	3.6	3.6
Pacific	41.8	42.0	8.6	9.0	5.5	5.6
<b>COUNTY TYPE</b>						
Large Metro	42.1	42.2	7.7	7.4	4.4	4.3
Small Metro	42.0	41.2	6.9	7.1	4.2	4.1
250K – 1 Mil. Pop.	42.4	42.4	7.1	7.8	4.3	4.5
< 250K Pop.	41.2	38.9	6.5	5.7	4.0	3.4
Nonmetro	35.5	37.0	5.0	5.3	2.9	3.2
Urbanized	38.8	40.6	6.2	5.9	3.8	3.3
Less Urbanized	33.6	35.1	4.2	5.1	2.4	3.4
Completely Rural	31.7	34.3	3.6	4.4	1.7	1.8

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 1.92A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	91,984	93,143	21,796	21,991	12,667	12,896
<b>GEOGRAPHIC DIVISION</b>						
Northeast	17,917	18,480	4,482	4,739	2,648	2,804
New England	5,429	5,420	1,315	1,309	772	810
Middle Atlantic	12,488	13,060	3,167	3,430	1,876	1,994
Midwest	21,226	21,625	4,763	4,726	2,765	2,679
East North Central	15,161	15,252	3,468	3,223	2,072	1,806
West North Central	6,065	6,373	1,296	1,503	693	873
South	31,613	31,183	7,139	6,918	4,094	3,989
South Atlantic	17,584	16,990	3,930	3,805	2,220	2,218
East South Central	5,081	5,004	1,236	1,167	775	705
West South Central	8,948	9,190	1,974	1,946	1,099	1,066
West	21,228	21,856	5,411	5,608	3,160	3,424
Mountain	6,422	6,740	1,474	1,362	759	819
Pacific	14,806	15,116	3,937	4,246	2,400	2,605
<b>COUNTY TYPE</b>						
Large Metro	50,063	51,340	12,244	12,413	6,997	7,249
Small Metro	28,148	27,666	6,749	6,694	4,059	3,977
250K – 1 Mil. Pop.	18,590	18,826	4,509	4,768	2,734	2,837
< 250K Pop.	9,558	8,839	2,240	1,926	1,325	1,139
Nonmetro	13,773	14,137	2,802	2,884	1,611	1,670
Urbanized	6,196	5,915	1,452	1,304	857	760
Less Urbanized	6,494	6,698	1,154	1,315	657	804
Completely Rural	1,083	1,524	196	265	98	107

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.92B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	42.7	42.8	10.1	10.1	5.9	5.9
<b>GEOGRAPHIC DIVISION</b>						
Northeast	43.7	45.0	10.9	11.5	6.5	6.8
New England	50.4	50.2	12.2	12.1	7.2	7.5
Middle Atlantic	41.4	43.1	10.5	11.3	6.2	6.6
Midwest	43.7	44.3	9.8	9.7	5.7	5.5
East North Central	44.7	44.7	10.2	9.5	6.1	5.3
West North Central	41.5	43.2	8.9	10.2	4.7	5.9
South	41.0	39.7	9.3	8.8	5.3	5.1
South Atlantic	43.3	41.0	9.7	9.2	5.5	5.3
East South Central	39.3	38.2	9.5	8.9	6.0	5.4
West South Central	37.9	38.3	8.4	8.1	4.7	4.4
West	43.6	44.3	11.1	11.4	6.5	6.9
Mountain	45.1	45.9	10.4	9.3	5.3	5.6
Pacific	43.0	43.6	11.4	12.2	7.0	7.5
<b>COUNTY TYPE</b>						
Large Metro	43.5	43.7	10.6	10.6	6.1	6.2
Small Metro	44.0	43.1	10.5	10.4	6.3	6.2
250K – 1 Mil. Pop.	44.2	44.2	10.7	11.2	6.5	6.7
< 250K Pop.	43.6	41.0	10.2	8.9	6.0	5.3
Nonmetro	37.9	38.9	7.7	7.9	4.4	4.6
Urbanized	41.3	42.9	9.7	9.5	5.7	5.5
Less Urbanized	35.8	36.7	6.4	7.2	3.6	4.4
Completely Rural	34.0	35.8	6.2	6.2	3.1	2.5

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.