

**Table 1.93A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005**

| Geographic Characteristic  | TIME PERIOD |        |                  |       |                    |       |
|----------------------------|-------------|--------|------------------|-------|--------------------|-------|
|                            | Lifetime    |        | Past Year        |       | Past Month         |       |
|                            | 2004        | 2005   | 2004             | 2005  | 2004               | 2005  |
| <b>TOTAL</b>               | 34,153      | 33,673 | 5,658            | 5,523 | 2,021 <sup>a</sup> | 2,397 |
| <b>GEOGRAPHIC DIVISION</b> |             |        |                  |       |                    |       |
| Northeast                  | 6,829       | 6,602  | 1,039            | 1,186 | 436                | 580   |
| New England                | 2,069       | 1,905  | 277              | 369   | 133                | 196   |
| Middle Atlantic            | 4,760       | 4,697  | 762              | 817   | 302                | 383   |
| Midwest                    | 6,654       | 6,871  | 1,275            | 1,095 | 481                | 452   |
| East North Central         | 4,761       | 4,748  | 941 <sup>a</sup> | 733   | 379                | 295   |
| West North Central         | 1,893       | 2,123  | 333              | 363   | 103                | 156   |
| South                      | 11,286      | 10,844 | 1,987            | 2,075 | 758                | 921   |
| South Atlantic             | 6,407       | 6,028  | 1,140            | 1,097 | 433                | 498   |
| East South Central         | 1,585       | 1,567  | 296              | 354   | 153                | 151   |
| West South Central         | 3,295       | 3,249  | 551              | 624   | 172                | 273   |
| West                       | 9,384       | 9,356  | 1,358            | 1,167 | 346                | 444   |
| Mountain                   | 2,513       | 2,864  | 426              | 443   | 115                | 197   |
| Pacific                    | 6,871       | 6,492  | 932              | 724   | 231                | 247   |
| <b>COUNTY TYPE</b>         |             |        |                  |       |                    |       |
| Large Metro                | 19,550      | 19,143 | 3,041            | 2,937 | 1,138              | 1,309 |
| Small Metro                | 10,023      | 9,991  | 1,862            | 1,875 | 637 <sup>a</sup>   | 871   |
| 250K – 1 Mil. Pop.         | 6,751       | 6,798  | 1,263            | 1,309 | 403 <sup>a</sup>   | 619   |
| < 250K Pop.                | 3,272       | 3,193  | 599              | 566   | 233                | 252   |
| Nonmetro                   | 4,580       | 4,539  | 755              | 710   | 246                | 216   |
| Urbanized                  | 2,283       | 1,941  | 396              | 324   | 144                | 102   |
| Less Urbanized             | 1,958       | 2,180  | 311              | 343   | 95                 | 109   |
| Completely Rural           | 339         | 419    | 48               | 43    | 8                  | 5     |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.93B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2004 and 2005**

| Geographic Characteristic  | TIME PERIOD |      |                  |      |                  |      |
|----------------------------|-------------|------|------------------|------|------------------|------|
|                            | Lifetime    |      | Past Year        |      | Past Month       |      |
|                            | 2004        | 2005 | 2004             | 2005 | 2004             | 2005 |
| <b>TOTAL</b>               | 14.2        | 13.8 | 2.4              | 2.3  | 0.8              | 1.0  |
| <b>GEOGRAPHIC DIVISION</b> |             |      |                  |      |                  |      |
| Northeast                  | 15.0        | 14.5 | 2.3              | 2.6  | 1.0              | 1.3  |
| New England                | 17.3        | 15.9 | 2.3              | 3.1  | 1.1              | 1.6  |
| Middle Atlantic            | 14.2        | 14.0 | 2.3              | 2.4  | 0.9              | 1.1  |
| Midwest                    | 12.3        | 12.6 | 2.4              | 2.0  | 0.9              | 0.8  |
| East North Central         | 12.6        | 12.5 | 2.5 <sup>a</sup> | 1.9  | 1.0              | 0.8  |
| West North Central         | 11.6        | 12.9 | 2.0              | 2.2  | 0.6              | 1.0  |
| South                      | 13.1        | 12.4 | 2.3              | 2.4  | 0.9              | 1.1  |
| South Atlantic             | 14.2        | 13.1 | 2.5              | 2.4  | 1.0              | 1.1  |
| East South Central         | 11.0        | 10.8 | 2.1              | 2.4  | 1.1              | 1.0  |
| West South Central         | 12.4        | 12.0 | 2.1              | 2.3  | 0.6              | 1.0  |
| West                       | 17.2        | 16.9 | 2.5              | 2.1  | 0.6              | 0.8  |
| Mountain                   | 15.7        | 17.4 | 2.7              | 2.7  | 0.7              | 1.2  |
| Pacific                    | 17.8        | 16.6 | 2.4              | 1.9  | 0.6              | 0.6  |
| <b>COUNTY TYPE</b>         |             |      |                  |      |                  |      |
| Large Metro                | 15.2        | 14.6 | 2.4              | 2.2  | 0.9              | 1.0  |
| Small Metro                | 14.0        | 14.0 | 2.6              | 2.6  | 0.9 <sup>a</sup> | 1.2  |
| 250K – 1 Mil. Pop.         | 14.3        | 14.2 | 2.7              | 2.7  | 0.9 <sup>a</sup> | 1.3  |
| < 250K Pop.                | 13.4        | 13.4 | 2.4              | 2.4  | 1.0              | 1.1  |
| Nonmetro                   | 11.3        | 11.2 | 1.9              | 1.8  | 0.6              | 0.5  |
| Urbanized                  | 13.7        | 12.6 | 2.4              | 2.1  | 0.9              | 0.7  |
| Less Urbanized             | 9.7         | 10.7 | 1.5              | 1.7  | 0.5              | 0.5  |
| Completely Rural           | 9.5         | 8.8  | 1.4              | 0.9  | 0.2              | 0.1  |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.94A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005**

| Geographic Characteristic  | TIME PERIOD      |      |                 |      |            |      |
|----------------------------|------------------|------|-----------------|------|------------|------|
|                            | Lifetime         |      | Past Year       |      | Past Month |      |
|                            | 2004             | 2005 | 2004            | 2005 | 2004       | 2005 |
| <b>TOTAL</b>               | 611              | 582  | 411             | 423  | 126        | 142  |
| <b>GEOGRAPHIC DIVISION</b> |                  |      |                 |      |            |      |
| Northeast                  | 88               | 98   | 68              | 78   | 25         | 36   |
| New England                | 30               | 28   | 22              | 23   | 8          | 12   |
| Middle Atlantic            | 58               | 70   | 46              | 55   | 17         | 25   |
| Midwest                    | 107              | 102  | 76              | 77   | 21         | 23   |
| East North Central         | 73               | 66   | 50              | 51   | 12         | 16   |
| West North Central         | 34               | 36   | 25              | 26   | 10         | 7    |
| South                      | 222              | 242  | 160             | 172  | 46         | 46   |
| South Atlantic             | 101              | 89   | 65              | 65   | 16         | 20   |
| East South Central         | 32               | 42   | 22              | 29   | 7          | 10   |
| West South Central         | 89               | 112  | 73              | 78   | 23         | 16   |
| West                       | 193 <sup>a</sup> | 141  | 107             | 96   | 33         | 36   |
| Mountain                   | 60               | 57   | 29              | 49   | 12         | 15   |
| Pacific                    | 133 <sup>a</sup> | 83   | 78              | 47   | 20         | 21   |
| <b>COUNTY TYPE</b>         |                  |      |                 |      |            |      |
| Large Metro                | 300              | 258  | 201             | 187  | 58         | 66   |
| Small Metro                | 210              | 227  | 134             | 173  | 43         | 57   |
| 250K – 1 Mil. Pop.         | 132              | 165  | 79 <sup>a</sup> | 126  | 22         | 43   |
| < 250K Pop.                | 78               | 62   | 55              | 47   | 22         | 14   |
| Nonmetro                   | 101              | 98   | 75              | 64   | 24         | 19   |
| Urbanized                  | 46               | 35   | 35              | 27   | 10         | 11   |
| Less Urbanized             | 47               | 56   | 35              | 33   | 13         | 8    |
| Completely Rural           | 8                | 7    | 5               | 3    | 1          | *    |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.94B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2004 and 2005**

| Geographic Characteristic  | TIME PERIOD      |      |                  |      |            |      |
|----------------------------|------------------|------|------------------|------|------------|------|
|                            | Lifetime         |      | Past Year        |      | Past Month |      |
|                            | 2004             | 2005 | 2004             | 2005 | 2004       | 2005 |
| <b>TOTAL</b>               | 2.4              | 2.3  | 1.6              | 1.7  | 0.5        | 0.6  |
| <b>GEOGRAPHIC DIVISION</b> |                  |      |                  |      |            |      |
| Northeast                  | 1.9              | 2.2  | 1.5              | 1.7  | 0.6        | 0.8  |
| New England                | 2.6              | 2.4  | 1.9              | 2.0  | 0.7        | 1.0  |
| Middle Atlantic            | 1.7              | 2.1  | 1.4              | 1.6  | 0.5        | 0.7  |
| Midwest                    | 1.9              | 1.8  | 1.3              | 1.4  | 0.4        | 0.4  |
| East North Central         | 1.8              | 1.6  | 1.3              | 1.3  | 0.3        | 0.4  |
| West North Central         | 2.1              | 2.2  | 1.5              | 1.6  | 0.6        | 0.4  |
| South                      | 2.5              | 2.7  | 1.8              | 1.9  | 0.5        | 0.5  |
| South Atlantic             | 2.2              | 1.9  | 1.4              | 1.4  | 0.4        | 0.4  |
| East South Central         | 2.2              | 2.9  | 1.5              | 2.0  | 0.5        | 0.7  |
| West South Central         | 3.0              | 3.8  | 2.5              | 2.6  | 0.8        | 0.5  |
| West                       | 3.2 <sup>a</sup> | 2.3  | 1.8              | 1.6  | 0.5        | 0.6  |
| Mountain                   | 3.5              | 3.3  | 1.6              | 2.8  | 0.7        | 0.8  |
| Pacific                    | 3.1 <sup>a</sup> | 1.9  | 1.8              | 1.1  | 0.5        | 0.5  |
| <b>COUNTY TYPE</b>         |                  |      |                  |      |            |      |
| Large Metro                | 2.2              | 1.9  | 1.5              | 1.4  | 0.4        | 0.5  |
| Small Metro                | 2.7              | 3.0  | 1.8              | 2.3  | 0.6        | 0.8  |
| 250K – 1 Mil. Pop.         | 2.6              | 3.2  | 1.5 <sup>a</sup> | 2.5  | 0.4        | 0.8  |
| < 250K Pop.                | 3.1              | 2.6  | 2.2              | 2.0  | 0.8        | 0.6  |
| Nonmetro                   | 2.4              | 2.3  | 1.8              | 1.5  | 0.6        | 0.5  |
| Urbanized                  | 2.7              | 2.2  | 2.1              | 1.7  | 0.6        | 0.7  |
| Less Urbanized             | 2.2              | 2.6  | 1.6              | 1.6  | 0.6        | 0.4  |
| Completely Rural           | 2.0              | 1.5  | 1.3              | 0.6  | 0.3        | *    |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.95A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005**

| Geographic Characteristic  | TIME PERIOD |       |           |       |                  |      |
|----------------------------|-------------|-------|-----------|-------|------------------|------|
|                            | Lifetime    |       | Past Year |       | Past Month       |      |
|                            | 2004        | 2005  | 2004      | 2005  | 2004             | 2005 |
| <b>TOTAL</b>               | 4,893       | 4,905 | 2,134     | 2,247 | 692 <sup>a</sup> | 832  |
| <b>GEOGRAPHIC DIVISION</b> |             |       |           |       |                  |      |
| Northeast                  | 885         | 834   | 460       | 470   | 174              | 190  |
| New England                | 264         | 266   | 150       | 162   | 70               | 70   |
| Middle Atlantic            | 621         | 568   | 309       | 308   | 104              | 119  |
| Midwest                    | 1,093       | 1,055 | 482       | 470   | 146              | 148  |
| East North Central         | 732         | 678   | 326       | 305   | 91               | 102  |
| West North Central         | 361         | 377   | 156       | 164   | 55               | 46   |
| South                      | 1,595       | 1,732 | 690       | 777   | 255              | 320  |
| South Atlantic             | 759         | 821   | 350       | 396   | 144              | 155  |
| East South Central         | 272         | 276   | 109       | 121   | 45               | 58   |
| West South Central         | 564         | 635   | 231       | 260   | 67               | 106  |
| West                       | 1,319       | 1,284 | 502       | 531   | 116              | 174  |
| Mountain                   | 434         | 464   | 154       | 173   | 34               | 61   |
| Pacific                    | 885         | 820   | 348       | 358   | 83               | 113  |
| <b>COUNTY TYPE</b>         |             |       |           |       |                  |      |
| Large Metro                | 2,319       | 2,483 | 1,036     | 1,157 | 294 <sup>b</sup> | 450  |
| Small Metro                | 1,764       | 1,687 | 780       | 784   | 283              | 284  |
| 250K – 1 Mil. Pop.         | 1,162       | 1,098 | 515       | 539   | 167              | 182  |
| < 250K Pop.                | 603         | 589   | 265       | 245   | 116              | 102  |
| Nonmetro                   | 810         | 735   | 318       | 306   | 114              | 97   |
| Urbanized                  | 385         | 337   | 166       | 160   | 64               | 56   |
| Less Urbanized             | 372         | 324   | 137       | 123   | 51               | 37   |
| Completely Rural           | 53          | 74    | 14        | 24    | 0                | 4    |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.95B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2004 and 2005**

| Geographic Characteristic  | TIME PERIOD |      |           |      |                  |      |
|----------------------------|-------------|------|-----------|------|------------------|------|
|                            | Lifetime    |      | Past Year |      | Past Month       |      |
|                            | 2004        | 2005 | 2004      | 2005 | 2004             | 2005 |
| <b>TOTAL</b>               | 15.2        | 15.1 | 6.6       | 6.9  | 2.1 <sup>a</sup> | 2.6  |
| <b>GEOGRAPHIC DIVISION</b> |             |      |           |      |                  |      |
| Northeast                  | 15.6        | 14.6 | 8.1       | 8.2  | 3.1              | 3.3  |
| New England                | 17.7        | 17.8 | 10.1      | 10.8 | 4.7              | 4.7  |
| Middle Atlantic            | 14.8        | 13.5 | 7.4       | 7.3  | 2.5              | 2.8  |
| Midwest                    | 14.7        | 14.2 | 6.5       | 6.3  | 2.0              | 2.0  |
| East North Central         | 14.3        | 13.2 | 6.4       | 6.0  | 1.8              | 2.0  |
| West North Central         | 15.6        | 16.2 | 6.7       | 7.1  | 2.4              | 2.0  |
| South                      | 13.8        | 14.8 | 6.0       | 6.6  | 2.2              | 2.7  |
| South Atlantic             | 13.3        | 14.1 | 6.1       | 6.8  | 2.5              | 2.7  |
| East South Central         | 13.9        | 14.2 | 5.6       | 6.2  | 2.3              | 3.0  |
| West South Central         | 14.5        | 16.2 | 6.0       | 6.6  | 1.7              | 2.7  |
| West                       | 17.5        | 16.8 | 6.7       | 7.0  | 1.5              | 2.3  |
| Mountain                   | 19.0        | 19.8 | 6.8       | 7.4  | 1.5              | 2.6  |
| Pacific                    | 16.9        | 15.5 | 6.6       | 6.8  | 1.6              | 2.1  |
| <b>COUNTY TYPE</b>         |             |      |           |      |                  |      |
| Large Metro                | 13.9        | 14.4 | 6.2       | 6.7  | 1.8 <sup>b</sup> | 2.6  |
| Small Metro                | 16.6        | 16.3 | 7.4       | 7.6  | 2.7              | 2.8  |
| 250K – 1 Mil. Pop.         | 16.9        | 16.2 | 7.5       | 7.9  | 2.4              | 2.7  |
| < 250K Pop.                | 16.2        | 16.6 | 7.1       | 6.9  | 3.1              | 2.9  |
| Nonmetro                   | 16.4        | 14.8 | 6.4       | 6.2  | 2.3              | 2.0  |
| Urbanized                  | 16.7        | 16.0 | 7.2       | 7.6  | 2.8              | 2.7  |
| Less Urbanized             | 16.1        | 13.8 | 5.9       | 5.2  | 2.2              | 1.6  |
| Completely Rural           | 16.3        | 15.1 | 4.4       | 4.8  | 0.1              | 0.8  |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.96A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005**

| Geographic Characteristic  | TIME PERIOD |        |                  |       |                  |       |
|----------------------------|-------------|--------|------------------|-------|------------------|-------|
|                            | Lifetime    |        | Past Year        |       | Past Month       |       |
|                            | 2004        | 2005   | 2004             | 2005  | 2004             | 2005  |
| <b>TOTAL</b>               | 28,649      | 28,185 | 3,114            | 2,852 | 1,204            | 1,423 |
| <b>GEOGRAPHIC DIVISION</b> |             |        |                  |       |                  |       |
| Northeast                  | 5,855       | 5,670  | 511              | 638   | 237              | 354   |
| New England                | 1,775       | 1,611  | 105              | 184   | 55               | 114   |
| Middle Atlantic            | 4,080       | 4,059  | 406              | 453   | 182              | 239   |
| Midwest                    | 5,454       | 5,714  | 718              | 548   | 314              | 281   |
| East North Central         | 3,957       | 4,004  | 565 <sup>a</sup> | 377   | 276              | 177   |
| West North Central         | 1,497       | 1,710  | 153              | 172   | 37               | 104   |
| South                      | 9,468       | 8,870  | 1,136            | 1,126 | 457              | 555   |
| South Atlantic             | 5,546       | 5,118  | 725              | 635   | 273              | 322   |
| East South Central         | 1,281       | 1,250  | 165              | 205   | 101              | 82    |
| West South Central         | 2,641       | 2,502  | 247              | 285   | 82               | 151   |
| West                       | 7,871       | 7,931  | 749              | 540   | 197              | 233   |
| Mountain                   | 2,019       | 2,342  | 243              | 221   | 69               | 121   |
| Pacific                    | 5,852       | 5,588  | 505              | 319   | 128              | 112   |
| <b>COUNTY TYPE</b>         |             |        |                  |       |                  |       |
| Large Metro                | 16,931      | 16,402 | 1,803            | 1,594 | 785              | 793   |
| Small Metro                | 8,049       | 8,078  | 948              | 918   | 310 <sup>a</sup> | 531   |
| 250K – 1 Mil. Pop.         | 5,457       | 5,535  | 669              | 645   | 215 <sup>a</sup> | 395   |
| < 250K Pop.                | 2,592       | 2,542  | 279              | 273   | 95               | 136   |
| Nonmetro                   | 3,669       | 3,705  | 363              | 340   | 108              | 100   |
| Urbanized                  | 1,851       | 1,569  | 195              | 138   | 71               | 35    |
| Less Urbanized             | 1,539       | 1,800  | 139              | 186   | 31               | 64    |
| Completely Rural           | 279         | 337    | 29               | 16    | 6                | 1     |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.96B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2004 and 2005**

| Geographic Characteristic  | TIME PERIOD |      |                  |      |                  |      |
|----------------------------|-------------|------|------------------|------|------------------|------|
|                            | Lifetime    |      | Past Year        |      | Past Month       |      |
|                            | 2004        | 2005 | 2004             | 2005 | 2004             | 2005 |
| <b>TOTAL</b>               | 15.6        | 15.2 | 1.7              | 1.5  | 0.7              | 0.8  |
| <b>GEOGRAPHIC DIVISION</b> |             |      |                  |      |                  |      |
| Northeast                  | 16.6        | 16.0 | 1.4              | 1.8  | 0.7              | 1.0  |
| New England                | 19.1        | 17.3 | 1.1              | 2.0  | 0.6              | 1.2  |
| Middle Atlantic            | 15.7        | 15.6 | 1.6              | 1.7  | 0.7              | 0.9  |
| Midwest                    | 13.3        | 13.8 | 1.7              | 1.3  | 0.8              | 0.7  |
| East North Central         | 13.7        | 13.8 | 2.0 <sup>a</sup> | 1.3  | 1.0              | 0.6  |
| West North Central         | 12.2        | 13.7 | 1.2              | 1.4  | 0.3              | 0.8  |
| South                      | 14.4        | 13.3 | 1.7              | 1.7  | 0.7              | 0.8  |
| South Atlantic             | 15.9        | 14.4 | 2.1              | 1.8  | 0.8              | 0.9  |
| East South Central         | 11.7        | 11.2 | 1.5              | 1.8  | 0.9              | 0.7  |
| West South Central         | 13.4        | 12.5 | 1.3              | 1.4  | 0.4              | 0.8  |
| West                       | 19.1        | 19.0 | 1.8              | 1.3  | 0.5              | 0.6  |
| Mountain                   | 16.9        | 19.0 | 2.0              | 1.8  | 0.6              | 1.0  |
| Pacific                    | 20.1        | 19.0 | 1.7              | 1.1  | 0.4              | 0.4  |
| <b>COUNTY TYPE</b>         |             |      |                  |      |                  |      |
| Large Metro                | 17.2        | 16.4 | 1.8              | 1.6  | 0.8              | 0.8  |
| Small Metro                | 15.1        | 15.0 | 1.8              | 1.7  | 0.6 <sup>a</sup> | 1.0  |
| 250K – 1 Mil. Pop.         | 15.5        | 15.4 | 1.9              | 1.8  | 0.6 <sup>a</sup> | 1.1  |
| < 250K Pop.                | 14.2        | 14.1 | 1.5              | 1.5  | 0.5              | 0.8  |
| Nonmetro                   | 11.7        | 11.8 | 1.2              | 1.1  | 0.3              | 0.3  |
| Urbanized                  | 14.6        | 13.4 | 1.5              | 1.2  | 0.6              | 0.3  |
| Less Urbanized             | 9.7         | 11.3 | 0.9              | 1.2  | 0.2              | 0.4  |
| Completely Rural           | 9.7         | 8.9  | 1.0              | 0.4  | 0.2              | 0.0  |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 1.97A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005**

| Geographic Characteristic  | TIME PERIOD |        |                  |       |                  |       |
|----------------------------|-------------|--------|------------------|-------|------------------|-------|
|                            | Lifetime    |        | Past Year        |       | Past Month       |       |
|                            | 2004        | 2005   | 2004             | 2005  | 2004             | 2005  |
| <b>TOTAL</b>               | 33,542      | 33,090 | 5,247            | 5,099 | 1,895            | 2,255 |
| <b>GEOGRAPHIC DIVISION</b> |             |        |                  |       |                  |       |
| Northeast                  | 6,740       | 6,504  | 971              | 1,108 | 411              | 543   |
| New England                | 2,039       | 1,877  | 255              | 346   | 125              | 185   |
| Middle Atlantic            | 4,702       | 4,627  | 716              | 762   | 285              | 359   |
| Midwest                    | 6,547       | 6,769  | 1,199            | 1,018 | 460              | 429   |
| East North Central         | 4,689       | 4,682  | 891 <sup>a</sup> | 682   | 367              | 279   |
| West North Central         | 1,859       | 2,087  | 308              | 336   | 93               | 150   |
| South                      | 11,064      | 10,602 | 1,826            | 1,903 | 712              | 875   |
| South Atlantic             | 6,306       | 5,939  | 1,075            | 1,032 | 417              | 478   |
| East South Central         | 1,553       | 1,526  | 274              | 326   | 146              | 140   |
| West South Central         | 3,206       | 3,137  | 478              | 546   | 149 <sup>a</sup> | 257   |
| West                       | 9,191       | 9,215  | 1,251            | 1,071 | 313              | 408   |
| Mountain                   | 2,453       | 2,807  | 398              | 394   | 102              | 182   |
| Pacific                    | 6,738       | 6,409  | 853              | 677   | 211              | 225   |
| <b>COUNTY TYPE</b>         |             |        |                  |       |                  |       |
| Large Metro                | 19,250      | 18,885 | 2,839            | 2,751 | 1,079            | 1,243 |
| Small Metro                | 9,813       | 9,764  | 1,728            | 1,702 | 593 <sup>a</sup> | 815   |
| 250K – 1 Mil. Pop.         | 6,619       | 6,633  | 1,184            | 1,184 | 382 <sup>a</sup> | 577   |
| < 250K Pop.                | 3,195       | 3,131  | 544              | 519   | 212              | 238   |
| Nonmetro                   | 4,479       | 4,441  | 680              | 646   | 222              | 197   |
| Urbanized                  | 2,236       | 1,906  | 361              | 297   | 134              | 91    |
| Less Urbanized             | 1,911       | 2,123  | 276              | 309   | 82               | 101   |
| Completely Rural           | 332         | 411    | 43               | 40    | 7                | 5     |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.97B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2004 and 2005**

| Geographic Characteristic  | TIME PERIOD |      |                  |      |                  |      |
|----------------------------|-------------|------|------------------|------|------------------|------|
|                            | Lifetime    |      | Past Year        |      | Past Month       |      |
|                            | 2004        | 2005 | 2004             | 2005 | 2004             | 2005 |
| <b>TOTAL</b>               | 15.6        | 15.2 | 2.4              | 2.3  | 0.9              | 1.0  |
| <b>GEOGRAPHIC DIVISION</b> |             |      |                  |      |                  |      |
| Northeast                  | 16.5        | 15.8 | 2.4              | 2.7  | 1.0              | 1.3  |
| New England                | 18.9        | 17.4 | 2.4              | 3.2  | 1.2              | 1.7  |
| Middle Atlantic            | 15.6        | 15.3 | 2.4              | 2.5  | 0.9              | 1.2  |
| Midwest                    | 13.5        | 13.9 | 2.5              | 2.1  | 0.9              | 0.9  |
| East North Central         | 13.8        | 13.7 | 2.6 <sup>a</sup> | 2.0  | 1.1              | 0.8  |
| West North Central         | 12.7        | 14.1 | 2.1              | 2.3  | 0.6              | 1.0  |
| South                      | 14.3        | 13.5 | 2.4              | 2.4  | 0.9              | 1.1  |
| South Atlantic             | 15.5        | 14.3 | 2.6              | 2.5  | 1.0              | 1.2  |
| East South Central         | 12.0        | 11.7 | 2.1              | 2.5  | 1.1              | 1.1  |
| West South Central         | 13.6        | 13.1 | 2.0              | 2.3  | 0.6 <sup>a</sup> | 1.1  |
| West                       | 18.9        | 18.7 | 2.6              | 2.2  | 0.6              | 0.8  |
| Mountain                   | 17.2        | 19.1 | 2.8              | 2.7  | 0.7              | 1.2  |
| Pacific                    | 19.6        | 18.5 | 2.5              | 2.0  | 0.6              | 0.6  |
| <b>COUNTY TYPE</b>         |             |      |                  |      |                  |      |
| Large Metro                | 16.7        | 16.1 | 2.5              | 2.3  | 0.9              | 1.1  |
| Small Metro                | 15.3        | 15.2 | 2.7              | 2.7  | 0.9 <sup>a</sup> | 1.3  |
| 250K – 1 Mil. Pop.         | 15.7        | 15.6 | 2.8              | 2.8  | 0.9 <sup>a</sup> | 1.4  |
| < 250K Pop.                | 14.6        | 14.5 | 2.5              | 2.4  | 1.0              | 1.1  |
| Nonmetro                   | 12.3        | 12.2 | 1.9              | 1.8  | 0.6              | 0.5  |
| Urbanized                  | 14.9        | 13.8 | 2.4              | 2.2  | 0.9              | 0.7  |
| Less Urbanized             | 10.5        | 11.6 | 1.5              | 1.7  | 0.5              | 0.6  |
| Completely Rural           | 10.4        | 9.7  | 1.4              | 0.9  | 0.2              | 0.1  |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.