

Table 1.103C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	618	608	153	146	58	83
GEOGRAPHIC DIVISION						
Northeast	282	268	57	55	27	19
New England	150	117	32	35	17	9
Middle Atlantic	240	242	47	43	21	17
Midwest	218	231	53	50	28	31
East North Central	176	183	42	45	18	28
West North Central	129	146	32	22	21	14
South	361	337	70	90	34	56
South Atlantic	285	271	49	74	21	53
East South Central	102	114	23	24	18	10
West South Central	194	158	44	42	20	18
West	354	309	111	88	27	50
Mountain	130	150	56	30	14	15
Pacific	330	269	96	82	23	48
COUNTY TYPE						
Large Metro	543	520	128	108	40	63
Small Metro	379	350	88	85	40	54
250K – 1 Mil. Pop.	287	295	70	75	36	49
< 250K Pop.	230	185	54	38	18	21
Nonmetro	220	212	38	45	20	17
Urbanized	170	143	33	32	18	12
Less Urbanized	131	164	17	33	9	11
Completely Rural	59	63	7	7	2	4

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.103D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.26	0.25	0.06	0.06	0.02	0.03
GEOGRAPHIC DIVISION						
Northeast	0.62	0.59	0.13	0.12	0.06	0.04
New England	1.25	0.98	0.27	0.29	0.15	0.07
Middle Atlantic	0.71	0.72	0.14	0.13	0.06	0.05
Midwest	0.40	0.42	0.10	0.09	0.05	0.06
East North Central	0.46	0.48	0.11	0.12	0.05	0.07
West North Central	0.80	0.89	0.19	0.13	0.13	0.08
South	0.42	0.38	0.08	0.10	0.04	0.06
South Atlantic	0.63	0.59	0.11	0.16	0.05	0.11
East South Central	0.71	0.78	0.16	0.17	0.13	0.07
West South Central	0.73	0.59	0.17	0.15	0.08	0.07
West	0.65	0.56	0.20	0.16	0.05	0.09
Mountain	0.82	0.91	0.35	0.18	0.09	0.09
Pacific	0.85	0.69	0.25	0.21	0.06	0.12
COUNTY TYPE						
Large Metro	0.37	0.36	0.10	0.08	0.03	0.05
Small Metro	0.45	0.42	0.12	0.12	0.06	0.07
250K – 1 Mil. Pop.	0.52	0.52	0.15	0.15	0.08	0.10
< 250K Pop.	0.77	0.68	0.21	0.16	0.07	0.09
Nonmetro	0.51	0.49	0.09	0.12	0.05	0.04
Urbanized	0.95	0.84	0.20	0.22	0.11	0.08
Less Urbanized	0.60	0.72	0.08	0.16	0.04	0.05
Completely Rural	1.49	1.12	0.18	0.16	0.04	0.09

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.103P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.2560		0.5978		0.1483	
GEOGRAPHIC DIVISION						
Northeast	0.8414		0.2784		0.1237	
New England	0.6793		0.5933		0.2614	
Middle Atlantic	0.9970		0.3401		0.2754	
Midwest	0.2111		0.5265		0.0249	
East North Central	0.7920		0.3694		0.0164	
West North Central	0.0899		0.8140		0.5807	
South	0.0694		0.7379		0.9859	
South Atlantic	0.1185		0.3250		0.3450	
East South Central	0.1365		0.8180		0.2581	
West South Central	0.8136		0.4961		0.2568	
West	0.3899		0.4378		0.0611	
Mountain	0.2530		0.0845		0.3091	
Pacific	0.1386		0.9967		0.1073	
COUNTY TYPE						
Large Metro	0.1078		0.3776		0.0263	
Small Metro	0.6757		0.9907		0.9704	
250K – 1 Mil. Pop.	0.7475		0.4319		0.9817	
< 250K Pop.	0.2284		0.2132		0.8618	
Nonmetro	0.3557		0.5989		0.6144	
Urbanized	0.8730		0.6807		0.5767	
Less Urbanized	0.0558		0.0858		0.8714	
Completely Rural	0.9544		0.9563		0.3038	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.104C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	45	44	36	36	19	19
GEOGRAPHIC DIVISION						
Northeast	20	17	17	13	9	6
New England	13	9	10	8	4	3
Middle Atlantic	15	14	13	10	8	6
Midwest	19	17	13	15	6	10
East North Central	15	13	10	12	5	7
West North Central	10	10	9	9	4	6
South	26	27	21	21	11	10
South Atlantic	20	18	16	15	8	7
East South Central	9	12	8	9	5	4
West South Central	15	16	11	11	7	6
West	24	25	19	21	10	12
Mountain	9	13	10	12	6	5
Pacific	22	21	17	18	8	10
COUNTY TYPE						
Large Metro	35	30	27	24	12	15
Small Metro	27	27	21	23	13	9
250K – 1 Mil. Pop.	19	25	15	22	9	9
< 250K Pop.	19	12	14	9	9	4
Nonmetro	18	16	15	12	8	7
Urbanized	11	11	11	9	6	4
Less Urbanized	14	12	10	8	5	5
Completely Rural	5	5	5	3	1	1

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.104D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.18	0.17	0.14	0.14	0.07	0.07
GEOGRAPHIC DIVISION						
Northeast	0.43	0.37	0.37	0.29	0.21	0.14
New England	1.11	0.81	0.83	0.67	0.35	0.22
Middle Atlantic	0.44	0.41	0.40	0.31	0.25	0.17
Midwest	0.33	0.29	0.23	0.26	0.11	0.17
East North Central	0.38	0.33	0.25	0.29	0.12	0.18
West North Central	0.62	0.61	0.52	0.56	0.21	0.38
South	0.29	0.30	0.23	0.23	0.13	0.11
South Atlantic	0.43	0.39	0.35	0.32	0.17	0.15
East South Central	0.64	0.79	0.54	0.62	0.37	0.29
West South Central	0.50	0.52	0.39	0.37	0.22	0.19
West	0.40	0.41	0.32	0.35	0.16	0.19
Mountain	0.54	0.75	0.56	0.68	0.33	0.31
Pacific	0.51	0.49	0.40	0.41	0.18	0.24
COUNTY TYPE						
Large Metro	0.25	0.21	0.20	0.17	0.09	0.11
Small Metro	0.33	0.36	0.25	0.31	0.16	0.12
250K – 1 Mil. Pop.	0.34	0.48	0.28	0.42	0.17	0.17
< 250K Pop.	0.68	0.50	0.52	0.36	0.34	0.15
Nonmetro	0.40	0.36	0.34	0.28	0.18	0.16
Urbanized	0.64	0.63	0.61	0.53	0.35	0.28
Less Urbanized	0.60	0.51	0.42	0.38	0.23	0.24
Completely Rural	1.18	0.81	1.14	0.51	0.25	0.13

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.104P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.0073		0.0707		0.7951	
GEOGRAPHIC DIVISION						
Northeast	0.0822		0.1230		0.2113	
New England	0.0430		0.1799		0.3514	
Middle Atlantic	0.5391		0.3504		0.3480	
Midwest	0.3070		1.0000		0.0086	
East North Central	0.1487		0.6672		0.0348	
West North Central	0.7952		0.6077		0.1146	
South	0.7899		0.4607		0.1404	
South Atlantic	0.3974		0.3849		0.3035	
East South Central	0.9590		0.8668		0.6291	
West South Central	0.5747		0.9603		0.3381	
West	0.0108		0.1891		0.9777	
Mountain	0.4215		0.9482		0.6965	
Pacific	0.0145		0.1329		0.8385	
COUNTY TYPE						
Large Metro	0.0167		0.0767		0.0821	
Small Metro	0.6559		0.5388		0.0321	
250K – 1 Mil. Pop.	0.2030		0.0433		0.1377	
< 250K Pop.	0.0092		0.0304		0.1056	
Nonmetro	0.0639		0.0132		0.5281	
Urbanized	0.1228		0.0337		0.3347	
Less Urbanized	0.5607		0.6563		0.7392	
Completely Rural	0.2146		0.0434		0.4614	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.105C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	130	132	72	74	33	36
GEOGRAPHIC DIVISION						
Northeast	59	52	38	28	16	13
New England	27	22	16	15	7	7
Middle Atlantic	52	46	34	23	14	11
Midwest	53	53	33	27	15	11
East North Central	44	44	24	22	10	10
West North Central	29	30	22	15	11	7
South	71	76	37	46	19	22
South Atlantic	51	55	28	33	13	16
East South Central	28	28	13	17	8	7
West South Central	41	40	20	26	11	14
West	75	75	36	42	14	22
Mountain	37	34	20	20	6	9
Pacific	66	66	30	37	13	20
COUNTY TYPE						
Large Metro	115	122	56	56	25	28
Small Metro	102	91	51	50	20	21
250K – 1 Mil. Pop.	91	78	41	44	15	18
< 250K Pop.	53	49	30	26	15	11
Nonmetro	55	48	24	24	11	10
Urbanized	42	38	19	21	8	6
Less Urbanized	32	28	14	12	7	7
Completely Rural	15	11	4	6	1	2

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.105D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.40	0.41	0.22	0.23	0.10	0.11
GEOGRAPHIC DIVISION						
Northeast	1.04	0.91	0.66	0.49	0.28	0.22
New England	1.81	1.46	1.10	1.02	0.50	0.45
Middle Atlantic	1.24	1.09	0.80	0.55	0.34	0.26
Midwest	0.71	0.71	0.44	0.36	0.21	0.15
East North Central	0.86	0.86	0.47	0.43	0.20	0.19
West North Central	1.27	1.28	0.96	0.66	0.49	0.30
South	0.62	0.65	0.32	0.39	0.17	0.19
South Atlantic	0.89	0.95	0.50	0.57	0.24	0.27
East South Central	1.43	1.45	0.69	0.86	0.40	0.36
West South Central	1.07	1.01	0.52	0.67	0.29	0.36
West	1.00	0.98	0.48	0.55	0.19	0.29
Mountain	1.61	1.44	0.86	0.84	0.27	0.39
Pacific	1.25	1.26	0.58	0.70	0.25	0.38
COUNTY TYPE						
Large Metro	0.57	0.58	0.31	0.30	0.15	0.16
Small Metro	0.74	0.73	0.43	0.45	0.18	0.20
250K – 1 Mil. Pop.	0.99	0.95	0.55	0.59	0.21	0.26
< 250K Pop.	1.13	1.14	0.73	0.70	0.37	0.32
Nonmetro	0.90	0.79	0.44	0.45	0.21	0.19
Urbanized	1.44	1.33	0.73	0.87	0.35	0.28
Less Urbanized	1.07	1.05	0.54	0.49	0.27	0.29
Completely Rural	3.95	1.85	1.12	1.03	0.37	0.47

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.105P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.6030		0.3844		0.6635	
GEOGRAPHIC DIVISION						
Northeast	0.2336		0.1929		0.0889	
New England	0.9617		0.9642		0.1742	
Middle Atlantic	0.1871		0.1408		0.2339	
Midwest	0.8728		0.7700		0.9864	
East North Central	0.8969		0.3190		0.7880	
West North Central	0.6323		0.4587		0.7995	
South	0.9589		0.3876		0.7825	
South Atlantic	0.8165		0.5695		0.6202	
East South Central	0.5741		0.2858		0.9777	
West South Central	0.4391		0.9155		0.9170	
West	0.9648		0.1117		0.0730	
Mountain	0.8061		0.7502		0.3446	
Pacific	0.9272		0.0964		0.1210	
COUNTY TYPE						
Large Metro	0.8972		0.7603		0.5024	
Small Metro	0.7030		0.1162		0.8375	
250K – 1 Mil. Pop.	0.9846		0.0577		0.4535	
< 250K Pop.	0.4858		0.9570		0.5281	
Nonmetro	0.5459		0.6662		0.5585	
Urbanized	0.9565		0.6879		0.7643	
Less Urbanized	0.7087		0.8284		0.5917	
Completely Rural	0.4991		0.4018		0.7330	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.106C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	583	573	132	112	44	73
GEOGRAPHIC DIVISION						
Northeast	268	257	43	42	20	13
New England	141	116	29	27	16	4
Middle Atlantic	228	230	31	33	12	12
Midwest	199	223	35	35	19	28
East North Central	163	177	32	34	14	25
West North Central	114	139	14	11	13	11
South	348	323	57	72	26	50
South Atlantic	274	259	39	66	11	50
East South Central	101	106	21	15	15	4
West South Central	189	150	36	24	18	8
West	328	289	104	68	23	43
Mountain	123	143	50	15	9	10
Pacific	305	249	92	66	21	42
COUNTY TYPE						
Large Metro	494	488	111	83	27	53
Small Metro	345	322	69	64	31	48
250K – 1 Mil. Pop.	256	272	56	59	31	45
< 250K Pop.	211	170	40	25	5	17
Nonmetro	203	204	28	38	15	12
Urbanized	151	134	27	26	15	10
Less Urbanized	125	154	5	27	3	5
Completely Rural	54	62	1	4	*	4

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.106D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.32	0.31	0.07	0.06	0.02	0.04
GEOGRAPHIC DIVISION						
Northeast	0.76	0.73	0.12	0.12	0.06	0.04
New England	1.52	1.25	0.31	0.29	0.17	0.05
Middle Atlantic	0.88	0.88	0.12	0.12	0.05	0.05
Midwest	0.48	0.54	0.08	0.09	0.05	0.07
East North Central	0.56	0.61	0.11	0.12	0.05	0.09
West North Central	0.93	1.12	0.11	0.09	0.11	0.09
South	0.53	0.48	0.09	0.11	0.04	0.08
South Atlantic	0.79	0.73	0.11	0.19	0.03	0.14
East South Central	0.92	0.95	0.19	0.13	0.14	0.04
West South Central	0.96	0.75	0.18	0.12	0.09	0.04
West	0.80	0.69	0.25	0.16	0.05	0.10
Mountain	1.03	1.16	0.42	0.12	0.08	0.08
Pacific	1.04	0.85	0.31	0.22	0.07	0.14
COUNTY TYPE						
Large Metro	0.46	0.45	0.11	0.08	0.03	0.05
Small Metro	0.56	0.52	0.13	0.12	0.06	0.09
250K – 1 Mil. Pop.	0.65	0.64	0.16	0.16	0.09	0.13
< 250K Pop.	0.98	0.85	0.22	0.14	0.03	0.09
Nonmetro	0.62	0.61	0.09	0.12	0.05	0.04
Urbanized	1.12	1.05	0.21	0.23	0.12	0.09
Less Urbanized	0.75	0.89	0.03	0.17	0.02	0.03
Completely Rural	1.73	1.44	0.05	0.11	*	0.09

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.106P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.3720		0.5533		0.1129	
GEOGRAPHIC DIVISION						
Northeast	0.8726		0.9032		0.9051	
New England	0.8064		0.8440		0.8209	
Middle Atlantic	0.7464		0.7366		0.9572	
Midwest	0.1465		0.4566		0.0579	
East North Central	0.7120		0.4987		0.0449	
West North Central	0.0550		0.7468		0.7209	
South	0.0590		0.8968		0.8062	
South Atlantic	0.1259		0.2854		0.2878	
East South Central	0.1608		0.2843		0.2189	
West South Central	0.6276		0.3334		0.3139	
West	0.4626		0.2009		0.2184	
Mountain	0.2336		0.0260		0.2890	
Pacific	0.1678		0.7109		0.3306	
COUNTY TYPE						
Large Metro	0.1280		0.6080		0.0823	
Small Metro	0.7666		0.2983		0.5992	
250K – 1 Mil. Pop.	0.7927		0.4284		0.9189	
< 250K Pop.	0.3738		0.4604		0.1863	
Nonmetro	0.2091		0.1798		0.9526	
Urbanized	0.9604		0.9846		0.9116	
Less Urbanized	0.0388		0.0208		0.9804	
Completely Rural	0.7809		0.2336		*	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.107C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	613	608	147	140	55	82
GEOGRAPHIC DIVISION						
Northeast	280	266	54	53	26	19
New England	148	117	30	32	18	9
Middle Atlantic	239	240	45	41	19	17
Midwest	215	230	51	48	27	30
East North Central	173	183	40	42	17	27
West North Central	128	144	32	21	21	13
South	359	335	65	87	32	55
South Atlantic	284	268	46	72	17	52
East South Central	102	113	21	22	16	8
West South Central	193	159	41	39	21	17
West	350	307	109	85	25	49
Mountain	132	149	52	26	11	14
Pacific	325	267	96	80	23	47
COUNTY TYPE						
Large Metro	536	518	123	103	38	61
Small Metro	374	346	84	81	37	53
250K – 1 Mil. Pop.	285	292	69	70	34	49
< 250K Pop.	225	184	48	37	15	20
Nonmetro	219	211	36	45	19	16
Urbanized	169	142	32	33	17	12
Less Urbanized	130	162	15	30	7	9
Completely Rural	58	62	4	7	1	4

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.107D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.28	0.28	0.07	0.06	0.03	0.04
GEOGRAPHIC DIVISION						
Northeast	0.68	0.65	0.13	0.13	0.06	0.05
New England	1.38	1.08	0.28	0.30	0.17	0.08
Middle Atlantic	0.79	0.79	0.15	0.14	0.06	0.05
Midwest	0.44	0.47	0.11	0.10	0.06	0.06
East North Central	0.51	0.54	0.12	0.12	0.05	0.08
West North Central	0.87	0.97	0.22	0.14	0.14	0.09
South	0.47	0.43	0.08	0.11	0.04	0.07
South Atlantic	0.70	0.65	0.11	0.17	0.04	0.13
East South Central	0.79	0.86	0.16	0.17	0.13	0.06
West South Central	0.82	0.66	0.17	0.16	0.09	0.07
West	0.72	0.62	0.22	0.17	0.05	0.10
Mountain	0.93	1.02	0.36	0.18	0.08	0.10
Pacific	0.94	0.77	0.28	0.23	0.07	0.13
COUNTY TYPE						
Large Metro	0.41	0.40	0.10	0.09	0.03	0.05
Small Metro	0.50	0.46	0.13	0.12	0.06	0.08
250K – 1 Mil. Pop.	0.58	0.57	0.16	0.16	0.08	0.11
< 250K Pop.	0.85	0.76	0.21	0.17	0.07	0.10
Nonmetro	0.58	0.55	0.10	0.13	0.05	0.04
Urbanized	1.05	0.94	0.21	0.25	0.11	0.09
Less Urbanized	0.67	0.80	0.08	0.17	0.04	0.05
Completely Rural	1.69	1.27	0.13	0.17	0.04	0.10

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.107P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.3350		0.9300		0.1160	
GEOGRAPHIC DIVISION						
Northeast	0.9317		0.4777		0.2413	
New England	0.8075		0.8480		0.3893	
Middle Atlantic	0.9685		0.4609		0.4178	
Midwest	0.1842		0.5031		0.1136	
East North Central	0.7066		0.2879		0.0569	
West North Central	0.0919		0.6937		0.9109	
South	0.0687		0.5724		0.7357	
South Atlantic	0.1280		0.2134		0.2403	
East South Central	0.1323		0.8591		0.2708	
West South Central	0.7664		0.4762		0.4113	
West	0.4956		0.6013		0.0513	
Mountain	0.2371		0.0629		0.1707	
Pacific	0.1891		0.7689		0.1117	
COUNTY TYPE						
Large Metro	0.1471		0.6054		0.0660	
Small Metro	0.6676		0.9021		0.6277	
250K – 1 Mil. Pop.	0.8450		0.7676		0.7360	
< 250K Pop.	0.2994		0.4658		0.6788	
Nonmetro	0.2852		0.1856		0.7754	
Urbanized	0.9688		0.8567		0.8021	
Less Urbanized	0.0505		0.0437		0.7004	
Completely Rural	0.8764		0.1451		0.1847	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.