

Table 1.108C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	480	460	90	95	64	57
GEOGRAPHIC DIVISION						
Northeast	211	228	35	37	22	18
New England	102	90	10	23	9	7
Middle Atlantic	185	210	34	28	21	16
Midwest	169	186	36	33	20	15
East North Central	146	154	30	28	10	14
West North Central	85	105	21	16	18	7
South	282	250	58	59	48	41
South Atlantic	214	197	47	53	45	39
East South Central	88	91	17	14	4	7
West South Central	160	123	29	25	16	9
West	279	237	47	51	29	32
Mountain	111	106	19	19	7	9
Pacific	256	214	43	48	28	31
COUNTY TYPE						
Large Metro	432	395	77	75	60	49
Small Metro	237	271	41	47	19	26
250K – 1 Mil. Pop.	198	222	35	38	17	18
< 250K Pop.	138	162	23	26	8	18
Nonmetro	181	147	27	27	12	10
Urbanized	143	97	21	19	8	7
Less Urbanized	101	109	19	12	9	6
Completely Rural	61	47	6	15	2	3

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.108D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.20	0.19	0.04	0.04	0.03	0.02
GEOGRAPHIC DIVISION						
Northeast	0.46	0.50	0.08	0.08	0.05	0.04
New England	0.85	0.75	0.08	0.19	0.07	0.06
Middle Atlantic	0.55	0.62	0.10	0.08	0.06	0.05
Midwest	0.31	0.34	0.07	0.06	0.04	0.03
East North Central	0.39	0.40	0.08	0.07	0.03	0.04
West North Central	0.52	0.64	0.13	0.10	0.11	0.04
South	0.33	0.29	0.07	0.07	0.06	0.05
South Atlantic	0.47	0.43	0.10	0.11	0.10	0.08
East South Central	0.61	0.63	0.12	0.09	0.03	0.05
West South Central	0.60	0.45	0.11	0.09	0.06	0.03
West	0.51	0.43	0.09	0.09	0.05	0.06
Mountain	0.70	0.64	0.12	0.11	0.04	0.05
Pacific	0.66	0.55	0.11	0.12	0.07	0.08
COUNTY TYPE						
Large Metro	0.30	0.28	0.06	0.06	0.05	0.04
Small Metro	0.29	0.34	0.06	0.07	0.03	0.04
250K – 1 Mil. Pop.	0.37	0.41	0.07	0.08	0.04	0.04
< 250K Pop.	0.47	0.61	0.09	0.11	0.03	0.08
Nonmetro	0.43	0.34	0.07	0.07	0.03	0.02
Urbanized	0.82	0.60	0.12	0.12	0.05	0.04
Less Urbanized	0.45	0.46	0.08	0.06	0.04	0.03
Completely Rural	1.28	0.86	0.15	0.32	0.04	0.08

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.108P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.6435		0.4770		0.6944	
GEOGRAPHIC DIVISION						
Northeast	0.7618		0.4681		0.2578	
New England	0.5963		0.4210		0.1377	
Middle Atlantic	0.5525		0.1934		0.5476	
Midwest	0.3968		0.3943		0.9793	
East North Central	0.9472		0.6055		0.2294	
West North Central	0.0922		0.4349		0.2765	
South	0.0088		0.8433		0.6492	
South Atlantic	0.0233		0.9100		0.9052	
East South Central	0.2190		0.4530		0.3600	
West South Central	0.3890		0.8255		0.1102	
West	0.2991		0.9706		0.5215	
Mountain	0.9933		0.6797		0.2403	
Pacific	0.2544		0.8328		0.7197	
COUNTY TYPE						
Large Metro	0.8728		0.7310		0.5488	
Small Metro	0.8698		0.6763		0.2830	
250K – 1 Mil. Pop.	0.7980		0.7071		0.5260	
< 250K Pop.	0.5258		0.8244		0.3608	
Nonmetro	0.1971		0.4098		0.1411	
Urbanized	0.3409		0.9121		0.8297	
Less Urbanized	0.7472		0.0088		0.0234	
Completely Rural	0.4600		0.1468		0.2461	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.109C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	67	67	45	47	26	23
GEOGRAPHIC DIVISION						
Northeast	28	28	18	18	14	6
New England	11	10	8	9	4	2
Middle Atlantic	26	26	16	16	14	6
Midwest	24	25	17	18	8	10
East North Central	19	21	14	13	7	8
West North Central	15	15	10	11	5	6
South	40	42	30	28	15	13
South Atlantic	28	33	23	22	11	10
East South Central	16	16	11	10	3	6
West South Central	24	21	16	14	9	6
West	39	40	23	27	15	15
Mountain	14	21	10	12	6	6
Pacific	36	34	21	25	13	14
COUNTY TYPE						
Large Metro	61	60	38	38	21	19
Small Metro	39	38	24	24	14	12
250K – 1 Mil. Pop.	31	32	21	20	12	11
< 250K Pop.	26	22	14	13	7	5
Nonmetro	31	28	21	20	10	9
Urbanized	19	20	11	16	6	7
Less Urbanized	23	19	17	11	8	5
Completely Rural	8	10	5	8	1	3

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.109D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.27	0.26	0.18	0.19	0.10	0.09
GEOGRAPHIC DIVISION						
Northeast	0.63	0.61	0.39	0.40	0.32	0.14
New England	0.97	0.87	0.72	0.73	0.38	0.21
Middle Atlantic	0.77	0.77	0.46	0.48	0.41	0.18
Midwest	0.43	0.44	0.31	0.31	0.14	0.17
East North Central	0.48	0.52	0.36	0.34	0.16	0.19
West North Central	0.91	0.88	0.59	0.65	0.28	0.36
South	0.45	0.46	0.33	0.31	0.16	0.14
South Atlantic	0.62	0.70	0.50	0.48	0.24	0.21
East South Central	1.13	1.14	0.76	0.69	0.23	0.44
West South Central	0.79	0.70	0.54	0.47	0.29	0.19
West	0.65	0.66	0.38	0.45	0.25	0.25
Mountain	0.80	1.22	0.58	0.66	0.37	0.34
Pacific	0.85	0.80	0.48	0.58	0.31	0.32
COUNTY TYPE						
Large Metro	0.39	0.39	0.26	0.26	0.15	0.13
Small Metro	0.45	0.45	0.30	0.30	0.18	0.16
250K – 1 Mil. Pop.	0.53	0.54	0.37	0.36	0.23	0.20
< 250K Pop.	0.89	0.79	0.56	0.53	0.29	0.22
Nonmetro	0.61	0.60	0.45	0.45	0.24	0.20
Urbanized	0.93	1.13	0.63	0.93	0.36	0.41
Less Urbanized	0.87	0.79	0.68	0.46	0.35	0.21
Completely Rural	1.73	1.61	1.24	1.31	0.31	0.67

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.109P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.2099		0.6354		0.9756	
GEOGRAPHIC DIVISION						
Northeast	0.1989		0.4276		0.1158	
New England	0.0165		0.4079		0.1707	
Middle Atlantic	0.7002		0.6500		0.2314	
Midwest	0.7108		0.5620		0.1867	
East North Central	0.4375		0.2646		0.2822	
West North Central	0.6730		0.5989		0.4308	
South	0.7797		0.6593		0.9419	
South Atlantic	0.5060		0.7052		0.8480	
East South Central	0.8586		0.6841		0.0803	
West South Central	0.5978		0.5682		0.1779	
West	0.4856		0.6789		0.7946	
Mountain	0.0702		0.8840		0.4473	
Pacific	0.0894		0.6980		0.9511	
COUNTY TYPE						
Large Metro	0.5161		0.5660		0.9740	
Small Metro	0.4905		0.8403		0.7310	
250K – 1 Mil. Pop.	0.6586		0.5959		0.5259	
< 250K Pop.	0.6028		0.6686		0.6328	
Nonmetro	0.3233		0.7762		0.6475	
Urbanized	0.5105		0.2085		0.5093	
Less Urbanized	0.0268		0.0196		0.0507	
Completely Rural	0.5742		0.1946		0.0876	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.110C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	111	102	41	42	18	21
GEOGRAPHIC DIVISION						
Northeast	56	41	20	18	10	8
New England	27	17	8	10	8	6
Middle Atlantic	49	37	18	15	6	6
Midwest	42	46	17	20	7	8
East North Central	36	39	16	18	5	8
West North Central	21	24	8	9	5	3
South	62	58	21	21	10	10
South Atlantic	45	42	17	16	8	9
East South Central	28	25	7	8	3	2
West South Central	31	29	10	10	5	4
West	60	54	23	25	9	13
Mountain	23	27	9	13	2	5
Pacific	55	47	21	21	9	12
COUNTY TYPE						
Large Metro	89	92	34	34	15	15
Small Metro	77	64	21	24	8	13
250K – 1 Mil. Pop.	62	52	15	20	7	12
< 250K Pop.	45	39	15	13	3	5
Nonmetro	42	38	11	10	6	4
Urbanized	26	26	6	8	3	2
Less Urbanized	29	24	10	6	5	4
Completely Rural	14	9	2	4	1	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.110D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.34	0.31	0.13	0.13	0.06	0.06
GEOGRAPHIC DIVISION						
Northeast	0.99	0.71	0.36	0.31	0.18	0.14
New England	1.84	1.11	0.57	0.64	0.52	0.39
Middle Atlantic	1.17	0.88	0.44	0.36	0.15	0.13
Midwest	0.56	0.61	0.23	0.26	0.10	0.11
East North Central	0.70	0.76	0.30	0.34	0.10	0.15
West North Central	0.90	1.02	0.33	0.38	0.22	0.11
South	0.54	0.49	0.18	0.18	0.09	0.08
South Atlantic	0.80	0.72	0.30	0.27	0.14	0.15
East South Central	1.44	1.28	0.36	0.42	0.16	0.10
West South Central	0.81	0.74	0.26	0.26	0.13	0.10
West	0.79	0.71	0.31	0.32	0.12	0.17
Mountain	1.02	1.15	0.39	0.56	0.10	0.23
Pacific	1.05	0.88	0.41	0.40	0.17	0.23
COUNTY TYPE						
Large Metro	0.49	0.46	0.20	0.19	0.09	0.09
Small Metro	0.62	0.53	0.19	0.23	0.07	0.12
250K – 1 Mil. Pop.	0.78	0.65	0.21	0.29	0.10	0.17
< 250K Pop.	0.98	0.97	0.38	0.37	0.08	0.13
Nonmetro	0.71	0.67	0.21	0.21	0.13	0.09
Urbanized	0.97	1.01	0.25	0.35	0.14	0.08
Less Urbanized	0.95	0.95	0.40	0.23	0.23	0.17
Completely Rural	3.46	1.62	0.56	0.69	0.24	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.110P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.1390		0.9354		0.9718	
GEOGRAPHIC DIVISION						
Northeast	0.4330		0.5774		0.5734	
New England	0.9083		0.8925		0.6040	
Middle Atlantic	0.4095		0.4807		0.7874	
Midwest	0.5474		0.3354		0.7955	
East North Central	0.2846		0.3150		0.8138	
West North Central	0.5404		0.8777		0.3630	
South	0.0777		0.3679		0.2853	
South Atlantic	0.1356		0.4072		0.6984	
East South Central	0.3675		0.8761		0.1981	
West South Central	0.5699		0.5318		0.3733	
West	0.8017		0.5234		0.1018	
Mountain	0.9957		0.3122		0.0935	
Pacific	0.7878		0.8543		0.2652	
COUNTY TYPE						
Large Metro	0.5681		0.9855		0.7154	
Small Metro	0.3289		0.7206		0.1659	
250K – 1 Mil. Pop.	0.5769		0.7029		0.2529	
< 250K Pop.	0.3717		0.9330		0.3962	
Nonmetro	0.1428		0.6752		0.1170	
Urbanized	0.7571		0.5559		0.3473	
Less Urbanized	0.1974		0.2699		0.2831	
Completely Rural	0.2082		0.7631		*	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.111C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	448	436	69	65	55	48
GEOGRAPHIC DIVISION						
Northeast	207	216	28	27	14	16
New England	105	87	5	19	3	0
Middle Atlantic	179	198	27	18	14	16
Midwest	159	173	25	16	18	8
East North Central	136	144	18	16	6	8
West North Central	82	98	18	2	17	1
South	266	237	52	46	45	37
South Atlantic	207	188	45	43	43	36
East South Central	84	85	8	*	*	*
West South Central	146	114	24	19	12	6
West	248	227	28	33	23	25
Mountain	105	97	12	5	2	*
Pacific	225	207	25	32	23	25
COUNTY TYPE						
Large Metro	395	367	62	57	54	44
Small Metro	216	247	25	27	11	19
250K – 1 Mil. Pop.	179	202	23	21	11	7
< 250K Pop.	118	147	10	17	*	17
Nonmetro	166	136	18	12	4	*
Urbanized	132	84	18	5	4	*
Less Urbanized	90	99	2	1	*	*
Completely Rural	56	41	*	11	*	0

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.111D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.24	0.24	0.04	0.03	0.03	0.03
GEOGRAPHIC DIVISION						
Northeast	0.59	0.61	0.08	0.08	0.04	0.05
New England	1.13	0.93	0.05	0.21	0.03	0.00
Middle Atlantic	0.69	0.76	0.11	0.07	0.05	0.06
Midwest	0.39	0.42	0.06	0.04	0.04	0.02
East North Central	0.47	0.50	0.06	0.05	0.02	0.03
West North Central	0.67	0.79	0.14	0.02	0.14	0.01
South	0.41	0.36	0.08	0.07	0.07	0.06
South Atlantic	0.59	0.53	0.13	0.12	0.12	0.10
East South Central	0.77	0.77	0.07	*	*	*
West South Central	0.74	0.57	0.12	0.10	0.06	0.03
West	0.60	0.54	0.07	0.08	0.06	0.06
Mountain	0.88	0.78	0.10	0.04	0.02	*
Pacific	0.77	0.70	0.08	0.11	0.08	0.09
COUNTY TYPE						
Large Metro	0.37	0.35	0.06	0.06	0.05	0.04
Small Metro	0.37	0.42	0.05	0.05	0.02	0.03
250K – 1 Mil. Pop.	0.47	0.50	0.07	0.06	0.03	0.02
< 250K Pop.	0.58	0.76	0.05	0.10	*	0.10
Nonmetro	0.51	0.41	0.06	0.04	0.01	*
Urbanized	1.01	0.71	0.14	0.04	0.03	*
Less Urbanized	0.55	0.57	0.01	0.01	*	*
Completely Rural	1.56	1.00	*	0.29	*	0.01

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.111P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.9481		0.5329		0.6666	
GEOGRAPHIC DIVISION						
Northeast	0.5064		0.9626		0.9925	
New England	0.8158		0.1527		0.1614	
Middle Atlantic	0.3874		0.3592		0.8388	
Midwest	0.2564		0.0907		0.4785	
East North Central	0.7381		0.3535		0.4564	
West North Central	0.1143		0.1154		0.2044	
South	0.0218		0.9526		0.8098	
South Atlantic	0.0532		0.7887		0.9295	
East South Central	0.3349		*		*	
West South Central	0.3743		0.7429		0.5115	
West	0.2345		0.9321		0.9100	
Mountain	0.7450		0.0874		*	
Pacific	0.1441		0.6314		0.9816	
COUNTY TYPE						
Large Metro	0.9714		0.8818		0.5810	
Small Metro	0.5249		0.4226		0.6040	
250K – 1 Mil. Pop.	0.9967		0.2536		0.5403	
< 250K Pop.	0.2777		0.7686		*	
Nonmetro	0.3848		0.4103		*	
Urbanized	0.2854		0.1456		*	
Less Urbanized	0.6752		0.4760		*	
Completely Rural	0.5393		*		*	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.112C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	471	456	78	79	58	52
GEOGRAPHIC DIVISION						
Northeast	212	226	33	31	18	16
New England	101	90	9	22	9	6
Middle Atlantic	187	208	32	23	16	15
Midwest	167	183	31	25	19	11
East North Central	143	151	24	23	8	11
West North Central	87	104	19	9	17	3
South	277	246	50	51	46	38
South Atlantic	211	193	40	46	44	37
East South Central	90	89	11	8	3	2
West South Central	154	122	26	21	13	8
West	268	237	39	43	25	28
Mountain	109	101	15	14	3	5
Pacific	245	215	36	41	25	28
COUNTY TYPE						
Large Metro	420	387	67	65	56	46
Small Metro	229	262	33	38	14	23
250K – 1 Mil. Pop.	194	213	28	30	13	14
< 250K Pop.	130	157	18	22	3	18
Nonmetro	176	143	20	16	8	4
Urbanized	140	90	19	9	5	2
Less Urbanized	92	105	10	6	5	4
Completely Rural	59	43	2	12	1	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.112D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.22	0.21	0.04	0.04	0.03	0.02
GEOGRAPHIC DIVISION						
Northeast	0.52	0.55	0.08	0.08	0.04	0.04
New England	0.94	0.83	0.09	0.20	0.08	0.06
Middle Atlantic	0.62	0.69	0.11	0.07	0.05	0.05
Midwest	0.34	0.38	0.06	0.05	0.04	0.02
East North Central	0.42	0.44	0.07	0.07	0.02	0.03
West North Central	0.59	0.70	0.13	0.06	0.12	0.02
South	0.36	0.31	0.06	0.06	0.06	0.05
South Atlantic	0.52	0.47	0.10	0.11	0.11	0.09
East South Central	0.70	0.68	0.09	0.06	0.02	0.02
West South Central	0.65	0.51	0.11	0.09	0.06	0.03
West	0.55	0.48	0.08	0.09	0.05	0.06
Mountain	0.77	0.69	0.11	0.10	0.02	0.04
Pacific	0.71	0.62	0.10	0.12	0.07	0.08
COUNTY TYPE						
Large Metro	0.33	0.31	0.06	0.06	0.05	0.04
Small Metro	0.32	0.37	0.05	0.06	0.02	0.04
250K – 1 Mil. Pop.	0.41	0.44	0.07	0.07	0.03	0.03
< 250K Pop.	0.50	0.68	0.08	0.10	0.01	0.08
Nonmetro	0.47	0.37	0.05	0.04	0.02	0.01
Urbanized	0.91	0.64	0.12	0.07	0.04	0.01
Less Urbanized	0.48	0.51	0.05	0.03	0.03	0.02
Completely Rural	1.41	0.91	0.06	0.27	0.02	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.112P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.7755		0.6126		0.6912	
GEOGRAPHIC DIVISION						
Northeast	0.6399		0.7150		0.7582	
New England	0.7946		0.1967		0.3720	
Middle Atlantic	0.5193		0.2278		0.9228	
Midwest	0.3606		0.5250		0.4443	
East North Central	0.9696		0.9704		0.4762	
West North Central	0.1044		0.2163		0.1314	
South	0.0089		0.6594		0.6251	
South Atlantic	0.0274		0.9640		0.8669	
East South Central	0.2332		0.5004		0.1902	
West South Central	0.3337		0.5693		0.3316	
West	0.2408		0.7609		0.5533	
Mountain	0.7526		0.7264		0.2915	
Pacific	0.1532		0.6472		0.6693	
COUNTY TYPE						
Large Metro	0.9433		0.9211		0.5290	
Small Metro	0.7780		0.6254		0.2461	
250K – 1 Mil. Pop.	0.8486		0.4638		0.7326	
< 250K Pop.	0.4571		0.8472		0.1868	
Nonmetro	0.2501		0.3453		0.0501	
Urbanized	0.2841		0.3049		0.1189	
Less Urbanized	0.9123		0.2493		0.2904	
Completely Rural	0.3946		0.2725		*	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.