

**Table 1.123C Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	827	835	410	398	255	279
<b>GEOGRAPHIC DIVISION</b>						
Northeast	383	379	161	173	105	119
New England	211	165	73	80	53	52
Middle Atlantic	324	343	144	153	91	107
Midwest	301	303	158	148	108	99
East North Central	257	241	125	118	90	79
West North Central	157	183	98	95	60	66
South	513	507	221	248	154	180
South Atlantic	394	382	175	192	125	138
East South Central	143	204	66	94	50	67
West South Central	297	258	119	123	75	85
West	430	418	262	218	137	140
Mountain	172	200	99	98	63	65
Pacific	393	372	242	194	121	126
<b>COUNTY TYPE</b>						
Large Metro	822	807	358	320	204	220
Small Metro	577	576	224	236	142	152
250K – 1 Mil. Pop.	475	467	181	201	122	127
< 250K Pop.	364	331	137	126	80	85
Nonmetro	354	369	142	146	83	91
Urbanized	245	212	106	101	61	63
Less Urbanized	256	286	101	110	59	67
Completely Rural	128	151	42	44	20	26

\*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.123D Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.34	0.34	0.17	0.16	0.11	0.11
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.84	0.83	0.35	0.38	0.23	0.26
New England	1.76	1.38	0.61	0.67	0.44	0.43
Middle Atlantic	0.97	1.02	0.43	0.46	0.27	0.32
Midwest	0.55	0.56	0.29	0.27	0.20	0.18
East North Central	0.68	0.63	0.33	0.31	0.24	0.21
West North Central	0.97	1.11	0.60	0.58	0.37	0.40
South	0.60	0.58	0.26	0.28	0.18	0.21
South Atlantic	0.87	0.83	0.39	0.42	0.28	0.30
East South Central	1.00	1.40	0.46	0.64	0.35	0.46
West South Central	1.12	0.96	0.45	0.46	0.28	0.31
West	0.79	0.75	0.48	0.39	0.25	0.25
Mountain	1.08	1.22	0.62	0.60	0.39	0.39
Pacific	1.02	0.95	0.63	0.50	0.31	0.32
<b>COUNTY TYPE</b>						
Large Metro	0.49	0.50	0.26	0.23	0.15	0.16
Small Metro	0.56	0.61	0.28	0.29	0.19	0.20
250K – 1 Mil. Pop.	0.69	0.73	0.35	0.37	0.25	0.25
< 250K Pop.	1.01	1.04	0.46	0.48	0.32	0.35
Nonmetro	0.75	0.66	0.34	0.34	0.20	0.21
Urbanized	1.22	0.99	0.61	0.58	0.36	0.37
Less Urbanized	1.01	0.99	0.45	0.49	0.27	0.31
Completely Rural	2.05	1.99	0.96	0.87	0.51	0.49

\*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.123P Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.7537		0.6892		0.1014	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.6329		0.4565		0.2874	
New England	0.8506		0.4477		0.5156	
Middle Atlantic	0.5138		0.6554		0.3899	
Midwest	0.2998		0.7815		0.7525	
East North Central	0.9926		0.1931		0.7829	
West North Central	0.0679		0.2301		0.3740	
South	0.1488		0.2594		0.4651	
South Atlantic	0.0778		0.4616		0.5808	
East South Central	0.8336		0.9856		0.9883	
West South Central	0.7445		0.2768		0.5269	
West	0.2377		0.4329		0.2424	
Mountain	0.1899		0.3436		0.9591	
Pacific	0.5091		0.6594		0.2008	
<b>COUNTY TYPE</b>						
Large Metro	0.8559		0.9469		0.0486	
Small Metro	0.9603		0.6657		0.9747	
250K – 1 Mil. Pop.	0.9011		0.5173		0.7122	
< 250K Pop.	0.9159		0.8202		0.5361	
Nonmetro	0.2316		0.4832		0.5869	
Urbanized	0.6218		0.5292		0.8255	
Less Urbanized	0.1447		0.6148		0.6405	
Completely Rural	0.9886		0.8123		0.5283	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.124C Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	84	87	71	71	49	44
<b>GEOGRAPHIC DIVISION</b>						
Northeast	35	35	29	27	24	18
New England	16	17	15	14	11	10
Middle Atlantic	31	31	25	24	21	15
Midwest	34	35	29	29	17	20
East North Central	26	28	22	22	13	14
West North Central	22	21	19	18	11	13
South	52	54	44	44	31	28
South Atlantic	38	39	34	32	24	21
East South Central	20	23	16	20	10	13
West South Central	31	28	23	24	16	14
West	45	51	38	41	25	26
Mountain	17	25	14	20	9	11
Pacific	41	47	35	37	23	23
<b>COUNTY TYPE</b>						
Large Metro	83	83	61	61	40	35
Small Metro	59	55	45	44	30	26
250K – 1 Mil. Pop.	47	46	34	38	23	23
< 250K Pop.	42	31	32	24	20	13
Nonmetro	49	45	36	34	21	19
Urbanized	28	29	20	23	11	13
Less Urbanized	40	34	31	23	17	13
Completely Rural	13	17	9	13	5	6

\*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.124D Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.33	0.34	0.28	0.28	0.20	0.17
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.77	0.78	0.64	0.60	0.53	0.39
New England	1.36	1.48	1.29	1.18	0.96	0.81
Middle Atlantic	0.93	0.92	0.73	0.70	0.62	0.44
Midwest	0.60	0.62	0.51	0.51	0.30	0.35
East North Central	0.65	0.69	0.54	0.55	0.33	0.36
West North Central	1.32	1.29	1.13	1.11	0.63	0.80
South	0.58	0.59	0.49	0.49	0.34	0.31
South Atlantic	0.82	0.84	0.74	0.69	0.53	0.46
East South Central	1.35	1.57	1.12	1.36	0.72	0.92
West South Central	1.03	0.94	0.78	0.81	0.53	0.46
West	0.74	0.84	0.63	0.68	0.42	0.42
Mountain	1.00	1.44	0.81	1.12	0.52	0.65
Pacific	0.96	1.08	0.82	0.86	0.55	0.54
<b>COUNTY TYPE</b>						
Large Metro	0.49	0.50	0.40	0.39	0.28	0.24
Small Metro	0.59	0.63	0.51	0.53	0.37	0.33
250K – 1 Mil. Pop.	0.68	0.78	0.59	0.66	0.42	0.43
< 250K Pop.	1.16	1.05	0.98	0.87	0.72	0.51
Nonmetro	0.85	0.81	0.69	0.66	0.45	0.43
Urbanized	1.22	1.35	0.93	1.21	0.60	0.77
Less Urbanized	1.32	1.16	1.16	0.86	0.71	0.58
Completely Rural	2.45	2.12	1.89	1.83	1.17	1.23

\*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.124P Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.0003		0.1172		0.2156	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.0095		0.1394		0.2044	
New England	0.0548		0.2065		0.3406	
Middle Atlantic	0.0566		0.3356		0.3599	
Midwest	0.1612		0.3619		0.4764	
East North Central	0.0094		0.0117		0.9757	
West North Central	0.3270		0.1189		0.2900	
South	0.4954		0.5257		0.9476	
South Atlantic	0.1770		0.7749		0.7774	
East South Central	0.8123		0.5468		0.1030	
West South Central	0.7112		0.2584		0.1053	
West	0.0048		0.0697		0.0680	
Mountain	0.3696		0.6635		0.7964	
Pacific	0.0004		0.0276		0.0350	
<b>COUNTY TYPE</b>						
Large Metro	0.0278		0.2047		0.4364	
Small Metro	0.0091		0.5849		0.6183	
250K – 1 Mil. Pop.	0.0579		0.6952		0.5652	
< 250K Pop.	0.0666		0.1365		0.0911	
Nonmetro	0.2658		0.5041		0.3959	
Urbanized	0.9380		0.8326		0.9833	
Less Urbanized	0.1628		0.3056		0.1912	
Completely Rural	0.9417		0.3432		0.5281	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.125C Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	157	154	126	121	82	87
<b>GEOGRAPHIC DIVISION</b>						
Northeast	65	58	55	49	37	35
New England	27	25	24	26	16	17
Middle Atlantic	59	52	49	40	33	29
Midwest	63	66	53	49	33	31
East North Central	50	54	42	39	26	25
West North Central	38	38	33	30	20	17
South	94	92	73	74	47	51
South Atlantic	55	72	46	56	34	37
East South Central	43	32	25	25	18	20
West South Central	63	49	51	42	27	29
West	88	85	69	68	46	48
Mountain	38	36	26	32	17	23
Pacific	80	77	64	61	43	43
<b>COUNTY TYPE</b>						
Large Metro	162	180	101	111	61	70
Small Metro	155	134	104	95	61	56
250K – 1 Mil. Pop.	124	112	81	80	48	49
< 250K Pop.	102	74	69	50	38	28
Nonmetro	84	82	49	54	33	30
Urbanized	67	61	40	42	24	22
Less Urbanized	53	48	33	31	21	17
Completely Rural	25	28	17	16	14	9

\*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.125D Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.49	0.48	0.39	0.37	0.26	0.27
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.15	1.02	0.96	0.86	0.64	0.61
New England	1.83	1.65	1.60	1.72	1.10	1.12
Middle Atlantic	1.41	1.23	1.17	0.95	0.78	0.68
Midwest	0.85	0.88	0.71	0.66	0.44	0.41
East North Central	0.98	1.06	0.81	0.77	0.50	0.49
West North Central	1.65	1.63	1.41	1.29	0.88	0.73
South	0.81	0.79	0.64	0.63	0.41	0.43
South Atlantic	0.96	1.24	0.81	0.95	0.60	0.63
East South Central	2.20	1.66	1.27	1.31	0.90	1.03
West South Central	1.63	1.26	1.31	1.08	0.71	0.73
West	1.17	1.12	0.92	0.89	0.61	0.63
Mountain	1.64	1.54	1.15	1.36	0.74	0.98
Pacific	1.52	1.46	1.21	1.15	0.81	0.81
<b>COUNTY TYPE</b>						
Large Metro	0.69	0.68	0.52	0.50	0.34	0.36
Small Metro	0.85	0.83	0.76	0.71	0.47	0.49
250K – 1 Mil. Pop.	1.07	1.04	0.94	0.92	0.56	0.63
< 250K Pop.	1.50	1.31	1.32	1.13	0.84	0.76
Nonmetro	1.09	1.12	0.78	0.89	0.62	0.54
Urbanized	1.83	1.85	1.25	1.47	0.94	0.89
Less Urbanized	1.34	1.37	1.11	1.16	0.81	0.69
Completely Rural	4.44	3.26	3.44	2.35	3.57	1.60

\*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 1.125P Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.7995		0.2337		0.0852	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.7586		0.7307		0.9197	
New England	0.9231		0.2754		0.4062	
Middle Atlantic	0.6991		0.3162		0.7425	
Midwest	0.9432		0.9284		0.8701	
East North Central	0.8565		0.9422		0.8624	
West North Central	0.7090		0.8064		0.9705	
South	0.8846		0.2350		0.2273	
South Atlantic	0.4907		0.4698		1.0000	
East South Central	0.5551		0.6311		0.4790	
West South Central	0.3463		0.4052		0.1011	
West	0.4386		0.2829		0.0621	
Mountain	0.4872		0.5162		0.2476	
Pacific	0.6053		0.1386		0.1306	
<b>COUNTY TYPE</b>						
Large Metro	0.6695		0.3007		0.0089	
Small Metro	0.8960		0.4550		0.7086	
250K – 1 Mil. Pop.	0.5421		0.3285		0.3673	
< 250K Pop.	0.2806		0.9211		0.5339	
Nonmetro	0.8675		0.8668		0.3496	
Urbanized	0.9396		0.5227		0.9321	
Less Urbanized	0.9476		0.7729		0.2517	
Completely Rural	0.7119		0.7425		0.4552	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.126C Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	788	797	364	354	226	257
<b>GEOGRAPHIC DIVISION</b>						
Northeast	374	366	134	159	88	112
New England	211	162	56	67	42	47
Middle Atlantic	313	330	121	145	77	102
Midwest	283	292	142	131	98	93
East North Central	246	231	115	102	80	74
West North Central	142	176	84	87	57	62
South	478	485	203	224	145	164
South Atlantic	372	371	167	181	115	129
East South Central	144	192	65	81	54	58
West South Central	265	241	96	104	70	76
West	415	396	229	188	113	125
Mountain	162	190	90	86	55	59
Pacific	382	351	211	167	99	111
<b>COUNTY TYPE</b>						
Large Metro	753	746	309	285	178	203
Small Metro	513	538	183	204	119	138
250K – 1 Mil. Pop.	426	439	158	177	105	117
< 250K Pop.	295	300	97	101	60	73
Nonmetro	319	330	129	124	74	82
Urbanized	214	185	89	85	53	54
Less Urbanized	225	255	87	93	49	63
Completely Rural	112	135	35	32	14	23

\*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.126D Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.43	0.43	0.20	0.19	0.12	0.14
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.06	1.04	0.38	0.45	0.25	0.32
New England	2.28	1.75	0.61	0.72	0.46	0.51
Middle Atlantic	1.20	1.26	0.47	0.56	0.30	0.39
Midwest	0.69	0.70	0.34	0.32	0.24	0.22
East North Central	0.85	0.80	0.40	0.35	0.28	0.25
West North Central	1.15	1.41	0.69	0.70	0.46	0.50
South	0.73	0.73	0.31	0.33	0.22	0.25
South Atlantic	1.07	1.04	0.48	0.51	0.33	0.36
East South Central	1.31	1.72	0.59	0.73	0.49	0.52
West South Central	1.35	1.20	0.49	0.52	0.36	0.38
West	1.01	0.95	0.56	0.45	0.28	0.30
Mountain	1.36	1.54	0.75	0.70	0.46	0.48
Pacific	1.31	1.19	0.72	0.57	0.34	0.38
<b>COUNTY TYPE</b>						
Large Metro	0.61	0.62	0.29	0.27	0.17	0.20
Small Metro	0.71	0.78	0.32	0.35	0.22	0.25
250K – 1 Mil. Pop.	0.90	0.94	0.42	0.46	0.29	0.32
< 250K Pop.	1.20	1.33	0.49	0.54	0.34	0.40
Nonmetro	0.90	0.81	0.41	0.38	0.24	0.25
Urbanized	1.45	1.23	0.70	0.69	0.42	0.44
Less Urbanized	1.23	1.22	0.54	0.55	0.31	0.38
Completely Rural	2.46	2.43	1.16	0.81	0.48	0.57

\*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.126P Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.5050		0.6983		0.1418	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.4313		0.2136		0.1586	
New England	0.9729		0.4287		0.5043	
Middle Atlantic	0.3540		0.3157		0.2144	
Midwest	0.2141		0.9143		0.7763	
East North Central	0.7287		0.3742		0.8147	
West North Central	0.0850		0.3380		0.4454	
South	0.1528		0.4629		0.6805	
South Atlantic	0.1115		0.5322		0.5878	
East South Central	0.7409		0.7700		0.5613	
West South Central	0.5407		0.4867		0.6823	
West	0.1609		0.3676		0.3101	
Mountain	0.2645		0.3644		0.6994	
Pacific	0.3122		0.5640		0.1764	
<b>COUNTY TYPE</b>						
Large Metro	0.9633		0.8219		0.1579	
Small Metro	0.6765		0.6060		0.9583	
250K – 1 Mil. Pop.	0.8075		0.6988		0.9671	
< 250K Pop.	0.7208		0.7514		0.9875	
Nonmetro	0.1686		0.3863		0.2538	
Urbanized	0.5904		0.5902		0.8296	
Less Urbanized	0.0891		0.3773		0.2342	
Completely Rural	0.8611		0.9753		0.3741	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.127C Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	820	831	399	393	247	278
<b>GEOGRAPHIC DIVISION</b>						
Northeast	384	378	152	171	99	119
New England	216	164	68	78	51	50
Middle Atlantic	322	343	136	152	85	108
Midwest	295	300	152	146	104	96
East North Central	252	240	122	117	87	77
West North Central	153	178	92	94	57	65
South	504	503	218	247	152	179
South Atlantic	389	379	173	192	122	136
East South Central	142	198	64	92	51	68
West South Central	288	256	116	121	74	85
West	429	416	255	214	132	139
Mountain	170	197	97	94	62	64
Pacific	394	370	236	191	116	124
<b>COUNTY TYPE</b>						
Large Metro	805	794	349	314	199	219
Small Metro	556	565	208	228	132	149
250K – 1 Mil. Pop.	459	457	171	194	115	125
< 250K Pop.	342	322	122	121	72	83
Nonmetro	338	354	137	141	81	89
Urbanized	239	200	102	97	61	60
Less Urbanized	233	275	93	104	54	65
Completely Rural	123	143	40	39	20	26

\*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.127D Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.38	0.38	0.19	0.18	0.11	0.13
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.94	0.92	0.37	0.42	0.24	0.29
New England	2.00	1.52	0.63	0.73	0.47	0.47
Middle Atlantic	1.07	1.13	0.45	0.50	0.28	0.36
Midwest	0.61	0.61	0.31	0.30	0.21	0.20
East North Central	0.74	0.70	0.36	0.34	0.26	0.23
West North Central	1.05	1.21	0.63	0.64	0.39	0.44
South	0.65	0.64	0.28	0.31	0.20	0.23
South Atlantic	0.96	0.91	0.43	0.46	0.30	0.33
East South Central	1.10	1.51	0.49	0.71	0.40	0.52
West South Central	1.22	1.07	0.49	0.50	0.31	0.35
West	0.88	0.84	0.52	0.43	0.27	0.28
Mountain	1.19	1.34	0.68	0.64	0.44	0.44
Pacific	1.14	1.07	0.69	0.55	0.34	0.36
<b>COUNTY TYPE</b>						
Large Metro	0.55	0.56	0.28	0.26	0.16	0.18
Small Metro	0.62	0.67	0.30	0.32	0.20	0.22
250K – 1 Mil. Pop.	0.77	0.80	0.37	0.41	0.26	0.28
< 250K Pop.	1.09	1.16	0.48	0.52	0.33	0.38
Nonmetro	0.81	0.73	0.38	0.37	0.22	0.24
Urbanized	1.35	1.10	0.67	0.65	0.40	0.41
Less Urbanized	1.07	1.09	0.49	0.53	0.29	0.34
Completely Rural	2.29	2.19	1.08	0.87	0.56	0.54

\*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.127P Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.4967		0.4834		0.0586	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.4742		0.3043		0.1806	
New England	0.9851		0.2975		0.3839	
Middle Atlantic	0.4058		0.5346		0.2914	
Midwest	0.2282		0.9238		0.8394	
East North Central	0.7733		0.3921		0.7744	
West North Central	0.0832		0.3394		0.4685	
South	0.1611		0.3021		0.4646	
South Atlantic	0.0982		0.4243		0.6070	
East South Central	0.8551		0.8835		0.7364	
West South Central	0.7043		0.3696		0.3466	
West	0.1328		0.6189		0.1244	
Mountain	0.2278		0.2959		0.9880	
Pacific	0.2828		0.9306		0.0861	
<b>COUNTY TYPE</b>						
Large Metro	0.9590		0.8847		0.0334	
Small Metro	0.7546		0.5535		0.9354	
250K – 1 Mil. Pop.	0.7461		0.5422		0.7806	
< 250K Pop.	0.9461		0.9044		0.7731	
Nonmetro	0.1747		0.3958		0.4605	
Urbanized	0.6121		0.5059		0.8317	
Less Urbanized	0.0891		0.4419		0.4189	
Completely Rural	0.9813		0.9714		0.6331	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.