

**Table 1.1C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	969	940	535	550	415	432
Marijuana and Hashish	912	925	451	473	360	360
Cocaine	636	595	205	205	119	142
Crack	280	292	117	114	66	87
Heroin	193	226	56	43	37	19
Hallucinogens	618	608	153	146	58	83
LSD	506	521	47	48	26	16
PCP	298	289	28	21	17	13
Ecstasy	329	335	112	114	47	44
Inhalants	480	460	90	95	64	57
Nonmedical Use of Psychotherapeutics <sup>2</sup>	729	712	353	342	210	229
Pain Relievers	564	562	300	304	170	194
OxyContin <sup>®</sup>	134	142	74	81	36	38
Tranquilizers	490	480	208	207	103	118
Stimulants	466	471	147	119	94	76
Methamphetamine	352	345	112	86	69	55
Sedatives	403	347	72	74	48	47
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	827	835	410	398	255	279

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.1D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Standard Errors of Percentages, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.40	0.39	0.22	0.23	0.17	0.18
Marijuana and Hashish	0.38	0.38	0.19	0.19	0.15	0.15
Cocaine	0.26	0.24	0.09	0.08	0.05	0.06
Crack	0.12	0.12	0.05	0.05	0.03	0.04
Heroin	0.08	0.09	0.02	0.02	0.02	0.01
Hallucinogens	0.26	0.25	0.06	0.06	0.02	0.03
LSD	0.21	0.21	0.02	0.02	0.01	0.01
PCP	0.12	0.12	0.01	0.01	0.01	0.01
Ecstasy	0.14	0.14	0.05	0.05	0.02	0.02
Inhalants	0.20	0.19	0.04	0.04	0.03	0.02
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.30	0.29	0.15	0.14	0.09	0.09
Pain Relievers	0.23	0.23	0.12	0.12	0.07	0.08
OxyContin <sup>®</sup>	0.06	0.06	0.03	0.03	0.02	0.02
Tranquilizers	0.20	0.20	0.09	0.08	0.04	0.05
Stimulants	0.19	0.19	0.06	0.05	0.04	0.03
Methamphetamine	0.15	0.14	0.05	0.04	0.03	0.02
Sedatives	0.17	0.14	0.03	0.03	0.02	0.02
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.34	0.34	0.17	0.16	0.11	0.11

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.1P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.5606		0.8381		0.4711	
Marijuana and Hashish	0.8089		0.5807		0.8247	
Cocaine	0.3244		0.4945		0.0585	
Crack	1.0000		0.7040		0.0560	
Heroin	0.2364		0.7400		0.4418	
Hallucinogens	0.2560		0.5978		0.1483	
LSD	0.0928		0.6012		0.2180	
PCP	0.5731		0.1656		0.9412	
Ecstasy	0.6124		0.8842		0.4751	
Inhalants	0.6435		0.4770		0.6944	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.8785		0.4599		0.2904	
Pain Relievers	0.4798		0.3133		0.4302	
OxyContin <sup>®</sup>	0.0564		0.9973		0.9241	
Tranquilizers	0.1620		0.6751		0.2451	
Stimulants	0.0911		0.3447		0.2638	
Methamphetamine	0.0025		0.2666		0.3822	
Sedatives	0.0571		0.9644		0.9589	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.7537		0.6892		0.1014	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.2C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	96	100	87	88	67	64
Marijuana and Hashish	87	85	77	75	57	56
Cocaine	33	34	27	28	15	16
Crack	14	14	10	10	5	7
Heroin	12	10	10	8	5	5
Hallucinogens	45	44	36	36	19	19
LSD	24	23	17	17	8	8
PCP	18	19	12	14	5	6
Ecstasy	31	26	23	21	13	11
Inhalants	67	67	45	47	26	23
Nonmedical Use of Psychotherapeutics <sup>2</sup>	70	72	59	61	40	37
Pain Relievers	67	65	56	56	36	33
OxyContin <sup>®</sup>	24	21	18	18	10	7
Tranquilizers	36	38	29	29	15	17
Stimulants	38	41	28	31	19	19
Methamphetamine	24	26	17	19	12	12
Sedatives	23	22	15	16	6	6
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	84	87	71	71	49	44

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.2D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.38	0.39	0.34	0.35	0.27	0.25
Marijuana and Hashish	0.34	0.33	0.31	0.30	0.23	0.22
Cocaine	0.13	0.14	0.11	0.11	0.06	0.06
Crack	0.06	0.05	0.04	0.04	0.02	0.03
Heroin	0.05	0.04	0.04	0.03	0.02	0.02
Hallucinogens	0.18	0.17	0.14	0.14	0.07	0.07
LSD	0.09	0.09	0.07	0.07	0.03	0.03
PCP	0.07	0.08	0.05	0.06	0.02	0.02
Ecstasy	0.12	0.10	0.09	0.08	0.05	0.04
Inhalants	0.27	0.26	0.18	0.19	0.10	0.09
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.28	0.28	0.23	0.24	0.16	0.14
Pain Relievers	0.27	0.26	0.22	0.22	0.14	0.13
OxyContin <sup>®</sup>	0.09	0.08	0.07	0.07	0.04	0.03
Tranquilizers	0.14	0.15	0.12	0.11	0.06	0.07
Stimulants	0.15	0.16	0.11	0.12	0.08	0.07
Methamphetamine	0.09	0.10	0.07	0.07	0.05	0.05
Sedatives	0.09	0.09	0.06	0.06	0.02	0.03
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.33	0.34	0.28	0.28	0.20	0.17

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.2P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.0000		0.0202		0.0563	
Marijuana and Hashish	0.0007		0.0068		0.0182	
Cocaine	0.5009		0.7965		0.4860	
Crack	0.3538		0.4883		0.2909	
Heroin	0.2310		0.3627		0.9703	
Hallucinogens	0.0073		0.0707		0.7951	
LSD	0.4217		0.7374		0.5932	
PCP	0.8147		0.5166		0.4465	
Ecstasy	0.0020		0.0800		0.8223	
Inhalants	0.2099		0.6354		0.9756	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.0001		0.1208		0.1403	
Pain Relievers	0.0001		0.0895		0.1652	
OxyContin <sup>®</sup>	0.3443		0.7539		0.0143	
Tranquilizers	0.2958		0.3483		0.9496	
Stimulants	0.7686		0.9143		0.7619	
Methamphetamine	0.8985		0.8029		0.5906	
Sedatives	0.5078		0.4779		0.9805	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.0003		0.1172		0.2156	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.3C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	165	161	154	152	130	130
Marijuana and Hashish	176	168	152	145	119	121
Cocaine	109	115	80	74	43	47
Crack	50	54	24	29	13	16
Heroin	36	36	15	21	9	10
Hallucinogens	130	132	72	74	33	36
LSD	98	96	27	30	14	12
PCP	42	41	17	11	5	5
Ecstasy	108	113	48	52	23	26
Inhalants	111	102	41	42	18	21
Nonmedical Use of Psychotherapeutics <sup>2</sup>	141	142	110	108	68	72
Pain Relievers	129	131	94	98	60	61
OxyContin <sup>®</sup>	54	64	35	37	19	19
Tranquilizers	98	107	66	68	38	40
Stimulants	97	94	62	56	32	35
Methamphetamine	61	68	38	38	22	26
Sedatives	40	40	18	22	10	15
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	157	154	126	121	82	87

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.3D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25: Standard Errors of Percentages, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.51	0.49	0.48	0.47	0.40	0.40
Marijuana and Hashish	0.55	0.52	0.47	0.45	0.37	0.37
Cocaine	0.34	0.35	0.25	0.23	0.13	0.15
Crack	0.16	0.17	0.07	0.09	0.04	0.05
Heroin	0.11	0.11	0.05	0.06	0.03	0.03
Hallucinogens	0.40	0.41	0.22	0.23	0.10	0.11
LSD	0.31	0.30	0.08	0.09	0.04	0.04
PCP	0.13	0.13	0.05	0.03	0.02	0.02
Ecstasy	0.34	0.35	0.15	0.16	0.07	0.08
Inhalants	0.34	0.31	0.13	0.13	0.06	0.06
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.44	0.44	0.34	0.33	0.21	0.22
Pain Relievers	0.40	0.40	0.29	0.30	0.19	0.19
OxyContin <sup>®</sup>	0.17	0.20	0.11	0.11	0.06	0.06
Tranquilizers	0.31	0.33	0.20	0.21	0.12	0.12
Stimulants	0.30	0.29	0.19	0.17	0.10	0.11
Methamphetamine	0.19	0.21	0.12	0.12	0.07	0.08
Sedatives	0.12	0.12	0.06	0.07	0.03	0.05
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.49	0.48	0.39	0.37	0.26	0.27

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 1.3P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.9765		0.6290		0.1803	
Marijuana and Hashish	0.6685		0.7494		0.3959	
Cocaine	0.8436		0.3888		0.0380	
Crack	1.0000		0.0979		0.2735	
Heroin	0.4483		0.1319		0.2601	
Hallucinogens	0.6030		0.3844		0.6635	
LSD	0.0002		0.9589		0.2226	
PCP	0.6436		0.0323		0.4439	
Ecstasy	0.9221		0.8908		0.3400	
Inhalants	0.1390		0.9354		0.9718	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.0585		0.5494		0.5633	
Pain Relievers	0.0332		0.2361		0.8442	
OxyContin <sup>®</sup>	0.0069		0.8649		0.9107	
Tranquilizers	0.0061		0.1950		0.5216	
Stimulants	0.3027		0.6830		0.7448	
Methamphetamine	0.8168		0.4698		0.8685	
Sedatives	0.7624		0.3398		0.1717	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.7995		0.2337		0.0852	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.4C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	928	903	473	493	366	395
Marijuana and Hashish	875	887	395	418	312	323
Cocaine	621	580	180	180	110	129
Crack	274	283	112	109	64	85
Heroin	188	223	52	36	35	15
Hallucinogens	583	573	132	112	44	73
LSD	494	499	29	31	13	7
PCP	292	284	18	10	15	10
Ecstasy	286	294	97	98	37	34
Inhalants	448	436	69	65	55	48
Nonmedical Use of Psychotherapeutics <sup>2</sup>	700	686	313	310	187	215
Pain Relievers	529	527	265	274	152	179
OxyContin <sup>®</sup>	120	120	61	69	28	31
Tranquilizers	471	460	189	189	91	109
Stimulants	450	454	125	97	82	63
Methamphetamine	349	334	101	75	60	46
Sedatives	396	344	69	69	47	44
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	788	797	364	354	226	257

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.4D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older: Standard Errors of Percentages, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.51	0.49	0.26	0.27	0.20	0.21
Marijuana and Hashish	0.48	0.48	0.22	0.23	0.17	0.17
Cocaine	0.34	0.31	0.10	0.10	0.06	0.07
Crack	0.15	0.15	0.06	0.06	0.03	0.05
Heroin	0.10	0.12	0.03	0.02	0.02	0.01
Hallucinogens	0.32	0.31	0.07	0.06	0.02	0.04
LSD	0.27	0.27	0.02	0.02	0.01	0.00
PCP	0.16	0.15	0.01	0.01	0.01	0.01
Ecstasy	0.16	0.16	0.05	0.05	0.02	0.02
Inhalants	0.24	0.24	0.04	0.03	0.03	0.03
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.38	0.37	0.17	0.17	0.10	0.12
Pain Relievers	0.29	0.28	0.14	0.15	0.08	0.10
OxyContin <sup>®</sup>	0.07	0.06	0.03	0.04	0.02	0.02
Tranquilizers	0.26	0.25	0.10	0.10	0.05	0.06
Stimulants	0.25	0.24	0.07	0.05	0.04	0.03
Methamphetamine	0.19	0.18	0.06	0.04	0.03	0.02
Sedatives	0.22	0.19	0.04	0.04	0.03	0.02
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.43	0.43	0.20	0.19	0.12	0.14

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.4P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.2981		0.9328		0.4816	
Marijuana and Hashish	0.8870		0.8460		0.9019	
Cocaine	0.3378		0.2420		0.2298	
Crack	0.9727		0.9520		0.0968	
Heroin	0.1623		0.4297		0.2185	
Hallucinogens	0.3720		0.5533		0.1129	
LSD	0.3252		0.5165		0.5711	
PCP	0.5941		0.4188		0.9367	
Ecstasy	0.3478		0.5078		0.7330	
Inhalants	0.9481		0.5329		0.6666	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.8604		0.3455		0.2107	
Pain Relievers	0.4574		0.2749		0.2684	
OxyContin <sup>®</sup>	0.2927		0.8457		0.4155	
Tranquilizers	0.3542		0.8742		0.2948	
Stimulants	0.0513		0.3608		0.2844	
Methamphetamine	0.0024		0.3256		0.2282	
Sedatives	0.0527		0.9519		0.7367	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.5050		0.6983		0.1418	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.5C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	52	50	38	40	24	24
Marijuana and Hashish	24	23	21	19	13	12
Cocaine	6	6	5	5	3	2
Crack	3	2	3	1	3	1
Heroin	4	4	4	4	4	2
Hallucinogens	13	12	11	9	7	6
LSD	7	6	6	5	5	3
PCP	8	3	4	2	3	*
Ecstasy	7	6	6	4	4	3
Inhalants	38	36	24	25	13	14
Nonmedical Use of Psychotherapeutics <sup>2</sup>	33	33	26	27	17	17
Pain Relievers	30	31	25	25	16	16
OxyContin <sup>®</sup>	5	4	3	4	*	1
Tranquilizers	11	10	8	8	5	6
Stimulants	13	12	10	10	6	5
Methamphetamine	8	7	6	6	4	4
Sedatives	11	12	7	6	3	2
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	49	46	35	35	22	21

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.5D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Standard Errors of Percentages, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.57	0.54	0.43	0.45	0.28	0.29
Marijuana and Hashish	0.28	0.27	0.25	0.23	0.16	0.14
Cocaine	0.07	0.07	0.06	0.07	0.04	0.02
Crack	0.04	0.02	0.04	0.02	0.04	0.02
Heroin	0.05	0.05	0.05	0.05	0.04	0.02
Hallucinogens	0.16	0.14	0.13	0.11	0.08	0.07
LSD	0.09	0.07	0.07	0.06	0.06	0.04
PCP	0.09	0.04	0.05	0.03	0.04	*
Ecstasy	0.08	0.07	0.08	0.05	0.04	0.04
Inhalants	0.43	0.40	0.28	0.30	0.15	0.17
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.38	0.39	0.31	0.31	0.20	0.20
Pain Relievers	0.34	0.36	0.29	0.29	0.19	0.19
OxyContin <sup>®</sup>	0.06	0.05	0.04	0.05	*	0.01
Tranquilizers	0.13	0.12	0.10	0.10	0.06	0.07
Stimulants	0.16	0.15	0.12	0.12	0.07	0.06
Methamphetamine	0.09	0.09	0.07	0.07	0.05	0.05
Sedatives	0.13	0.14	0.09	0.07	0.04	0.02
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.54	0.50	0.40	0.40	0.26	0.25

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.5P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: P Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.4613		0.7917		0.9969	
Marijuana and Hashish	0.5103		0.5612		0.2918	
Cocaine	0.4888		0.8269		0.5576	
Crack	0.7784		0.5242		0.5737	
Heroin	0.9381		0.6928		0.6416	
Hallucinogens	0.5207		0.1135		0.6246	
LSD	0.3942		0.6326		0.2489	
PCP	0.0356		0.4158		*	
Ecstasy	0.3650		0.1013		0.8265	
Inhalants	0.5363		0.2944		0.2338	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.0684		0.1981		0.9214	
Pain Relievers	0.1926		0.3729		0.9344	
OxyContin <sup>®</sup>	0.2851		0.7595		*	
Tranquilizers	0.4126		0.6319		0.5098	
Stimulants	0.1161		0.0888		0.0460	
Methamphetamine	0.7008		0.5656		0.7767	
Sedatives	0.5750		0.1737		0.2683	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.3424		0.9751		0.7149	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.6C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	73	69	59	58	44	38
Marijuana and Hashish	52	54	46	46	34	33
Cocaine	17	14	12	12	8	8
Crack	8	5	5	5	3	3
Heroin	5	4	3	3	1	*
Hallucinogens	24	21	21	17	9	8
LSD	12	12	9	8	3	2
PCP	9	8	6	5	1	2
Ecstasy	16	10	12	9	4	4
Inhalants	46	47	31	30	17	12
Nonmedical Use of Psychotherapeutics <sup>2</sup>	45	39	36	34	26	22
Pain Relievers	42	36	33	32	25	20
OxyContin <sup>®</sup>	12	12	10	9	7	6
Tranquilizers	21	18	16	15	8	8
Stimulants	22	23	18	18	12	11
Methamphetamine	15	12	12	9	8	6
Sedatives	12	11	9	9	3	3
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	62	57	47	44	31	26

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 1.6D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Standard Errors of Percentages, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.64	0.67	0.57	0.60	0.46	0.42
Marijuana and Hashish	0.53	0.58	0.47	0.50	0.37	0.37
Cocaine	0.18	0.16	0.14	0.14	0.09	0.09
Crack	0.09	0.06	0.06	0.05	0.03	0.04
Heroin	0.06	0.05	0.03	0.03	0.01	*
Hallucinogens	0.27	0.24	0.23	0.20	0.10	0.09
LSD	0.14	0.14	0.11	0.10	0.04	0.02
PCP	0.11	0.09	0.07	0.06	0.01	0.02
Ecstasy	0.18	0.12	0.14	0.11	0.04	0.04
Inhalants	0.49	0.50	0.35	0.33	0.19	0.14
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.47	0.42	0.39	0.37	0.29	0.24
Pain Relievers	0.44	0.38	0.36	0.35	0.28	0.22
OxyContin <sup>®</sup>	0.14	0.13	0.12	0.10	0.08	0.06
Tranquilizers	0.24	0.20	0.18	0.17	0.09	0.09
Stimulants	0.25	0.26	0.20	0.20	0.14	0.12
Methamphetamine	0.17	0.14	0.14	0.10	0.09	0.07
Sedatives	0.14	0.12	0.11	0.10	0.04	0.03
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.59	0.58	0.49	0.47	0.35	0.28

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.6P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: P Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.0002		0.0029		0.0013	
Marijuana and Hashish	0.0036		0.0147		0.0076	
Cocaine	0.0402		0.8327		0.6398	
Crack	0.0149		0.1953		0.8763	
Heroin	0.5360		0.9357		*	
Hallucinogens	0.0079		0.0266		0.6985	
LSD	0.3959		0.2995		0.4499	
PCP	0.4352		0.4959		0.1695	
Ecstasy	0.0103		0.2015		0.6384	
Inhalants	0.1593		0.2947		0.1445	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.0000		0.0120		0.0009	
Pain Relievers	0.0000		0.0178		0.0011	
OxyContin <sup>®</sup>	0.5190		0.4515		0.1673	
Tranquilizers	0.0753		0.5456		0.2473	
Stimulants	0.4255		0.4822		0.4148	
Methamphetamine	0.1421		0.1828		0.7244	
Sedatives	0.1394		0.2386		0.4755	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.0001		0.0045		0.0009	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.7C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	89	88	74	73	53	51
Marijuana and Hashish	79	76	66	64	47	46
Cocaine	29	31	24	24	12	14
Crack	12	13	9	8	3	6
Heroin	10	8	9	6	3	5
Hallucinogens	35	36	28	29	15	16
LSD	18	19	12	14	6	7
PCP	13	17	9	13	4	5
Ecstasy	26	23	20	18	11	10
Inhalants	45	46	29	26	12	14
Nonmedical Use of Psychotherapeutics <sup>2</sup>	56	55	45	45	27	28
Pain Relievers	53	50	42	40	23	24
OxyContin <sup>®</sup>	20	17	14	14	8	5
Tranquilizers	30	31	23	24	12	14
Stimulants	30	33	20	25	13	15
Methamphetamine	18	21	12	16	8	10
Sedatives	16	16	10	12	3	5
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	68	68	54	54	33	34

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.7D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Standard Errors of Percentages, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.77	0.77	0.74	0.70	0.59	0.54
Marijuana and Hashish	0.77	0.73	0.69	0.65	0.54	0.50
Cocaine	0.34	0.36	0.29	0.28	0.15	0.17
Crack	0.15	0.15	0.10	0.10	0.03	0.07
Heroin	0.12	0.09	0.11	0.07	0.04	0.05
Hallucinogens	0.41	0.41	0.33	0.34	0.19	0.19
LSD	0.22	0.22	0.15	0.16	0.07	0.08
PCP	0.16	0.20	0.11	0.15	0.05	0.06
Ecstasy	0.31	0.27	0.24	0.22	0.14	0.12
Inhalants	0.50	0.50	0.33	0.29	0.14	0.17
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.61	0.59	0.51	0.51	0.32	0.32
Pain Relievers	0.57	0.54	0.47	0.45	0.27	0.28
OxyContin <sup>®</sup>	0.24	0.20	0.17	0.17	0.10	0.05
Tranquilizers	0.35	0.36	0.28	0.27	0.15	0.17
Stimulants	0.36	0.38	0.25	0.29	0.16	0.17
Methamphetamine	0.22	0.25	0.15	0.19	0.10	0.12
Sedatives	0.19	0.18	0.12	0.14	0.04	0.06
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.66	0.68	0.58	0.58	0.38	0.38

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.7P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.0012		0.1230		0.6598	
Marijuana and Hashish	0.0047		0.0272		0.2262	
Cocaine	0.8661		0.8016		0.5847	
Crack	0.8356		0.9801		0.0891	
Heroin	0.2220		0.2012		0.5798	
Hallucinogens	0.0698		0.6245		0.9771	
LSD	0.7503		0.7053		0.7329	
PCP	0.1432		0.1912		0.3706	
Ecstasy	0.0241		0.2999		0.6703	
Inhalants	0.8972		0.5388		0.6827	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.1745		0.7997		0.4903	
Pain Relievers	0.0476		0.7699		0.3489	
OxyContin <sup>®</sup>	0.5085		0.9574		0.0229	
Tranquilizers	0.8896		0.4092		0.8086	
Stimulants	0.5265		0.1904		0.3340	
Methamphetamine	0.3681		0.1364		0.2972	
Sedatives	0.6352		0.4420		0.2617	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.1052		0.9083		0.5180	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.8C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	160	171	129	135	97	102
Marijuana and Hashish	147	157	118	123	89	95
Cocaine	63	74	47	49	25	28
Crack	28	33	15	19	7	12
Heroin	19	20	10	15	5	5
Hallucinogens	75	83	47	55	23	26
LSD	45	45	20	24	10	8
PCP	23	23	12	8	5	3
Ecstasy	54	64	30	37	14	18
Inhalants	63	64	31	33	12	17
Nonmedical Use of Psychotherapeutics <sup>2</sup>	108	109	81	82	48	50
Pain Relievers	99	101	68	72	42	41
OxyContin <sup>®</sup>	33	42	24	25	13	13
Tranquilizers	55	69	36	46	21	29
Stimulants	59	62	41	41	23	24
Methamphetamine	31	40	20	23	12	16
Sedatives	19	24	11	15	5	11
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	126	129	93	93	57	60

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.8D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Standard Errors of Percentages, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.79	0.76	0.76	0.72	0.64	0.62
Marijuana and Hashish	0.80	0.78	0.74	0.70	0.60	0.60
Cocaine	0.46	0.54	0.36	0.36	0.20	0.21
Crack	0.22	0.25	0.12	0.15	0.06	0.10
Heroin	0.15	0.15	0.08	0.11	0.04	0.04
Hallucinogens	0.53	0.58	0.35	0.39	0.18	0.19
LSD	0.34	0.34	0.16	0.18	0.08	0.06
PCP	0.18	0.18	0.09	0.06	0.04	0.02
Ecstasy	0.40	0.46	0.23	0.27	0.11	0.14
Inhalants	0.46	0.46	0.24	0.25	0.09	0.13
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.70	0.66	0.57	0.53	0.36	0.35
Pain Relievers	0.65	0.64	0.49	0.49	0.33	0.30
OxyContin <sup>®</sup>	0.26	0.31	0.19	0.19	0.10	0.10
Tranquilizers	0.43	0.49	0.29	0.33	0.17	0.22
Stimulants	0.44	0.43	0.32	0.29	0.18	0.18
Methamphetamine	0.24	0.30	0.16	0.18	0.10	0.13
Sedatives	0.15	0.18	0.09	0.12	0.04	0.09
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.77	0.72	0.63	0.59	0.42	0.42

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.8P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.9051		0.5669		0.5141	
Marijuana and Hashish	0.5964		0.5566		0.4023	
Cocaine	0.7831		0.6809		0.4445	
Crack	0.3419		0.1412		0.1519	
Heroin	0.5424		0.3776		0.5062	
Hallucinogens	0.6489		0.5505		0.4207	
LSD	0.0053		0.9965		0.1978	
PCP	0.3084		0.1079		0.0395	
Ecstasy	0.9133		0.7786		0.1503	
Inhalants	0.5927		0.9017		0.9417	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.6472		0.9012		0.6670	
Pain Relievers	0.7010		0.7354		0.6942	
OxyContin <sup>®</sup>	0.1858		0.6477		0.8522	
Tranquilizers	0.1741		0.1459		0.1779	
Stimulants	0.8668		0.5779		0.1326	
Methamphetamine	0.5124		0.6724		0.9116	
Sedatives	0.3716		0.3768		0.3352	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.6298		0.8974		0.8923	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 1.9C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	227	230	155	156	114	111
Marijuana and Hashish	213	212	141	137	102	98
Cocaine	102	102	65	64	36	38
Crack	45	44	18	22	11	10
Heroin	30	29	11	14	7	9
Hallucinogens	131	126	56	55	24	25
LSD	94	90	18	18	10	9
PCP	34	36	12	8	2	4
Ecstasy	105	105	41	37	20	19
Inhalants	97	93	27	28	14	12
Nonmedical Use of Psychotherapeutics <sup>2</sup>	142	154	88	93	53	57
Pain Relievers	124	132	77	81	47	48
OxyContin <sup>®</sup>	44	51	27	27	15	13
Tranquilizers	86	92	53	53	29	28
Stimulants	80	85	41	43	22	27
Methamphetamine	57	56	31	29	17	20
Sedatives	35	32	14	15	8	10
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	178	182	106	114	68	71

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.9D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Standard Errors of Percentages, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.61	0.62	0.59	0.58	0.49	0.48
Marijuana and Hashish	0.65	0.63	0.57	0.54	0.46	0.43
Cocaine	0.44	0.44	0.31	0.30	0.17	0.19
Crack	0.22	0.22	0.09	0.11	0.05	0.05
Heroin	0.15	0.14	0.06	0.07	0.04	0.04
Hallucinogens	0.54	0.51	0.27	0.27	0.12	0.13
LSD	0.43	0.41	0.09	0.09	0.05	0.04
PCP	0.17	0.18	0.06	0.04	0.01	0.02
Ecstasy	0.46	0.45	0.20	0.18	0.10	0.10
Inhalants	0.44	0.41	0.14	0.14	0.07	0.06
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.55	0.57	0.40	0.41	0.25	0.28
Pain Relievers	0.50	0.51	0.35	0.37	0.23	0.24
OxyContin <sup>®</sup>	0.21	0.25	0.13	0.14	0.07	0.07
Tranquilizers	0.40	0.42	0.26	0.26	0.14	0.14
Stimulants	0.36	0.38	0.21	0.21	0.11	0.14
Methamphetamine	0.27	0.27	0.16	0.15	0.09	0.10
Sedatives	0.17	0.16	0.07	0.08	0.04	0.05
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.60	0.60	0.46	0.47	0.31	0.34

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.9P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.8157		0.3275		0.2326	
Marijuana and Hashish	0.9643		0.4314		0.7404	
Cocaine	0.7675		0.1512		0.0362	
Crack	0.5671		0.3530		0.8827	
Heroin	0.2047		0.2076		0.3576	
Hallucinogens	0.4366		0.5614		0.8159	
LSD	0.0067		0.9968		0.6248	
PCP	0.8578		0.1359		0.2365	
Ecstasy	0.8923		0.6353		0.9815	
Inhalants	0.1525		0.8818		0.9356	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.0315		0.5289		0.2694	
Pain Relievers	0.0122		0.2199		0.5746	
OxyContin <sup>®</sup>	0.0132		0.8802		0.9736	
Tranquilizers	0.0084		0.5763		0.7370	
Stimulants	0.1934		0.8993		0.3677	
Methamphetamine	0.5432		0.5461		0.7608	
Sedatives	0.8598		0.6258		0.3200	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.9541		0.1542		0.0343	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.10C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	287	314	219	240	182	197
Marijuana and Hashish	284	320	199	220	164	178
Cocaine	214	207	106	93	63	56
Crack	123	120	56	42	33	29
Heroin	62	69	27	22	23	14
Hallucinogens	245	237	87	79	36	37
LSD	211	206	27	25	12	*
PCP	72	82	18	7	15	7
Ecstasy	193	176	68	68	28	29
Inhalants	187	208	35	37	26	22
Nonmedical Use of Psychotherapeutics <sup>2</sup>	249	243	157	155	106	104
Pain Relievers	228	221	137	135	85	90
OxyContin <sup>®</sup>	75	75	40	36	23	24
Tranquilizers	174	183	107	101	61	55
Stimulants	145	157	71	58	46	31
Methamphetamine	125	126	61	43	33	25
Sedatives	80	67	35	24	18	13
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	285	286	177	175	127	120

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.10D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Standard Errors of Percentages, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.82	0.90	0.62	0.69	0.52	0.56
Marijuana and Hashish	0.81	0.92	0.57	0.63	0.47	0.51
Cocaine	0.61	0.59	0.30	0.27	0.18	0.16
Crack	0.35	0.34	0.16	0.12	0.09	0.08
Heroin	0.18	0.20	0.08	0.06	0.06	0.04
Hallucinogens	0.70	0.68	0.25	0.23	0.10	0.11
LSD	0.60	0.59	0.08	0.07	0.03	*
PCP	0.21	0.24	0.05	0.02	0.04	0.02
Ecstasy	0.55	0.51	0.20	0.20	0.08	0.08
Inhalants	0.53	0.60	0.10	0.10	0.08	0.06
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.71	0.70	0.45	0.44	0.30	0.30
Pain Relievers	0.65	0.63	0.39	0.39	0.24	0.26
OxyContin <sup>®</sup>	0.21	0.22	0.12	0.10	0.07	0.07
Tranquilizers	0.50	0.53	0.31	0.29	0.17	0.16
Stimulants	0.41	0.45	0.20	0.17	0.13	0.09
Methamphetamine	0.36	0.36	0.17	0.12	0.09	0.07
Sedatives	0.23	0.19	0.10	0.07	0.05	0.04
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.81	0.82	0.51	0.50	0.36	0.34

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.10P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: P Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.8659		0.3921		0.9948	
Marijuana and Hashish	0.5828		0.2952		0.6900	
Cocaine	0.6103		0.0327		0.6811	
Crack	0.8615		0.5898		0.7026	
Heroin	0.4332		0.8476		0.3748	
Hallucinogens	0.9221		0.3656		0.7589	
LSD	0.8091		0.2979		*	
PCP	0.7787		0.1909		0.4945	
Ecstasy	0.9446		0.6654		0.4279	
Inhalants	0.2003		0.7682		0.6248	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.3506		0.9136		0.7905	
Pain Relievers	0.1924		0.9477		0.4926	
OxyContin <sup>®</sup>	0.3699		0.9863		0.6758	
Tranquilizers	0.8481		0.6508		0.7313	
Stimulants	0.6426		0.1979		0.0793	
Methamphetamine	0.0810		0.1380		0.3379	
Sedatives	0.1114		0.1261		0.5299	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.5128		0.4327		0.5542	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.11C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	851	818	397	406	295	318
Marijuana and Hashish	808	792	330	337	242	256
Cocaine	555	538	140	153	87	118
Crack	251	259	92	100	50	80
Heroin	176	207	41	33	27	14
Hallucinogens	509	499	83	81	25	62
LSD	433	437	12	18	*	7
PCP	284	272	*	8	*	8
Ecstasy	176	213	55	68	24	17
Inhalants	397	376	59	54	48	43
Nonmedical Use of Psychotherapeutics <sup>2</sup>	637	627	256	258	150	180
Pain Relievers	457	453	213	229	121	145
OxyContin <sup>®</sup>	89	93	50	58	16	19
Tranquilizers	427	424	144	156	69	97
Stimulants	422	420	101	78	67	53
Methamphetamine	320	301	78	59	50	36
Sedatives	383	338	58	61	43	41
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	705	722	291	293	179	216

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.11D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Standard Errors of Percentages, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.57	0.54	0.27	0.27	0.20	0.21
Marijuana and Hashish	0.55	0.53	0.22	0.22	0.16	0.17
Cocaine	0.37	0.36	0.09	0.10	0.06	0.08
Crack	0.17	0.17	0.06	0.07	0.03	0.05
Heroin	0.12	0.14	0.03	0.02	0.02	0.01
Hallucinogens	0.34	0.33	0.06	0.05	0.02	0.04
LSD	0.29	0.29	0.01	0.01	*	0.00
PCP	0.19	0.18	*	0.01	*	0.01
Ecstasy	0.12	0.14	0.04	0.05	0.02	0.01
Inhalants	0.27	0.25	0.04	0.04	0.03	0.03
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.43	0.42	0.17	0.17	0.10	0.12
Pain Relievers	0.31	0.30	0.14	0.15	0.08	0.10
OxyContin <sup>®</sup>	0.06	0.06	0.03	0.04	0.01	0.01
Tranquilizers	0.29	0.28	0.10	0.10	0.05	0.06
Stimulants	0.29	0.28	0.07	0.05	0.05	0.03
Methamphetamine	0.22	0.20	0.05	0.04	0.03	0.02
Sedatives	0.26	0.22	0.04	0.04	0.03	0.03
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.48	0.48	0.20	0.19	0.12	0.14

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 1.11P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.2059		0.7816		0.3355	
Marijuana and Hashish	0.6750		0.4295		0.7290	
Cocaine	0.3940		0.9324		0.0968	
Crack	0.8902		0.7183		0.0893	
Heroin	0.2178		0.4110		0.4526	
Hallucinogens	0.3607		0.9066		0.0708	
LSD	0.3391		0.5820		*	
PCP	0.5156		*		*	
Ecstasy	0.1037		0.5247		0.6394	
Inhalants	0.6040		0.5939		0.8226	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.8954		0.1977		0.0819	
Pain Relievers	0.7721		0.1727		0.3323	
OxyContin <sup>®</sup>	0.4718		0.7791		0.4032	
Tranquilizers	0.2638		0.5678		0.1300	
Stimulants	0.0540		0.8636		0.8995	
Methamphetamine	0.0084		0.9212		0.4127	
Sedatives	0.0896		0.4759		0.9024	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.5931		0.2995		0.0266	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.12C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	965	937	519	541	404	430
Marijuana and Hashish	918	924	437	463	349	357
Cocaine	635	597	202	202	119	141
Crack	280	293	115	114	66	87
Heroin	193	227	55	42	36	18
Hallucinogens	613	608	147	140	55	82
LSD	504	521	41	45	22	14
PCP	297	288	25	15	16	11
Ecstasy	326	334	108	111	45	43
Inhalants	471	456	78	79	58	52
Nonmedical Use of Psychotherapeutics <sup>2</sup>	724	714	341	341	203	229
Pain Relievers	559	560	289	300	164	191
OxyContin <sup>®</sup>	133	139	72	80	35	38
Tranquilizers	484	478	203	206	102	116
Stimulants	465	472	142	115	90	74
Methamphetamine	352	345	109	84	67	53
Sedatives	399	346	70	73	48	46
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	820	831	399	393	247	278

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.12D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older: Standard Errors of Percentages, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.45	0.43	0.24	0.25	0.19	0.20
Marijuana and Hashish	0.43	0.42	0.20	0.21	0.16	0.16
Cocaine	0.30	0.27	0.09	0.09	0.06	0.06
Crack	0.13	0.13	0.05	0.05	0.03	0.04
Heroin	0.09	0.10	0.03	0.02	0.02	0.01
Hallucinogens	0.28	0.28	0.07	0.06	0.03	0.04
LSD	0.23	0.24	0.02	0.02	0.01	0.01
PCP	0.14	0.13	0.01	0.01	0.01	0.01
Ecstasy	0.15	0.15	0.05	0.05	0.02	0.02
Inhalants	0.22	0.21	0.04	0.04	0.03	0.02
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.34	0.33	0.16	0.16	0.09	0.11
Pain Relievers	0.26	0.26	0.13	0.14	0.08	0.09
OxyContin <sup>®</sup>	0.06	0.06	0.03	0.04	0.02	0.02
Tranquilizers	0.22	0.22	0.09	0.09	0.05	0.05
Stimulants	0.22	0.22	0.07	0.05	0.04	0.03
Methamphetamine	0.16	0.16	0.05	0.04	0.03	0.02
Sedatives	0.19	0.16	0.03	0.03	0.02	0.02
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.38	0.38	0.19	0.18	0.11	0.13

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.12P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.3182		0.8516		0.2989	
Marijuana and Hashish	0.9619		0.9204		0.8762	
Cocaine	0.3321		0.4643		0.0687	
Crack	0.9731		0.6597		0.0672	
Heroin	0.2147		0.8639		0.4354	
Hallucinogens	0.3350		0.9300		0.1160	
LSD	0.0960		0.6668		0.2341	
PCP	0.5565		0.0387		0.7136	
Ecstasy	0.4406		0.6108		0.4226	
Inhalants	0.7755		0.6126		0.6912	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.5944		0.3012		0.1807	
Pain Relievers	0.2370		0.1727		0.2787	
OxyContin <sup>®</sup>	0.0370		0.9411		0.4745	
Tranquilizers	0.1395		0.5775		0.2354	
Stimulants	0.0937		0.3201		0.2760	
Methamphetamine	0.0025		0.2339		0.3156	
Sedatives	0.0594		0.8390		0.9612	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.4967		0.4834		0.0586	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.13C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	625	630	382	404	303	320
Marijuana and Hashish	608	621	327	353	272	280
Cocaine	478	453	161	162	97	112
Crack	218	238	94	94	52	77
Heroin	150	189	45	34	36	14
Hallucinogens	459	430	125	113	53	66
LSD	404	391	39	42	24	14
PCP	230	235	24	17	16	9
Ecstasy	242	242	87	86	43	35
Inhalants	375	361	73	75	44	44
Nonmedical Use of Psychotherapeutics <sup>2</sup>	493	502	238	244	142	160
Pain Relievers	400	408	204	222	113	138
OxyContin <sup>®</sup>	114	114	59	69	25	29
Tranquilizers	346	344	129	148	71	85
Stimulants	332	352	112	78	69	48
Methamphetamine	264	268	89	61	48	35
Sedatives	283	270	45	50	27	33
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	573	578	292	291	184	199

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.13D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: Standard Errors of Percentages, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.54	0.53	0.33	0.34	0.26	0.27
Marijuana and Hashish	0.52	0.53	0.28	0.30	0.23	0.24
Cocaine	0.41	0.38	0.14	0.14	0.08	0.09
Crack	0.19	0.20	0.08	0.08	0.04	0.07
Heroin	0.13	0.16	0.04	0.03	0.03	0.01
Hallucinogens	0.39	0.36	0.11	0.10	0.05	0.06
LSD	0.35	0.33	0.03	0.04	0.02	0.01
PCP	0.20	0.20	0.02	0.01	0.01	0.01
Ecstasy	0.21	0.21	0.07	0.07	0.04	0.03
Inhalants	0.32	0.31	0.06	0.06	0.04	0.04
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.42	0.43	0.20	0.21	0.12	0.14
Pain Relievers	0.34	0.35	0.18	0.19	0.10	0.12
OxyContin <sup>®</sup>	0.10	0.10	0.05	0.06	0.02	0.02
Tranquilizers	0.30	0.29	0.11	0.13	0.06	0.07
Stimulants	0.28	0.30	0.10	0.07	0.06	0.04
Methamphetamine	0.23	0.23	0.08	0.05	0.04	0.03
Sedatives	0.24	0.23	0.04	0.04	0.02	0.03
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.49	0.49	0.25	0.25	0.16	0.17

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.13P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.9095		0.9358		0.3139	
Marijuana and Hashish	0.6156		0.9152		0.4674	
Cocaine	0.5189		0.3038		0.3377	
Crack	0.5998		0.8493		0.2889	
Heroin	0.2329		0.3558		0.1382	
Hallucinogens	0.4074		0.3835		0.7223	
LSD	0.1303		0.9623		0.2098	
PCP	0.7541		0.0824		0.4064	
Ecstasy	0.8197		0.8418		0.6542	
Inhalants	0.9295		0.4364		0.6844	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.9661		0.5698		0.3298	
Pain Relievers	0.2205		0.3082		0.2320	
OxyContin <sup>®</sup>	0.2398		0.8485		0.4338	
Tranquilizers	0.3519		0.2801		0.3029	
Stimulants	0.0760		0.1390		0.2497	
Methamphetamine	0.0299		0.1438		0.6325	
Sedatives	0.6080		0.4994		0.7555	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.6468		0.8822		0.3766	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.14C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	636	598	326	337	238	238
Marijuana and Hashish	588	570	273	274	197	180
Cocaine	357	354	120	110	65	85
Crack	157	161	62	60	37	41
Heroin	99	113	26	25	9	13
Hallucinogens	377	365	70	88	24	50
LSD	283	298	20	20	7	8
PCP	170	147	14	13	*	9
Ecstasy	180	200	53	71	18	25
Inhalants	267	247	63	55	46	37
Nonmedical Use of Psychotherapeutics <sup>2</sup>	474	438	223	231	141	165
Pain Relievers	349	343	189	199	119	138
OxyContin <sup>®</sup>	72	79	43	46	25	25
Tranquilizers	305	313	147	136	70	82
Stimulants	298	275	87	86	60	56
Methamphetamine	204	186	59	58	46	41
Sedatives	261	202	56	50	40	32
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	515	526	240	255	158	187

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 1.14D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: Standard Errors of Percentages, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.51	0.48	0.26	0.27	0.19	0.19
Marijuana and Hashish	0.47	0.45	0.22	0.22	0.16	0.14
Cocaine	0.29	0.28	0.10	0.09	0.05	0.07
Crack	0.13	0.13	0.05	0.05	0.03	0.03
Heroin	0.08	0.09	0.02	0.02	0.01	0.01
Hallucinogens	0.30	0.29	0.06	0.07	0.02	0.04
LSD	0.23	0.24	0.02	0.02	0.01	0.01
PCP	0.14	0.12	0.01	0.01	*	0.01
Ecstasy	0.15	0.16	0.04	0.06	0.01	0.02
Inhalants	0.22	0.20	0.05	0.04	0.04	0.03
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.38	0.35	0.18	0.18	0.11	0.13
Pain Relievers	0.28	0.27	0.15	0.16	0.10	0.11
OxyContin <sup>®</sup>	0.06	0.06	0.03	0.04	0.02	0.02
Tranquilizers	0.25	0.25	0.12	0.11	0.06	0.07
Stimulants	0.24	0.22	0.07	0.07	0.05	0.04
Methamphetamine	0.16	0.15	0.05	0.05	0.04	0.03
Sedatives	0.21	0.16	0.05	0.04	0.03	0.03
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.42	0.42	0.19	0.20	0.13	0.15

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.14P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.4413		0.8013		0.9588	
Marijuana and Hashish	0.8935		0.2798		0.1325	
Cocaine	0.3780		0.8300		0.0512	
Crack	0.4460		0.3136		0.0457	
Heroin	0.6728		0.4189		0.1182	
Hallucinogens	0.3687		0.7599		0.0357	
LSD	0.3578		0.1810		0.8173	
PCP	0.1311		0.9395		*	
Ecstasy	0.2442		0.5936		0.0226	
Inhalants	0.4589		0.8829		0.8875	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.7792		0.5987		0.5810	
Pain Relievers	0.7721		0.6563		0.9568	
OxyContin <sup>®</sup>	0.0888		0.7916		0.4760	
Tranquilizers	0.2501		0.6560		0.5283	
Stimulants	0.5147		0.8495		0.6410	
Methamphetamine	0.0141		1.0000		0.4329	
Sedatives	0.0139		0.5892		0.8486	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.3202		0.4118		0.1209	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.15C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	67	75	62	66	44	49
Marijuana and Hashish	61	64	53	56	39	43
Cocaine	24	24	20	19	12	13
Crack	10	9	7	7	4	6
Heroin	9	7	8	6	4	4
Hallucinogens	32	31	26	25	15	13
LSD	17	18	13	14	7	7
PCP	13	14	9	11	4	4
Ecstasy	20	17	16	14	10	7
Inhalants	47	48	34	33	16	18
Nonmedical Use of Psychotherapeutics <sup>2</sup>	48	51	39	42	26	26
Pain Relievers	46	47	37	38	24	24
OxyContin <sup>®</sup>	17	14	13	13	7	6
Tranquilizers	22	25	19	21	12	13
Stimulants	24	27	18	18	12	13
Methamphetamine	15	18	12	13	8	10
Sedatives	15	16	10	11	2	4
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	61	63	49	52	32	33

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.15D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.52	0.58	0.48	0.51	0.34	0.38
Marijuana and Hashish	0.47	0.49	0.41	0.43	0.30	0.33
Cocaine	0.18	0.18	0.15	0.15	0.09	0.10
Crack	0.08	0.07	0.05	0.05	0.03	0.04
Heroin	0.07	0.06	0.06	0.04	0.03	0.03
Hallucinogens	0.25	0.24	0.20	0.19	0.11	0.10
LSD	0.13	0.14	0.10	0.10	0.05	0.06
PCP	0.10	0.11	0.07	0.09	0.03	0.03
Ecstasy	0.16	0.13	0.12	0.11	0.08	0.05
Inhalants	0.37	0.37	0.26	0.26	0.12	0.14
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.37	0.39	0.30	0.32	0.20	0.20
Pain Relievers	0.36	0.36	0.29	0.30	0.18	0.18
OxyContin <sup>®</sup>	0.13	0.11	0.10	0.10	0.05	0.04
Tranquilizers	0.17	0.19	0.14	0.16	0.09	0.10
Stimulants	0.19	0.21	0.14	0.14	0.10	0.10
Methamphetamine	0.12	0.14	0.09	0.10	0.06	0.07
Sedatives	0.12	0.12	0.08	0.08	0.01	0.03
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.47	0.49	0.38	0.40	0.25	0.26

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.15P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.0030		0.2204		0.4026	
Marijuana and Hashish	0.0134		0.0868		0.1917	
Cocaine	0.0861		0.5565		0.8450	
Crack	0.3602		0.3590		0.5524	
Heroin	0.3236		0.1207		0.9256	
Hallucinogens	0.0221		0.2842		0.2517	
LSD	0.9318		0.8657		0.9452	
PCP	0.9713		0.7570		1.0000	
Ecstasy	0.0179		0.4312		0.2997	
Inhalants	0.2559		0.2692		0.4506	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.0107		0.8084		0.6391	
Pain Relievers	0.0080		0.6628		0.6922	
OxyContin <sup>®</sup>	0.2175		0.9452		0.1682	
Tranquilizers	0.7062		0.9487		0.6360	
Stimulants	0.6966		0.6453		0.4757	
Methamphetamine	0.8112		0.5107		0.3154	
Sedatives	0.3879		0.5970		0.3352	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.0048		0.3541		0.7673	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.16C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	66	67	63	60	50	43
Marijuana and Hashish	59	55	54	50	38	35
Cocaine	24	23	19	19	9	10
Crack	12	10	8	7	3	5
Heroin	8	6	6	5	2	2
Hallucinogens	31	29	26	24	12	14
LSD	16	14	10	10	4	3
PCP	12	12	7	9	3	4
Ecstasy	22	20	17	15	7	9
Inhalants	50	49	34	33	20	16
Nonmedical Use of Psychotherapeutics <sup>2</sup>	49	50	45	44	31	27
Pain Relievers	47	46	43	39	28	24
OxyContin <sup>®</sup>	16	16	13	12	8	5
Tranquilizers	29	27	24	21	12	10
Stimulants	29	31	21	24	14	12
Methamphetamine	19	17	14	13	9	8
Sedatives	15	15	11	12	6	5
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	58	61	52	50	38	31

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.16D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.54	0.54	0.51	0.48	0.40	0.35
Marijuana and Hashish	0.48	0.45	0.44	0.40	0.31	0.29
Cocaine	0.19	0.18	0.15	0.15	0.07	0.08
Crack	0.09	0.08	0.06	0.06	0.03	0.04
Heroin	0.06	0.05	0.05	0.04	0.02	0.01
Hallucinogens	0.25	0.23	0.21	0.19	0.10	0.11
LSD	0.13	0.11	0.08	0.08	0.04	0.03
PCP	0.10	0.10	0.06	0.07	0.02	0.03
Ecstasy	0.18	0.16	0.14	0.12	0.06	0.07
Inhalants	0.41	0.39	0.27	0.27	0.16	0.13
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.40	0.40	0.36	0.35	0.25	0.21
Pain Relievers	0.38	0.37	0.35	0.32	0.23	0.19
OxyContin <sup>®</sup>	0.13	0.13	0.10	0.09	0.07	0.04
Tranquilizers	0.23	0.22	0.19	0.17	0.09	0.08
Stimulants	0.23	0.25	0.17	0.20	0.11	0.10
Methamphetamine	0.15	0.14	0.11	0.11	0.07	0.06
Sedatives	0.12	0.12	0.09	0.10	0.04	0.04
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.47	0.49	0.43	0.40	0.31	0.25

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.16P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.0024		0.0407		0.0624	
Marijuana and Hashish	0.0177		0.0296		0.0293	
Cocaine	0.4351		0.3301		0.3762	
Crack	0.6831		0.9049		0.3499	
Heroin	0.4896		0.6223		0.9178	
Hallucinogens	0.1199		0.1355		0.3891	
LSD	0.1666		0.7328		0.2202	
PCP	0.6841		0.5027		0.2744	
Ecstasy	0.0313		0.0917		0.4197	
Inhalants	0.5462		0.6534		0.4520	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.0018		0.0603		0.1256	
Pain Relievers	0.0021		0.0565		0.1378	
OxyContin <sup>®</sup>	0.8938		0.5981		0.0394	
Tranquilizers	0.2862		0.2028		0.5236	
Stimulants	0.9561		0.6134		0.7946	
Methamphetamine	0.6947		0.7920		0.7842	
Sedatives	0.9310		0.6331		0.5343	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.0219		0.2059		0.1638	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 1.17C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 18 to 25: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	113	100	108	106	97	94
Marijuana and Hashish	121	107	110	104	91	89
Cocaine	76	83	60	58	34	36
Crack	37	40	19	21	11	11
Heroin	28	27	13	17	7	7
Hallucinogens	93	91	58	58	28	30
LSD	71	71	21	25	13	10
PCP	34	32	16	10	5	5
Ecstasy	74	76	39	39	20	21
Inhalants	82	77	33	35	17	17
Nonmedical Use of Psychotherapeutics <sup>2</sup>	100	100	81	81	51	55
Pain Relievers	93	98	71	74	45	46
OxyContin <sup>®</sup>	41	49	27	29	13	16
Tranquilizers	69	74	43	51	25	30
Stimulants	67	66	41	42	23	27
Methamphetamine	45	50	29	29	15	21
Sedatives	30	31	12	17	8	13
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	108	106	93	88	63	66

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.17D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 18 to 25: Standard Errors of Percentages, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.70	0.62	0.67	0.65	0.60	0.58
Marijuana and Hashish	0.75	0.66	0.68	0.64	0.56	0.54
Cocaine	0.47	0.51	0.37	0.35	0.21	0.22
Crack	0.23	0.24	0.12	0.13	0.07	0.07
Heroin	0.17	0.16	0.08	0.11	0.05	0.04
Hallucinogens	0.57	0.56	0.36	0.35	0.17	0.18
LSD	0.44	0.43	0.13	0.15	0.08	0.06
PCP	0.21	0.19	0.10	0.06	0.03	0.03
Ecstasy	0.46	0.47	0.24	0.24	0.12	0.13
Inhalants	0.51	0.47	0.21	0.21	0.10	0.11
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.62	0.62	0.50	0.50	0.32	0.33
Pain Relievers	0.57	0.60	0.44	0.45	0.28	0.28
OxyContin <sup>®</sup>	0.25	0.30	0.17	0.18	0.08	0.10
Tranquilizers	0.43	0.46	0.27	0.31	0.15	0.18
Stimulants	0.42	0.41	0.25	0.26	0.14	0.17
Methamphetamine	0.28	0.30	0.18	0.18	0.09	0.13
Sedatives	0.18	0.19	0.07	0.11	0.05	0.08
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.67	0.65	0.57	0.54	0.39	0.41

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.17P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 18 to 25: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.7028		0.7116		0.1165	
Marijuana and Hashish	1.0000		0.3190		0.2881	
Cocaine	0.6549		0.7435		0.1653	
Crack	0.7781		0.4988		0.5939	
Heroin	0.3294		0.4065		0.7747	
Hallucinogens	0.4333		0.6489		0.9231	
LSD	0.0045		0.4638		0.0967	
PCP	0.1219		0.0168		0.5716	
Ecstasy	0.5075		0.6090		0.8060	
Inhalants	0.0372		0.8450		0.6631	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.6256		0.9247		0.3206	
Pain Relievers	0.5337		0.9805		0.4425	
OxyContin <sup>®</sup>	0.0184		0.9740		0.3343	
Tranquilizers	0.1961		0.1130		0.4883	
Stimulants	0.4416		0.7887		0.7672	
Methamphetamine	0.8445		0.7421		0.3848	
Sedatives	0.3610		0.0498		0.2158	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.3972		0.9357		0.1534	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.18C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 18 to 25: Standard Errors of Numbers in Thousands, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	101	108	94	96	74	74
Marijuana and Hashish	105	110	90	88	66	67
Cocaine	65	69	42	44	23	27
Crack	33	34	14	20	6	12
Heroin	22	21	8	11	5	8
Hallucinogens	72	83	35	40	17	19
LSD	57	56	14	13	6	6
PCP	24	30	5	5	2	1
Ecstasy	64	73	26	31	13	16
Inhalants	61	60	22	24	7	11
Nonmedical Use of Psychotherapeutics <sup>2</sup>	85	92	67	70	47	44
Pain Relievers	77	84	57	64	42	39
OxyContin <sup>®</sup>	34	38	22	22	11	9
Tranquilizers	59	65	42	42	25	26
Stimulants	63	62	40	35	21	22
Methamphetamine	41	43	22	23	14	14
Sedatives	27	23	14	12	6	8
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	94	102	72	78	51	52

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.18D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 18 to 25: Standard Errors of Percentages, 2004 and 2005**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.63	0.67	0.59	0.59	0.46	0.46
Marijuana and Hashish	0.66	0.68	0.56	0.54	0.41	0.42
Cocaine	0.41	0.43	0.26	0.27	0.15	0.16
Crack	0.21	0.21	0.09	0.12	0.04	0.07
Heroin	0.14	0.13	0.05	0.07	0.03	0.05
Hallucinogens	0.45	0.52	0.22	0.25	0.10	0.12
LSD	0.36	0.35	0.09	0.08	0.04	0.04
PCP	0.15	0.18	0.03	0.03	0.01	0.00
Ecstasy	0.40	0.45	0.16	0.19	0.08	0.10
Inhalants	0.38	0.37	0.14	0.15	0.05	0.07
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.53	0.57	0.42	0.43	0.29	0.27
Pain Relievers	0.48	0.52	0.36	0.39	0.26	0.24
OxyContin <sup>®</sup>	0.21	0.23	0.14	0.14	0.07	0.06
Tranquilizers	0.37	0.40	0.26	0.26	0.16	0.16
Stimulants	0.39	0.38	0.25	0.22	0.13	0.13
Methamphetamine	0.26	0.27	0.14	0.14	0.09	0.09
Sedatives	0.17	0.14	0.09	0.08	0.04	0.05
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.59	0.63	0.45	0.48	0.32	0.32

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.18P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 18 to 25: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>1</sup></b>	0.7248		0.7255		0.7562	
Marijuana and Hashish	0.4901		0.4977		0.9307	
Cocaine	0.8486		0.0467		0.0700	
Crack	0.7482		0.0797		0.0199	
Heroin	0.9707		0.1264		0.0507	
Hallucinogens	0.9684		0.3294		0.3206	
LSD	0.0040		0.2423		0.6518	
PCP	0.2385		0.9158		0.3538	
Ecstasy	0.5705		0.6563		0.1967	
Inhalants	0.9029		0.6648		0.3997	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.0137		0.2866		0.7874	
Pain Relievers	0.0071		0.0582		0.5696	
OxyContin <sup>®</sup>	0.1314		0.7501		0.2376	
Tranquilizers	0.0025		0.7826		0.8180	
Stimulants	0.4528		0.3412		0.3897	
Methamphetamine	0.8909		0.4179		0.3949	
Sedatives	0.5274		0.4520		0.5154	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.1850		0.0397		0.3027	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.