

**Table 1.53C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	480	460	90	95	64	57
<b>AGE</b>						
12-17	67	67	45	47	26	23
18-25	111	102	41	42	18	21
26 or Older	448	436	69	65	55	48
<b>GENDER</b>						
Male	375	361	73	75	44	44
Female	267	247	63	55	46	37
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	458	438	81	86	58	51
White	420	406	70	75	40	39
Black or African American	121	111	19	37	10	31
American Indian or Alaska Native	55	46	16	3	5	1
Native Hawaiian or Other Pacific Islander	*	15	1	9	0	3
Asian	64	74	44	16	41	7
Two or More Races	47	30	8	7	4	3
Hispanic or Latino	122	148	37	36	27	25

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.53D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.20	0.19	0.04	0.04	0.03	0.02
<b>AGE</b>						
12-17	0.27	0.26	0.18	0.19	0.10	0.09
18-25	0.34	0.31	0.13	0.13	0.06	0.06
26 or Older	0.24	0.24	0.04	0.03	0.03	0.03
<b>GENDER</b>						
Male	0.32	0.31	0.06	0.06	0.04	0.04
Female	0.22	0.20	0.05	0.04	0.04	0.03
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.22	0.21	0.04	0.04	0.03	0.02
White	0.25	0.24	0.04	0.04	0.02	0.02
Black or African American	0.43	0.39	0.07	0.13	0.03	0.11
American Indian or Alaska Native	3.51	3.11	1.15	0.27	0.37	0.09
Native Hawaiian or Other Pacific Islander	*	2.17	0.11	1.34	0.07	0.44
Asian	0.62	0.72	0.44	0.16	0.41	0.07
Two or More Races	1.78	1.18	0.30	0.29	0.14	0.12
Hispanic or Latino	0.39	0.46	0.12	0.11	0.09	0.08

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.53P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.6435		0.4770		0.6944	
<b>AGE</b>						
12-17	0.2099		0.6354		0.9756	
18-25	0.1390		0.9354		0.9718	
26 or Older	0.9481		0.5329		0.6666	
<b>GENDER</b>						
Male	0.9295		0.4364		0.6844	
Female	0.4589		0.8829		0.8875	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.3644		0.5648		0.7229	
White	0.4929		0.4853		0.5798	
Black or African American	0.7599		0.1050		0.1393	
American Indian or Alaska Native	0.4649		0.3597		0.5486	
Native Hawaiian or Other Pacific Islander	*		0.0704		0.1598	
Asian	0.9112		0.1846		0.2955	
Two or More Races	0.0400		0.7652		0.5364	
Hispanic or Latino	0.1289		0.6064		0.8458	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.54C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	67	67	45	47	26	23
<b>GENDER</b>						
Male	47	48	34	33	16	18
Female	50	49	34	33	20	16
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	59	60	41	42	22	20
White	60	53	40	38	19	17
Black or African American	25	33	12	20	5	11
American Indian or Alaska Native	4	8	3	2	*	1
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	21	24	16	8	7	0
Two or More Races	10	7	7	5	2	2
Hispanic or Latino	31	32	22	22	16	11
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	38	38	26	25	12	14
Female, White, Not Hispanic	44	36	28	27	14	11
Male, Black, Not Hispanic	19	21	9	10	5	6
Female, Black, Not Hispanic	16	24	9	16	3	9
Male, Hispanic	22	23	14	17	6	10
Female, Hispanic	26	23	18	14	14	5

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.54D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.27	0.26	0.18	0.19	0.10	0.09
<b>GENDER</b>						
Male	0.37	0.37	0.26	0.26	0.12	0.14
Female	0.41	0.39	0.27	0.27	0.16	0.13
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.28	0.29	0.20	0.20	0.10	0.10
White	0.35	0.31	0.24	0.24	0.12	0.11
Black or African American	0.61	0.75	0.32	0.48	0.14	0.28
American Indian or Alaska Native	1.99	3.86	1.96	1.37	*	0.70
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.92	1.96	1.53	0.74	0.65	0.02
Two or More Races	2.02	1.67	1.38	1.24	0.56	0.48
Hispanic or Latino	0.73	0.72	0.53	0.51	0.37	0.26
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.45	0.45	0.32	0.31	0.15	0.17
Female, White, Not Hispanic	0.53	0.44	0.35	0.34	0.18	0.15
Male, Black, Not Hispanic	0.89	0.98	0.43	0.51	0.24	0.30
Female, Black, Not Hispanic	0.84	1.14	0.47	0.83	0.15	0.49
Male, Hispanic	0.97	0.95	0.62	0.77	0.26	0.45
Female, Hispanic	1.18	1.01	0.87	0.63	0.69	0.24

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.54P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.2099		0.6354		0.9756	
<b>GENDER</b>						
Male	0.2559		0.2692		0.4506	
Female	0.5462		0.6534		0.4520	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.2548		0.7764		0.7512	
White	0.0799		0.5938		0.6830	
Black or African American	0.1447		0.0582		0.0115	
American Indian or Alaska Native	0.0591		0.9791		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.6548		0.0886		0.1608	
Two or More Races	0.0477		0.6407		0.5997	
Hispanic or Latino	0.6099		0.6540		0.5875	
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.4356		0.1998		0.3703	
Female, White, Not Hispanic	0.0923		0.6376		0.1395	
Male, Black, Not Hispanic	0.5808		0.4117		0.6411	
Female, Black, Not Hispanic	0.1400		0.0859		0.0052	
Male, Hispanic	0.8944		0.4093		0.2374	
Female, Hispanic	0.5716		0.1582		0.1210	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.55C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	111	102	41	42	18	21
<b>GENDER</b>						
Male	82	77	33	35	17	17
Female	61	60	22	24	7	11
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	98	95	35	37	16	18
White	106	101	34	34	16	16
Black or African American	16	24	6	10	4	3
American Indian or Alaska Native	*	6	*	2	0	*
Native Hawaiian or Other Pacific Islander	4	*	0	*	0	*
Asian	16	16	9	6	1	4
Two or More Races	14	10	4	4	3	*
Hispanic or Latino	42	39	22	20	8	11
<b>EDUCATION</b>						
< High School	50	45	15	21	8	9
High School Graduate	63	62	24	23	10	12
Some College	65	67	25	26	10	12
College Graduate	42	42	15	11	9	4
<b>CURRENT EMPLOYMENT</b>						
Full-Time	81	80	24	27	10	11
Part-Time	53	53	22	23	12	13
Unemployed	32	30	14	12	4	6
Other <sup>1</sup>	48	44	19	16	8	9

\*Low precision; no estimate reported.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.55D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.34	0.31	0.13	0.13	0.06	0.06
<b>GENDER</b>						
Male	0.51	0.47	0.21	0.21	0.10	0.11
Female	0.38	0.37	0.14	0.15	0.05	0.07
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.37	0.35	0.13	0.14	0.06	0.07
White	0.44	0.43	0.16	0.17	0.08	0.08
Black or African American	0.35	0.52	0.13	0.23	0.09	0.06
American Indian or Alaska Native	*	2.53	*	1.00	0.17	*
Native Hawaiian or Other Pacific Islander	3.23	*	0.41	*	0.25	*
Asian	0.99	1.02	0.56	0.38	0.08	0.28
Two or More Races	3.35	2.79	0.98	1.20	0.71	*
Hispanic or Latino	0.74	0.68	0.38	0.35	0.14	0.19
<b>EDUCATION</b>						
< High School	0.69	0.62	0.22	0.31	0.12	0.14
High School Graduate	0.53	0.51	0.21	0.20	0.09	0.11
Some College	0.55	0.55	0.23	0.24	0.09	0.11
College Graduate	0.86	0.89	0.36	0.27	0.22	0.10
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.48	0.45	0.16	0.17	0.07	0.07
Part-Time	0.58	0.60	0.26	0.27	0.15	0.15
Unemployed	1.13	1.08	0.52	0.47	0.16	0.23
Other <sup>1</sup>	0.66	0.64	0.28	0.25	0.13	0.14

\*Low precision; no estimate reported.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 1.55P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.1390		0.9354		0.9718	
<b>GENDER</b>						
Male	0.0372		0.8450		0.6631	
Female	0.9029		0.6648		0.3997	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0553		0.8321		0.8707	
White	0.0227		0.9771		0.9782	
Black or African American	0.1065		0.1953		0.3132	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.8372		0.5491		0.7735	
Two or More Races	0.7159		0.7985		*	
Hispanic or Latino	0.5214		0.8371		0.7172	
<b>EDUCATION</b>						
< High School	0.2842		0.2690		0.9857	
High School Graduate	0.4622		0.5486		0.8650	
Some College	0.7454		0.7273		0.2621	
College Graduate	0.1716		0.3869		0.1743	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.2225		0.4462		0.9225	
Part-Time	0.7388		0.8942		0.8330	
Unemployed	0.0787		0.5056		0.6050	
Other <sup>1</sup>	0.8498		0.5333		0.8555	

\*Low precision; no estimate reported.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.56C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	448	436	69	65	55	48
<b>GENDER</b>						
Male	355	350	52	55	38	37
Female	253	229	46	34	40	31
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	430	419	66	61	51	44
White	423	415	49	52	32	32
Black or African American	112	104	12	30	7	30
American Indian or Alaska Native	52	44	*	1	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	57	67	*	10	*	5
Two or More Races	43	27	2	3	*	0
Hispanic or Latino	112	139	21	21	20	20
<b>EDUCATION</b>						
< High School	153	155	24	34	9	33
High School Graduate	220	213	48	16	47	6
Some College	247	225	18	22	12	9
College Graduate	277	289	39	49	24	33
<b>CURRENT EMPLOYMENT</b>						
Full-Time	371	398	49	48	37	35
Part-Time	139	139	15	26	9	5
Unemployed	129	74	*	9	*	*
Other <sup>1</sup>	186	168	25	34	6	33

\*Low precision; no estimate reported.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.56D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.24	0.24	0.04	0.03	0.03	0.03
<b>GENDER</b>						
Male	0.41	0.40	0.06	0.06	0.04	0.04
Female	0.26	0.24	0.05	0.03	0.04	0.03
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.27	0.26	0.04	0.04	0.03	0.03
White	0.30	0.30	0.04	0.04	0.02	0.02
Black or African American	0.57	0.51	0.06	0.15	0.03	0.15
American Indian or Alaska Native	4.54	4.37	*	0.09	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	0.75	0.89	*	0.13	*	0.07
Two or More Races	2.33	1.46	0.11	0.16	*	0.02
Hispanic or Latino	0.53	0.63	0.10	0.09	0.10	0.09
<b>EDUCATION</b>						
< High School	0.52	0.53	0.08	0.12	0.03	0.11
High School Graduate	0.38	0.36	0.08	0.03	0.08	0.01
Some College	0.54	0.48	0.04	0.05	0.03	0.02
College Graduate	0.47	0.50	0.07	0.09	0.05	0.06
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.33	0.35	0.05	0.05	0.04	0.03
Part-Time	0.68	0.66	0.08	0.13	0.04	0.03
Unemployed	2.38	1.42	*	0.18	*	*
Other <sup>1</sup>	0.34	0.30	0.05	0.06	0.01	0.06

\*Low precision; no estimate reported.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.56P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.9481		0.5329		0.6666	
<b>GENDER</b>						
Male	0.5939		0.8434		0.5453	
Female	0.4948		0.4355		0.9945	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.7157		0.5396		0.6463	
White	0.9906		0.6242		0.6671	
Black or African American	0.7581		0.7229		0.4429	
American Indian or Alaska Native	0.6777		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.8437		*		*	
Two or More Races	0.0631		0.5354		*	
Hispanic or Latino	0.1130		0.8998		0.9713	
<b>EDUCATION</b>						
< High School	0.9528		0.7961		0.2090	
High School Graduate	0.7126		0.0926		0.0713	
Some College	0.5037		0.9130		0.7997	
College Graduate	0.6959		0.6062		0.7545	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.6053		0.6554		0.6877	
Part-Time	0.5047		0.5448		0.6461	
Unemployed	0.0264		*		*	
Other <sup>1</sup>	0.7607		0.8859		0.2779	

\*Low precision; no estimate reported.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.57C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	471	456	78	79	58	52
<b>GENDER</b>						
Male	370	361	63	67	42	41
Female	260	242	51	42	41	33
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	450	435	70	73	54	46
White	441	434	59	63	35	36
Black or African American	113	108	14	32	8	30
American Indian or Alaska Native	54	44	*	2	0	*
Native Hawaiian or Other Pacific Islander	*	15	0	*	0	1
Asian	59	69	41	11	40	7
Two or More Races	46	29	4	5	3	2
Hispanic or Latino	120	145	30	29	22	23
<b>EDUCATION</b>						
< High School	163	161	29	39	12	34
High School Graduate	231	220	51	28	48	14
Some College	254	237	31	35	15	15
College Graduate	284	298	43	50	27	33
<b>CURRENT EMPLOYMENT</b>						
Full-Time	384	413	55	55	39	37
Part-Time	151	151	26	34	15	14
Unemployed	133	79	43	15	40	6
Other <sup>1</sup>	191	176	31	37	10	34

\*Low precision; no estimate reported.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.57D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.22	0.21	0.04	0.04	0.03	0.02
<b>GENDER</b>						
Male	0.36	0.34	0.06	0.06	0.04	0.04
Female	0.23	0.21	0.05	0.04	0.04	0.03
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.24	0.23	0.04	0.04	0.03	0.02
White	0.27	0.26	0.04	0.04	0.02	0.02
Black or African American	0.48	0.44	0.06	0.13	0.03	0.12
American Indian or Alaska Native	3.97	3.52	*	0.21	0.03	*
Native Hawaiian or Other Pacific Islander	*	2.32	0.09	*	0.05	0.17
Asian	0.64	0.76	0.46	0.13	0.45	0.07
Two or More Races	2.10	1.34	0.19	0.24	0.12	0.11
Hispanic or Latino	0.45	0.52	0.11	0.11	0.08	0.08
<b>EDUCATION</b>						
< High School	0.45	0.45	0.08	0.11	0.03	0.09
High School Graduate	0.33	0.31	0.07	0.04	0.07	0.02
Some College	0.45	0.41	0.06	0.06	0.03	0.03
College Graduate	0.44	0.47	0.08	0.09	0.05	0.06
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.29	0.31	0.05	0.05	0.03	0.03
Part-Time	0.52	0.51	0.10	0.12	0.05	0.05
Unemployed	1.58	1.01	0.57	0.20	0.54	0.08
Other <sup>1</sup>	0.31	0.29	0.05	0.06	0.02	0.06

\*Low precision; no estimate reported.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.57P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.7755		0.6126		0.6912	
<b>GENDER</b>						
Male	0.9552		0.7805		0.4616	
Female	0.5263		0.6384		0.8244	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.4456		0.6645		0.6246	
White	0.6352		0.6780		0.7103	
Black or African American	0.9860		0.4449		0.5549	
American Indian or Alaska Native	0.3333		*		*	
Native Hawaiian or Other Pacific Islander	*		*		0.5086	
Asian	0.8158		0.4351		0.4049	
Two or More Races	0.0952		0.6428		0.8386	
Hispanic or Latino	0.0965		0.7588		0.9180	
<b>EDUCATION</b>						
< High School	0.8512		0.6865		0.2138	
High School Graduate	0.5984		0.0739		0.0791	
Some College	0.5656		0.7277		0.5193	
College Graduate	0.5545		0.8360		0.9701	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.7896		0.9671		0.6835	
Part-Time	0.6312		0.6535		0.6551	
Unemployed	0.0078		0.2186		0.3359	
Other <sup>1</sup>	0.7271		0.6560		0.2826	

\*Low precision; no estimate reported.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.