

Table 1.58C Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	729	712	353	342	210	229
AGE						
12-17	70	72	59	61	40	37
18-25	141	142	110	108	68	72
26 or Older	700	686	313	310	187	215
GENDER						
Male	493	502	238	244	142	160
Female	474	438	223	231	141	165
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	673	678	329	314	197	211
White	631	604	319	288	184	188
Black or African American	173	192	78	86	60	58
American Indian or Alaska Native	47	63	28	36	9	28
Native Hawaiian or Other Pacific Islander	*	*	*	10	15	10
Asian	127	161	50	74	23	61
Two or More Races	77	68	40	18	34	12
Hispanic or Latino	218	241	99	139	66	85

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.58D Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.30	0.29	0.15	0.14	0.09	0.09
AGE						
12-17	0.28	0.28	0.23	0.24	0.16	0.14
18-25	0.44	0.44	0.34	0.33	0.21	0.22
26 or Older	0.38	0.37	0.17	0.17	0.10	0.12
GENDER						
Male	0.42	0.43	0.20	0.21	0.12	0.14
Female	0.38	0.35	0.18	0.18	0.11	0.13
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.32	0.32	0.16	0.15	0.09	0.10
White	0.38	0.36	0.19	0.17	0.11	0.11
Black or African American	0.62	0.67	0.28	0.30	0.21	0.20
American Indian or Alaska Native	3.61	3.80	2.19	2.61	0.76	2.09
Native Hawaiian or Other Pacific Islander	*	*	*	1.54	2.26	1.40
Asian	1.26	1.41	0.51	0.72	0.23	0.60
Two or More Races	2.73	2.37	1.50	0.75	1.31	0.46
Hispanic or Latino	0.70	0.75	0.32	0.43	0.21	0.27

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.58P Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.8785		0.4599		0.2904	
AGE						
12-17	0.0001		0.1208		0.1403	
18-25	0.0585		0.5494		0.5633	
26 or Older	0.8604		0.3455		0.2107	
GENDER						
Male	0.9661		0.5698		0.3298	
Female	0.7792		0.5987		0.5810	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.9090		0.9781		0.3519	
White	0.5565		0.9055		0.3911	
Black or African American	0.2681		0.1064		0.5598	
American Indian or Alaska Native	0.5367		0.8967		0.3589	
Native Hawaiian or Other Pacific Islander	*		*		0.6069	
Asian	0.0465		0.5450		0.3405	
Two or More Races	0.0874		0.0080		0.0276	
Hispanic or Latino	0.3582		0.0372		0.5711	

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.59C Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	70	72	59	61	40	37
GENDER						
Male	48	51	39	42	26	26
Female	49	50	45	44	31	27
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	68	62	55	52	35	33
White	65	58	53	50	32	29
Black or African American	28	33	22	25	14	17
American Indian or Alaska Native	5	9	5	3	5	2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	14	11	11	9	9	6
Two or More Races	14	7	10	6	6	4
Hispanic or Latino	32	37	25	32	20	18
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	42	40	35	34	21	21
Female, White, Not Hispanic	44	41	38	34	23	21
Male, Black, Not Hispanic	19	22	12	16	9	13
Female, Black, Not Hispanic	21	22	18	18	11	12
Male, Hispanic	24	30	17	24	15	13
Female, Hispanic	25	26	21	24	16	12

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.59D Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.28	0.28	0.23	0.24	0.16	0.14
GENDER						
Male	0.37	0.39	0.30	0.32	0.20	0.20
Female	0.40	0.40	0.36	0.35	0.25	0.21
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.32	0.30	0.26	0.25	0.16	0.16
White	0.37	0.34	0.32	0.30	0.20	0.18
Black or African American	0.67	0.75	0.54	0.59	0.34	0.43
American Indian or Alaska Native	3.21	4.18	2.97	1.95	2.68	1.30
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.30	1.00	1.03	0.82	0.86	0.60
Two or More Races	2.59	1.60	2.05	1.47	1.28	0.87
Hispanic or Latino	0.76	0.85	0.60	0.73	0.48	0.41
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.49	0.46	0.42	0.41	0.25	0.25
Female, White, Not Hispanic	0.51	0.50	0.46	0.42	0.30	0.28
Male, Black, Not Hispanic	0.89	1.02	0.61	0.78	0.45	0.63
Female, Black, Not Hispanic	1.01	1.07	0.90	0.88	0.53	0.59
Male, Hispanic	1.07	1.24	0.78	0.98	0.70	0.57
Female, Hispanic	1.10	1.15	0.97	1.05	0.75	0.54

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.59P Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.0001		0.1208		0.1403	
GENDER						
Male	0.0107		0.8084		0.6391	
Female	0.0018		0.0603		0.1256	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0000		0.0426		0.4398	
White	0.0000		0.0075		0.2370	
Black or African American	0.3065		0.0508		0.2259	
American Indian or Alaska Native	0.6347		0.0418		0.6581	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.1503		0.3876		0.4985	
Two or More Races	0.0213		0.6171		0.5706	
Hispanic or Latino	0.7913		0.5730		0.1136	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.0034		0.2245		0.6412	
Female, White, Not Hispanic	0.0002		0.0086		0.2417	
Male, Black, Not Hispanic	0.4140		0.1383		0.2428	
Female, Black, Not Hispanic	0.5337		0.2000		0.6029	
Male, Hispanic	0.8056		0.2299		0.5104	
Female, Hispanic	0.5168		0.7351		0.1234	

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.60C Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	141	142	110	108	68	72
GENDER						
Male	100	100	81	81	51	55
Female	85	92	67	70	47	44
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	127	126	97	99	58	65
White	158	164	105	112	61	65
Black or African American	46	44	27	27	17	19
American Indian or Alaska Native	*	13	*	5	3	3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	25	27	19	16	9	13
Two or More Races	19	14	12	9	7	8
Hispanic or Latino	57	62	41	44	30	29
EDUCATION						
< High School	74	72	51	53	36	35
High School Graduate	96	98	61	66	41	42
Some College	114	108	84	78	45	46
College Graduate	55	65	33	37	19	22
CURRENT EMPLOYMENT						
Full-Time	124	124	75	79	44	49
Part-Time	87	87	60	61	35	37
Unemployed	51	50	37	35	26	25
Other ¹	76	75	56	54	35	32

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.60D Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.44	0.44	0.34	0.33	0.21	0.22
GENDER						
Male	0.62	0.62	0.50	0.50	0.32	0.33
Female	0.53	0.57	0.42	0.43	0.29	0.27
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.48	0.47	0.37	0.37	0.22	0.24
White	0.56	0.54	0.44	0.45	0.28	0.29
Black or African American	0.89	0.86	0.59	0.58	0.39	0.41
American Indian or Alaska Native	*	4.60	*	2.38	1.93	1.19
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.58	1.50	1.20	1.00	0.59	0.82
Two or More Races	3.68	3.33	3.08	2.51	1.95	2.19
Hispanic or Latino	1.00	1.07	0.72	0.77	0.53	0.51
EDUCATION						
< High School	0.94	0.90	0.71	0.72	0.52	0.50
High School Graduate	0.69	0.71	0.48	0.54	0.35	0.36
Some College	0.83	0.73	0.69	0.60	0.39	0.40
College Graduate	1.06	1.15	0.76	0.77	0.45	0.51
CURRENT EMPLOYMENT						
Full-Time	0.63	0.60	0.44	0.46	0.27	0.30
Part-Time	0.85	0.83	0.66	0.65	0.40	0.42
Unemployed	1.53	1.56	1.29	1.25	0.95	0.93
Other ¹	1.00	0.94	0.78	0.72	0.51	0.48

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.60P Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.0585		0.5494		0.5633	
GENDER						
Male	0.6256		0.9247		0.3206	
Female	0.0137		0.2866		0.7874	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.1726		0.8892		0.4210	
White	0.0611		0.3146		0.3244	
Black or African American	0.6754		0.1034		0.3471	
American Indian or Alaska Native	*		*		0.6193	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.5694		0.4714		0.7121	
Two or More Races	0.1163		0.3577		0.3458	
Hispanic or Latino	0.1132		0.2327		0.7499	
EDUCATION						
< High School	0.1676		0.1297		0.9748	
High School Graduate	0.1083		0.3194		0.8209	
Some College	0.1386		0.5326		0.5310	
College Graduate	0.0195		0.2336		0.2622	
CURRENT EMPLOYMENT						
Full-Time	0.0793		0.2963		0.4913	
Part-Time	0.6690		1.0000		0.7256	
Unemployed	0.5299		0.5228		0.5208	
Other ¹	0.1151		0.7473		0.6090	

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.61C Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	700	686	313	310	187	215
GENDER						
Male	474	488	213	220	128	145
Female	458	419	198	210	125	154
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	645	656	299	284	179	196
White	666	651	296	268	167	178
Black or African American	173	201	70	80	55	54
American Indian or Alaska Native	44	56	25	32	8	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	130	159	49	72	19	59
Two or More Races	72	65	35	13	32	7
Hispanic or Latino	208	229	87	126	54	78
EDUCATION						
< High School	254	258	129	150	80	97
High School Graduate	354	350	164	151	102	110
Some College	386	369	158	152	95	101
College Graduate	420	426	169	171	84	114
CURRENT EMPLOYMENT						
Full-Time	602	605	264	249	151	154
Part-Time	237	227	88	103	53	70
Unemployed	161	147	72	66	54	54
Other ¹	300	306	132	141	79	103

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.61D Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.38	0.37	0.17	0.17	0.10	0.12
GENDER						
Male	0.54	0.55	0.24	0.25	0.15	0.16
Female	0.48	0.43	0.21	0.22	0.13	0.16
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.40	0.40	0.18	0.17	0.11	0.12
White	0.46	0.44	0.22	0.20	0.13	0.13
Black or African American	0.83	0.91	0.35	0.38	0.28	0.26
American Indian or Alaska Native	4.62	5.22	2.61	3.39	0.83	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.73	1.85	0.67	0.93	0.25	0.78
Two or More Races	3.75	3.21	1.92	0.74	1.74	0.39
Hispanic or Latino	0.99	1.04	0.41	0.57	0.26	0.35
EDUCATION						
< High School	0.80	0.82	0.42	0.50	0.26	0.33
High School Graduate	0.59	0.58	0.29	0.26	0.18	0.19
Some College	0.78	0.71	0.35	0.33	0.21	0.22
College Graduate	0.68	0.68	0.31	0.31	0.16	0.21
CURRENT EMPLOYMENT						
Full-Time	0.49	0.50	0.24	0.23	0.14	0.14
Part-Time	1.09	1.01	0.46	0.50	0.28	0.34
Unemployed	2.60	2.48	1.45	1.29	1.12	1.05
Other ¹	0.52	0.52	0.24	0.25	0.14	0.19

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.61P Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.8604		0.3455		0.2107	
GENDER						
Male	0.9120		0.4630		0.4238	
Female	0.8820		0.5096		0.3070	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.9898		0.7195		0.3747	
White	0.5775		0.9905		0.4192	
Black or African American	0.2749		0.0713		0.5382	
American Indian or Alaska Native	0.5247		0.5027		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.0421		0.3342		0.3047	
Two or More Races	0.2478		0.0139		0.0104	
Hispanic or Latino	0.5357		0.0752		0.1920	
EDUCATION						
< High School	0.9720		0.2396		0.6122	
High School Graduate	0.7648		0.8357		0.3279	
Some College	0.6524		0.7185		0.2970	
College Graduate	0.6960		0.7254		0.8981	
CURRENT EMPLOYMENT						
Full-Time	0.7029		0.3164		0.7817	
Part-Time	0.6777		0.7958		0.4299	
Unemployed	0.5637		0.7674		0.7802	
Other ¹	0.3843		0.5695		0.0605	

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.62C Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	724	714	341	341	203	229
GENDER						
Male	489	503	231	240	139	158
Female	469	438	213	228	135	163
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	669	680	323	313	191	211
White	701	687	318	296	179	190
Black or African American	180	207	74	85	58	56
American Indian or Alaska Native	47	60	28	35	8	28
Native Hawaiian or Other Pacific Islander	*	*	*	10	15	9
Asian	128	161	52	74	21	61
Two or More Races	75	67	39	17	34	11
Hispanic or Latino	212	236	94	135	62	84
EDUCATION						
< High School	268	270	139	159	87	104
High School Graduate	365	368	176	170	109	118
Some College	412	381	181	169	107	109
College Graduate	429	439	176	178	87	117
CURRENT EMPLOYMENT						
Full-Time	623	631	275	269	158	163
Part-Time	254	241	109	120	62	78
Unemployed	169	155	81	75	60	61
Other ¹	305	317	142	151	86	108

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.62D Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.34	0.33	0.16	0.16	0.09	0.11
GENDER						
Male	0.47	0.48	0.22	0.23	0.13	0.15
Female	0.42	0.39	0.19	0.20	0.12	0.14
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.36	0.36	0.17	0.16	0.10	0.11
White	0.42	0.40	0.21	0.19	0.12	0.12
Black or African American	0.71	0.77	0.31	0.33	0.24	0.22
American Indian or Alaska Native	4.23	4.30	2.43	2.90	0.76	2.40
Native Hawaiian or Other Pacific Islander	*	*	*	1.63	2.50	1.48
Asian	1.42	1.56	0.59	0.80	0.23	0.67
Two or More Races	3.32	2.80	1.80	0.83	1.56	0.51
Hispanic or Latino	0.79	0.85	0.35	0.49	0.23	0.30
EDUCATION						
< High School	0.70	0.71	0.37	0.44	0.23	0.29
High School Graduate	0.51	0.51	0.26	0.25	0.16	0.17
Some College	0.67	0.58	0.33	0.30	0.20	0.19
College Graduate	0.63	0.65	0.30	0.29	0.15	0.20
CURRENT EMPLOYMENT						
Full-Time	0.44	0.44	0.22	0.21	0.13	0.13
Part-Time	0.82	0.76	0.40	0.42	0.23	0.27
Unemployed	1.77	1.73	1.07	0.98	0.80	0.78
Other ¹	0.47	0.49	0.23	0.24	0.14	0.17

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.62P Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.5944		0.3012		0.1807	
GENDER						
Male	0.8428		0.5321		0.2819	
Female	0.5366		0.3536		0.3863	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.7859		0.7034		0.2798	
White	0.8413		0.7522		0.2854	
Black or African American	0.3342		0.2478		0.7696	
American Indian or Alaska Native	0.4975		0.6800		0.3158	
Native Hawaiian or Other Pacific Islander	*		*		0.5382	
Asian	0.0333		0.4661		0.2813	
Two or More Races	0.1500		0.0116		0.0343	
Hispanic or Latino	0.3253		0.0428		0.3165	
EDUCATION						
< High School	0.7576		0.5037		0.5956	
High School Graduate	0.5043		0.5740		0.3908	
Some College	0.9382		0.5555		0.2297	
College Graduate	0.5136		0.6122		0.7556	
CURRENT EMPLOYMENT						
Full-Time	0.9520		0.2191		0.6461	
Part-Time	0.6186		0.7749		0.4108	
Unemployed	0.4519		0.5438		0.9772	
Other ¹	0.2499		0.5506		0.1181	

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.