

Table 1.73C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	682	675	408	384	288	300
NOT HISPANIC OR LATINO¹	662	628	387	359	267	278
White	583	550	340	333	240	250
Black or African American	212	220	132	127	99	102
American Indian or Alaska Native	93	66	34	34	17	23
Native Hawaiian or Other Pacific Islander	31	48	18	25	12	21
Chinese	63	75	20	17	15	12
Filipino	60	81	21	36	12	29
Japanese	59	*	8	19	6	15
Asian Indian	44	50	19	20	15	12
Korean	53	41	37	19	26	11
Vietnamese	40	42	22	27	20	*
HISPANIC OR LATINO¹	210	214	131	125	93	98
Mexican	249	223	133	99	82	77
Puerto Rican	102	102	54	44	39	33
Central or South American	88	94	50	53	28	36
Cuban	49	63	20	32	15	21

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.73D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.29	0.28	0.17	0.16	0.12	0.12
NOT HISPANIC OR LATINO¹	0.32	0.30	0.19	0.17	0.13	0.13
White	0.35	0.33	0.20	0.20	0.14	0.15
Black or African American	0.78	0.78	0.49	0.45	0.37	0.36
American Indian or Alaska Native	3.17	3.66	1.66	2.34	1.12	1.70
Native Hawaiian or Other Pacific Islander	4.52	4.71	2.81	3.54	1.83	3.02
Chinese	2.97	2.67	0.96	0.75	0.71	0.54
Filipino	2.50	3.25	1.04	1.81	0.61	1.55
Japanese	4.74	*	1.01	2.01	0.75	1.77
Asian Indian	2.02	1.85	1.00	0.78	0.75	0.49
Korean	4.88	4.25	4.29	2.42	3.11	1.42
Vietnamese	4.36	3.99	2.61	3.03	2.36	*
HISPANIC OR LATINO¹	0.71	0.68	0.44	0.40	0.31	0.31
Mexican	0.89	0.77	0.54	0.47	0.41	0.37
Puerto Rican	2.41	2.44	1.65	1.35	1.21	1.02
Central or South American	1.71	1.73	1.21	1.10	0.69	0.80
Cuban	2.75	3.40	1.54	2.13	1.25	1.38

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.73P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2004-2005 Versus 2002-2003

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.4632		0.0851		0.1745	
NOT HISPANIC OR LATINO¹	0.9657		0.3442		0.1897	
White	0.7594		0.5540		0.1507	
Black or African American	0.8655		0.2590		0.9816	
American Indian or Alaska Native	0.8933		0.1264		0.4437	
Native Hawaiian or Other Pacific Islander	0.2764		0.6553		0.3244	
Chinese	0.5973		0.7089		0.9219	
Filipino	0.3168		0.6183		0.9929	
Japanese	*		0.4832		0.4800	
Asian Indian	0.9239		0.3154		0.4682	
Korean	0.9028		0.3538		0.4010	
Vietnamese	0.4229		0.7103		*	
HISPANIC OR LATINO¹	0.1096		0.0150		0.7159	
Mexican	0.0168		0.0065		0.1490	
Puerto Rican	0.8446		0.2201		0.7277	
Central or South American	0.4105		0.5238		0.4587	
Cuban	0.0508		0.2743		0.6485	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.74C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	75	69	65	62	49	46
NOT HISPANIC OR LATINO¹	68	62	60	55	45	41
White	77	68	62	58	41	40
Black or African American	39	40	28	32	19	21
American Indian or Alaska Native	11	9	9	6	5	5
Native Hawaiian or Other Pacific Islander	*	*	4	3	3	2
Chinese	7	8	5	7	3	5
Filipino	8	11	7	4	5	2
Japanese	2	*	2	*	1	*
Asian Indian	6	10	6	9	4	3
Korean	5	5	4	4	1	3
Vietnamese	7	*	4	*	3	*
HISPANIC OR LATINO¹	36	33	29	29	20	22
Mexican	39	39	28	30	18	20
Puerto Rican	14	14	12	12	9	10
Central or South American	14	10	12	8	6	6
Cuban	8	8	6	5	*	3

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.74D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.30	0.27	0.26	0.24	0.20	0.18
NOT HISPANIC OR LATINO¹	0.33	0.29	0.29	0.26	0.21	0.20
White	0.38	0.33	0.34	0.31	0.25	0.23
Black or African American	0.73	0.76	0.61	0.65	0.46	0.47
American Indian or Alaska Native	3.16	3.16	2.89	2.75	2.99	2.51
Native Hawaiian or Other Pacific Islander	*	*	4.22	4.49	3.55	3.25
Chinese	3.05	3.82	2.33	3.12	1.46	2.37
Filipino	3.53	4.36	3.18	2.28	2.54	1.14
Japanese	3.59	*	3.09	*	1.73	*
Asian Indian	2.82	3.36	2.70	3.04	1.76	1.25
Korean	4.55	4.00	3.55	3.05	1.26	2.57
Vietnamese	4.47	*	3.11	*	2.16	*
HISPANIC OR LATINO¹	0.89	0.77	0.74	0.67	0.51	0.51
Mexican	1.13	0.97	0.92	0.85	0.61	0.62
Puerto Rican	2.06	2.34	1.96	2.11	1.71	1.85
Central or South American	2.43	2.03	2.23	1.71	1.26	1.28
Cuban	4.87	4.03	4.60	3.21	*	2.28

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.74P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2004-2005 Versus 2002-2003

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.0000		0.0000		0.0000	
NOT HISPANIC OR LATINO¹	0.0000		0.0001		0.0000	
White	0.0000		0.0000		0.0000	
Black or African American	0.5351		0.5681		0.5200	
American Indian or Alaska Native	0.5416		0.7207		0.4805	
Native Hawaiian or Other Pacific Islander	*		0.7722		0.5528	
Chinese	0.4548		0.5202		0.1621	
Filipino	0.2597		0.0231		0.0278	
Japanese	*		*		*	
Asian Indian	0.3133		0.7594		0.1690	
Korean	0.3894		0.6897		0.3351	
Vietnamese	*		*		*	
HISPANIC OR LATINO¹	0.1166		0.1614		0.1600	
Mexican	0.4777		0.6763		0.1754	
Puerto Rican	0.3733		0.7560		0.6092	
Central or South American	0.0165		0.0046		0.8015	
Cuban	0.6350		0.5790		*	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.75C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	113	115	107	108	91	92
NOT HISPANIC OR LATINO¹	99	98	95	97	80	81
White	185	168	137	125	94	90
Black or African American	70	68	43	47	31	35
American Indian or Alaska Native	17	12	15	8	9	7
Native Hawaiian or Other Pacific Islander	13	11	9	7	6	6
Chinese	16	15	8	11	6	10
Filipino	17	13	12	7	8	5
Japanese	*	*	5	*	3	*
Asian Indian	12	11	8	8	6	6
Korean	14	12	10	9	8	4
Vietnamese	12	9	*	5	*	*
HISPANIC OR LATINO¹	48	56	44	48	36	38
Mexican	75	66	49	44	31	32
Puerto Rican	24	23	17	17	13	13
Central or South American	22	20	16	16	12	12
Cuban	13	11	10	9	7	7

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.75D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.36	0.36	0.34	0.33	0.29	0.28
NOT HISPANIC OR LATINO¹	0.38	0.37	0.37	0.36	0.31	0.30
White	0.41	0.40	0.43	0.42	0.36	0.35
Black or African American	0.83	0.86	0.78	0.82	0.62	0.66
American Indian or Alaska Native	2.48	3.07	3.80	3.20	3.22	2.82
Native Hawaiian or Other Pacific Islander	5.22	4.75	4.61	4.45	3.33	4.22
Chinese	3.99	3.16	2.55	2.79	1.88	2.63
Filipino	4.68	4.13	3.67	3.07	2.53	2.20
Japanese	*	*	5.42	*	3.49	*
Asian Indian	3.53	2.76	2.63	2.09	1.82	1.63
Korean	5.65	4.72	5.11	4.38	4.08	2.33
Vietnamese	5.41	4.94	*	3.30	*	*
HISPANIC OR LATINO¹	0.86	0.98	0.80	0.83	0.65	0.65
Mexican	1.05	1.21	0.94	0.98	0.76	0.76
Puerto Rican	2.66	2.75	2.64	2.71	2.14	2.12
Central or South American	2.35	2.19	2.15	1.95	1.57	1.62
Cuban	5.08	4.87	5.59	4.79	3.86	3.95

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.75P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2004-2005 Versus 2002-2003

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.0468		0.0471		0.2451	
NOT HISPANIC OR LATINO¹	0.1810		0.0475		0.1760	
White	0.4053		0.1587		0.2285	
Black or African American	0.9419		0.8049		0.8214	
American Indian or Alaska Native	0.0822		0.1452		0.0677	
Native Hawaiian or Other Pacific Islander	0.5173		0.8416		0.1326	
Chinese	0.9019		0.2555		0.1853	
Filipino	0.1800		0.2224		0.2105	
Japanese	*		*		*	
Asian Indian	0.1963		0.2226		0.7622	
Korean	0.9394		0.8360		0.2078	
Vietnamese	0.8656		*		*	
HISPANIC OR LATINO¹	0.0685		0.5913		0.9714	
Mexican	0.1941		0.7538		0.6552	
Puerto Rican	0.8207		0.9804		0.3069	
Central or South American	0.0221		0.2100		0.4825	
Cuban	0.7961		0.8828		0.5183	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.76C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	657	648	357	342	251	269
NOT HISPANIC OR LATINO¹	642	607	337	321	231	251
White	804	736	289	310	206	231
Black or African American	303	295	147	123	105	101
American Indian or Alaska Native	75	58	19	28	12	19
Native Hawaiian or Other Pacific Islander	*	*	13	*	10	*
Chinese	60	72	19	11	13	6
Filipino	57	77	14	36	8	*
Japanese	58	*	6	18	5	*
Asian Indian	42	47	16	16	13	10
Korean	*	*	*	16	*	9
Vietnamese	*	40	*	*	*	*
HISPANIC OR LATINO¹	196	205	120	111	84	86
Mexican	207	199	108	86	72	67
Puerto Rican	92	99	47	38	35	28
Central or South American	81	91	44	49	26	33
Cuban	40	59	17	30	13	18

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.76D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.36	0.35	0.20	0.19	0.14	0.15
NOT HISPANIC OR LATINO¹	0.40	0.37	0.21	0.20	0.14	0.15
White	0.43	0.41	0.22	0.23	0.16	0.17
Black or African American	1.03	1.05	0.63	0.57	0.48	0.48
American Indian or Alaska Native	4.37	4.90	1.64	2.85	1.19	2.00
Native Hawaiian or Other Pacific Islander	*	*	3.43	*	2.39	*
Chinese	3.70	3.40	1.14	0.59	0.83	0.34
Filipino	2.91	3.96	0.84	2.34	0.47	*
Japanese	5.51	*	0.82	2.25	0.76	*
Asian Indian	2.58	2.35	1.06	0.88	0.85	0.55
Korean	*	*	*	3.35	*	1.99
Vietnamese	*	5.46	*	*	*	*
HISPANIC OR LATINO¹	0.98	0.95	0.60	0.51	0.42	0.40
Mexican	1.23	1.13	0.75	0.61	0.55	0.49
Puerto Rican	3.37	3.49	2.18	1.65	1.62	1.22
Central or South American	2.37	2.30	1.52	1.42	0.90	1.01
Cuban	3.21	4.03	1.70	2.54	1.38	1.61

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.76P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2004-2005 Versus 2002-2003

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.9508		0.5572		0.7322	
NOT HISPANIC OR LATINO¹	0.6111		0.9140		0.7046	
White	0.4487		0.7148		0.5705	
Black or African American	0.9048		0.1840		0.8015	
American Indian or Alaska Native	0.9769		0.0266		0.1593	
Native Hawaiian or Other Pacific Islander	*		*		*	
Chinese	0.6937		0.2292		0.2344	
Filipino	0.1385		0.1919		*	
Japanese	*		0.2487		*	
Asian Indian	0.9536		0.5628		0.7384	
Korean	*		*		*	
Vietnamese	*		*		*	
HISPANIC OR LATINO¹	0.4049		0.0591		0.9163	
Mexican	0.0469		0.0067		0.3159	
Puerto Rican	0.9683		0.3097		0.7073	
Central or South American	0.9414		0.6761		0.2120	
Cuban	0.0224		0.1530		0.5812	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.77C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	681	673	393	375	280	295
NOT HISPANIC OR LATINO¹	662	627	373	352	259	274
White	850	770	329	343	235	253
Black or African American	336	313	167	132	117	106
American Indian or Alaska Native	85	63	27	31	16	21
Native Hawaiian or Other Pacific Islander	29	46	17	25	11	21
Chinese	63	74	21	16	15	12
Filipino	58	80	20	36	11	29
Japanese	59	*	7	18	6	15
Asian Indian	43	48	17	18	14	12
Korean	52	41	*	19	*	10
Vietnamese	40	42	22	27	*	*
HISPANIC OR LATINO¹	204	212	127	122	90	95
Mexican	239	217	126	95	78	74
Puerto Rican	100	101	52	42	38	31
Central or South American	86	93	47	52	28	35
Cuban	46	62	20	32	14	20

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.77D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.32	0.31	0.19	0.17	0.13	0.14
NOT HISPANIC OR LATINO¹	0.36	0.33	0.20	0.19	0.14	0.14
White	0.39	0.36	0.22	0.22	0.15	0.16
Black or African American	0.89	0.89	0.55	0.50	0.42	0.41
American Indian or Alaska Native	3.64	4.13	1.72	2.52	1.18	1.82
Native Hawaiian or Other Pacific Islander	5.40	5.26	3.14	3.91	2.00	3.33
Chinese	3.28	2.92	1.08	0.75	0.78	0.54
Filipino	2.70	3.51	1.11	1.98	0.63	1.71
Japanese	5.04	*	1.04	2.09	0.79	1.82
Asian Indian	2.25	2.04	1.03	0.82	0.79	0.53
Korean	5.43	4.88	*	2.82	*	1.61
Vietnamese	5.07	4.48	3.00	3.41	*	*
HISPANIC OR LATINO¹	0.80	0.78	0.50	0.45	0.35	0.35
Mexican	1.00	0.90	0.61	0.53	0.46	0.42
Puerto Rican	2.80	2.97	1.90	1.54	1.39	1.15
Central or South American	1.91	1.91	1.31	1.20	0.79	0.87
Cuban	2.96	3.69	1.69	2.35	1.31	1.53

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.77P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2004-2005 Versus 2002-2003

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.7971		0.3120		0.5372	
NOT HISPANIC OR LATINO¹	0.7321		0.7859		0.5325	
White	0.4893		0.8726		0.4782	
Black or African American	0.9288		0.2091		0.8866	
American Indian or Alaska Native	0.8224		0.1065		0.4946	
Native Hawaiian or Other Pacific Islander	0.2678		0.6138		0.2675	
Chinese	0.6786		0.6306		0.8038	
Filipino	0.2452		0.3951		0.7644	
Japanese	*		0.5359		0.5692	
Asian Indian	0.8028		0.3175		0.6751	
Korean	0.9049		*		*	
Vietnamese	0.3697		0.5474		*	
HISPANIC OR LATINO¹	0.1695		0.0297		0.9548	
Mexican	0.0201		0.0063		0.2332	
Puerto Rican	0.9188		0.2400		0.8251	
Central or South American	0.6021		0.9175		0.4242	
Cuban	0.0358		0.2266		0.5328	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.78C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	650	650	330	327	232	255
NOT HISPANIC OR LATINO¹	627	606	322	313	220	237
White	554	537	289	286	204	211
Black or African American	200	216	116	112	85	90
American Indian or Alaska Native	53	57	22	24	14	18
Native Hawaiian or Other Pacific Islander	29	42	11	18	8	16
Chinese	56	56	14	14	7	10
Filipino	51	60	13	11	9	5
Japanese	53	*	4	15	3	15
Asian Indian	38	36	9	12	9	8
Korean	41	25	17	15	9	7
Vietnamese	22	24	7	11	4	3
HISPANIC OR LATINO¹	203	203	89	102	66	85
Mexican	205	197	82	78	48	66
Puerto Rican	90	94	42	34	27	27
Central or South American	75	79	32	48	27	31
Cuban	41	53	16	25	11	16

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.78D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.27	0.27	0.14	0.14	0.10	0.11
NOT HISPANIC OR LATINO¹	0.30	0.29	0.16	0.15	0.11	0.11
White	0.33	0.32	0.17	0.17	0.12	0.13
Black or African American	0.74	0.76	0.43	0.40	0.31	0.32
American Indian or Alaska Native	2.81	3.52	1.38	1.85	1.09	1.36
Native Hawaiian or Other Pacific Islander	4.49	4.82	1.84	2.62	1.29	2.32
Chinese	2.64	2.18	0.65	0.58	0.33	0.43
Filipino	2.20	2.64	0.70	0.62	0.47	0.31
Japanese	4.89	*	0.58	1.79	0.35	1.77
Asian Indian	1.81	1.39	0.48	0.49	0.44	0.31
Korean	4.42	3.11	2.15	2.00	1.16	0.89
Vietnamese	2.59	2.83	0.87	1.35	0.53	0.39
HISPANIC OR LATINO¹	0.69	0.64	0.30	0.32	0.22	0.27
Mexican	0.84	0.76	0.36	0.37	0.25	0.32
Puerto Rican	2.26	2.36	1.31	1.08	0.87	0.85
Central or South American	1.58	1.49	0.83	1.02	0.68	0.71
Cuban	2.67	3.01	1.24	1.70	1.01	1.08

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.78P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2004-2005 Versus 2002-2003

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.3583		0.1521		0.3048	
NOT HISPANIC OR LATINO¹	0.8357		0.1865		0.1592	
White	0.8945		0.2206		0.0533	
Black or African American	0.7622		0.5085		0.5143	
American Indian or Alaska Native	0.9006		0.3115		0.4927	
Native Hawaiian or Other Pacific Islander	0.5088		0.3754		0.1842	
Chinese	0.9198		0.5406		0.1298	
Filipino	0.4130		0.3390		0.1131	
Japanese	*		0.4631		0.2009	
Asian Indian	0.3294		0.7861		0.5777	
Korean	0.5291		0.4783		0.5454	
Vietnamese	0.5100		0.4048		0.5207	
HISPANIC OR LATINO¹	0.1122		0.7421		0.2709	
Mexican	0.0604		0.6075		0.6983	
Puerto Rican	0.5649		0.3455		0.7135	
Central or South American	0.4990		0.9730		0.8266	
Cuban	0.6199		0.8602		0.9535	

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.79C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	64	61	56	54	43	40
NOT HISPANIC OR LATINO¹	59	54	52	48	39	36
White	58	55	51	48	34	34
Black or African American	28	28	23	24	16	17
American Indian or Alaska Native	9	8	7	7	5	5
Native Hawaiian or Other Pacific Islander	3	*	3	3	3	2
Chinese	4	5	3	5	*	4
Filipino	5	3	5	3	3	1
Japanese	1	*	1	*	1	*
Asian Indian	3	6	2	5	3	1
Korean	3	4	2	3	1	3
Vietnamese	3	*	2	*	*	*
HISPANIC OR LATINO¹	27	28	23	24	16	19
Mexican	27	29	21	24	13	17
Puerto Rican	12	9	11	8	8	6
Central or South American	9	6	9	6	5	5
Cuban	7	5	6	5	*	3

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.79D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.26	0.24	0.22	0.21	0.17	0.16
NOT HISPANIC OR LATINO¹	0.28	0.26	0.25	0.23	0.19	0.17
White	0.33	0.30	0.29	0.27	0.21	0.20
Black or African American	0.62	0.60	0.53	0.54	0.40	0.39
American Indian or Alaska Native	3.28	3.75	2.84	3.59	2.80	2.79
Native Hawaiian or Other Pacific Islander	4.01	*	3.20	4.09	3.08	2.41
Chinese	1.83	2.43	1.51	2.34	*	2.00
Filipino	2.77	1.80	2.68	1.73	1.70	0.83
Japanese	1.71	*	1.69	*	1.38	*
Asian Indian	1.28	2.06	0.94	1.83	1.40	0.53
Korean	2.87	3.27	2.48	2.90	0.96	2.57
Vietnamese	2.85	*	1.72	*	*	*
HISPANIC OR LATINO¹	0.67	0.64	0.58	0.56	0.40	0.44
Mexican	0.82	0.80	0.66	0.70	0.45	0.55
Puerto Rican	2.06	1.74	1.93	1.51	1.51	1.25
Central or South American	1.89	1.43	1.84	1.32	1.14	1.06
Cuban	4.74	3.18	4.25	3.03	*	1.93

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.79P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2004-2005 Versus 2002-2003

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.0000		0.0000		0.0004	
NOT HISPANIC OR LATINO¹	0.0000		0.0001		0.0003	
White	0.0000		0.0000		0.0000	
Black or African American	0.4407		0.2686		0.4617	
American Indian or Alaska Native	0.1896		0.4875		0.9876	
Native Hawaiian or Other Pacific Islander	*		0.2806		0.4330	
Chinese	0.4495		0.2347		*	
Filipino	0.0004		0.0544		0.2435	
Japanese	*		*		*	
Asian Indian	0.9212		0.6249		0.1970	
Korean	0.5724		0.5290		0.1717	
Vietnamese	*		*		*	
HISPANIC OR LATINO¹	0.0797		0.0516		0.5960	
Mexican	0.3878		0.4166		0.8707	
Puerto Rican	0.1391		0.1372		0.4716	
Central or South American	0.0641		0.0242		0.7379	
Cuban	0.0893		0.3635		*	

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.80C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	115	122	103	105	83	85
NOT HISPANIC OR LATINO¹	101	104	92	95	74	77
White	175	159	124	113	85	81
Black or African American	62	65	40	44	29	33
American Indian or Alaska Native	17	11	11	8	7	7
Native Hawaiian or Other Pacific Islander	12	10	9	7	5	5
Chinese	13	11	7	9	4	8
Filipino	15	12	11	6	7	4
Japanese	*	*	4	*	3	*
Asian Indian	10	9	7	7	5	5
Korean	13	11	9	9	8	4
Vietnamese	10	7	*	5	4	*
HISPANIC OR LATINO¹	47	57	39	44	31	33
Mexican	64	56	38	37	26	26
Puerto Rican	23	21	17	16	12	12
Central or South American	19	18	14	14	10	11
Cuban	13	10	9	8	6	6

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.80D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.37	0.38	0.33	0.32	0.26	0.26
NOT HISPANIC OR LATINO¹	0.39	0.39	0.35	0.36	0.29	0.29
White	0.44	0.43	0.42	0.41	0.34	0.33
Black or African American	0.81	0.90	0.75	0.78	0.59	0.64
American Indian or Alaska Native	2.78	3.30	3.54	3.23	3.38	2.97
Native Hawaiian or Other Pacific Islander	5.21	4.98	4.42	4.20	3.03	3.95
Chinese	3.39	2.98	2.12	2.55	1.32	2.30
Filipino	4.31	4.11	3.54	2.65	2.45	2.00
Japanese	*	*	4.79	*	3.33	*
Asian Indian	2.76	2.20	2.31	1.86	1.75	1.40
Korean	5.07	4.94	4.82	4.36	3.92	2.21
Vietnamese	4.87	4.40	*	3.26	2.48	*
HISPANIC OR LATINO¹	0.85	1.00	0.70	0.76	0.56	0.57
Mexican	1.04	1.22	0.82	0.89	0.65	0.64
Puerto Rican	2.67	2.84	2.61	2.52	2.04	2.05
Central or South American	2.25	2.09	1.94	1.77	1.34	1.49
Cuban	5.31	4.65	5.04	4.58	3.84	3.69

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.80P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2004-2005 Versus 2002-2003

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.0178		0.0115		0.0323	
NOT HISPANIC OR LATINO¹	0.0939		0.0094		0.0191	
White	0.3754		0.0189		0.0150	
Black or African American	0.7774		0.9422		0.7758	
American Indian or Alaska Native	0.1625		0.4015		0.4766	
Native Hawaiian or Other Pacific Islander	0.7762		0.9674		0.1529	
Chinese	0.4954		0.5022		0.1669	
Filipino	0.1464		0.1554		0.2310	
Japanese	*		*		*	
Asian Indian	0.2699		0.4874		0.5828	
Korean	0.6860		0.7649		0.1893	
Vietnamese	0.7691		*		*	
HISPANIC OR LATINO¹	0.0413		0.5954		0.8715	
Mexican	0.1505		0.9120		0.3794	
Puerto Rican	0.4337		0.6153		0.2834	
Central or South American	0.0641		0.2218		0.8971	
Cuban	0.7011		0.7096		0.7889	

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.81C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	631	623	275	288	194	224
NOT HISPANIC OR LATINO¹	611	586	270	275	186	210
White	723	694	234	257	174	191
Black or African American	279	281	125	108	87	87
American Indian or Alaska Native	42	49	14	20	10	14
Native Hawaiian or Other Pacific Islander	*	*	7	16	6	15
Chinese	53	53	11	9	*	4
Filipino	47	56	7	8	4	2
Japanese	52	*	2	*	1	*
Asian Indian	37	34	4	9	5	6
Korean	*	23	*	12	*	4
Vietnamese	*	24	*	9	*	*
HISPANIC OR LATINO¹	192	187	72	88	53	73
Mexican	176	174	60	65	38	57
Puerto Rican	81	92	33	29	23	23
Central or South American	69	75	28	45	24	28
Cuban	36	49	12	22	9	14

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.81D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.35	0.34	0.15	0.16	0.11	0.12
NOT HISPANIC OR LATINO¹	0.38	0.36	0.17	0.17	0.12	0.13
White	0.42	0.40	0.18	0.19	0.13	0.14
Black or African American	0.99	1.03	0.55	0.50	0.41	0.42
American Indian or Alaska Native	3.72	4.71	1.49	2.18	1.03	1.53
Native Hawaiian or Other Pacific Islander	*	*	1.78	3.29	1.53	3.03
Chinese	3.30	2.73	0.69	0.48	*	0.22
Filipino	2.51	3.13	0.44	0.57	0.25	0.17
Japanese	5.63	*	0.30	*	0.17	*
Asian Indian	2.34	1.78	0.28	0.48	0.33	0.31
Korean	*	4.45	*	2.52	*	0.91
Vietnamese	*	3.95	*	1.64	*	*
HISPANIC OR LATINO¹	0.96	0.87	0.36	0.41	0.27	0.34
Mexican	1.19	1.05	0.44	0.47	0.30	0.43
Puerto Rican	3.11	3.26	1.54	1.25	1.10	1.01
Central or South American	2.16	1.97	0.97	1.32	0.84	0.88
Cuban	3.22	3.55	1.20	1.94	0.93	1.24

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.81P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2004-2005 Versus 2002-2003

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.9920		0.9090		0.7345	
NOT HISPANIC OR LATINO¹	0.6583		0.9746		0.8805	
White	0.5498		0.9570		0.4874	
Black or African American	0.6534		0.3331		0.6691	
American Indian or Alaska Native	0.6248		0.0817		0.2414	
Native Hawaiian or Other Pacific Islander	*		0.1443		0.1977	
Chinese	0.9244		0.9135		*	
Filipino	0.1058		0.4366		0.3318	
Japanese	*		*		*	
Asian Indian	0.4835		0.6148		0.8391	
Korean	*		*		*	
Vietnamese	*		*		*	
HISPANIC OR LATINO¹	0.4537		0.4622		0.0881	
Mexican	0.1642		0.8961		0.2835	
Puerto Rican	0.8552		0.8213		0.6671	
Central or South American	0.9614		0.2571		0.6518	
Cuban	0.3558		0.4904		0.7580	

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.82C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	653	651	317	319	223	250
NOT HISPANIC OR LATINO¹	630	609	310	305	213	232
White	761	729	272	287	198	212
Black or African American	307	298	141	116	97	93
American Indian or Alaska Native	49	54	18	21	12	16
Native Hawaiian or Other Pacific Islander	28	41	11	18	8	16
Chinese	55	55	13	13	7	9
Filipino	51	60	13	11	8	5
Japanese	53	*	4	15	3	15
Asian Indian	38	35	8	11	7	8
Korean	41	25	17	15	9	6
Vietnamese	23	25	7	11	4	3
HISPANIC OR LATINO¹	198	197	85	98	62	83
Mexican	200	189	78	73	45	64
Puerto Rican	87	94	40	33	26	26
Central or South American	73	78	31	47	26	31
Cuban	40	52	15	24	10	16

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.82D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.31	0.30	0.15	0.15	0.11	0.12
NOT HISPANIC OR LATINO¹	0.34	0.32	0.17	0.16	0.11	0.12
White	0.37	0.35	0.18	0.18	0.13	0.14
Black or African American	0.85	0.88	0.49	0.45	0.35	0.36
American Indian or Alaska Native	3.18	3.98	1.42	1.92	1.10	1.41
Native Hawaiian or Other Pacific Islander	5.27	5.49	2.03	2.84	1.40	2.56
Chinese	2.92	2.37	0.70	0.59	0.37	0.43
Filipino	2.41	2.87	0.80	0.66	0.49	0.33
Japanese	5.20	*	0.61	1.83	0.38	1.82
Asian Indian	2.01	1.53	0.50	0.51	0.41	0.35
Korean	4.94	3.64	2.42	2.33	1.35	0.94
Vietnamese	3.16	3.26	0.97	1.48	0.62	0.44
HISPANIC OR LATINO¹	0.78	0.72	0.33	0.36	0.24	0.30
Mexican	0.96	0.87	0.41	0.41	0.28	0.37
Puerto Rican	2.63	2.78	1.49	1.22	0.99	0.96
Central or South American	1.76	1.65	0.88	1.12	0.74	0.77
Cuban	2.87	3.29	1.27	1.83	1.01	1.19

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 1.82P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2004-2005 Versus 2002-2003

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL¹	0.6741		0.5177		0.6861	
NOT HISPANIC OR LATINO¹	0.8417		0.5137		0.4239	
White	0.6112		0.6645		0.2103	
Black or African American	0.6998		0.3849		0.5934	
American Indian or Alaska Native	0.7799		0.1791		0.4340	
Native Hawaiian or Other Pacific Islander	0.6236		0.4747		0.1345	
Chinese	0.8303		0.7398		0.4064	
Filipino	0.2587		0.6254		0.1763	
Japanese	*		0.5732		0.2588	
Asian Indian	0.3420		0.8898		0.8342	
Korean	0.5520		0.5251		0.3285	
Vietnamese	0.5106		0.3632		0.5034	
HISPANIC OR LATINO¹	0.1668		0.8778		0.2088	
Mexican	0.0729		0.7438		0.6635	
Puerto Rican	0.6654		0.5057		0.5755	
Central or South American	0.6150		0.6274		0.7738	
Cuban	0.4455		0.6977		0.7780	

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.