

**Table 1.83C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	969	940	535	550	415	432
<b>GEOGRAPHIC DIVISION</b>						
Northeast	447	446	240	258	163	207
New England	235	189	109	105	79	84
Middle Atlantic	388	406	215	235	143	187
Midwest	331	365	210	217	169	167
East North Central	284	301	169	168	139	126
West North Central	168	210	125	145	97	111
South	618	565	291	325	226	240
South Atlantic	485	449	221	256	176	186
East South Central	193	196	97	113	75	95
West South Central	330	275	161	163	120	115
West	495	477	320	285	259	227
Mountain	198	209	118	119	84	89
Pacific	454	431	297	256	245	208
<b>COUNTY TYPE</b>						
Large Metro	1,119	1,086	466	460	336	365
Small Metro	786	734	317	333	230	225
250K – 1 Mil. Pop.	669	604	256	298	184	198
< 250K Pop.	491	449	204	159	142	107
Nonmetro	499	498	211	197	151	146
Urbanized	340	313	151	135	113	99
Less Urbanized	361	368	151	145	102	106
Completely Rural	209	221	53	65	28	38

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.83D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.40	0.39	0.22	0.23	0.17	0.18
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.98	0.98	0.53	0.57	0.36	0.45
New England	1.97	1.58	0.91	0.88	0.66	0.70
Middle Atlantic	1.16	1.20	0.64	0.70	0.43	0.56
Midwest	0.61	0.67	0.39	0.40	0.31	0.31
East North Central	0.75	0.79	0.45	0.44	0.37	0.33
West North Central	1.04	1.28	0.77	0.88	0.59	0.68
South	0.72	0.64	0.34	0.37	0.26	0.27
South Atlantic	1.07	0.97	0.49	0.55	0.39	0.40
East South Central	1.34	1.35	0.67	0.77	0.52	0.65
West South Central	1.24	1.02	0.61	0.60	0.45	0.43
West	0.91	0.86	0.58	0.51	0.47	0.41
Mountain	1.24	1.27	0.74	0.73	0.52	0.54
Pacific	1.17	1.10	0.77	0.66	0.63	0.53
<b>COUNTY TYPE</b>						
Large Metro	0.59	0.58	0.32	0.33	0.24	0.27
Small Metro	0.64	0.63	0.38	0.40	0.30	0.29
250K – 1 Mil. Pop.	0.80	0.75	0.46	0.52	0.37	0.37
< 250K Pop.	1.12	1.12	0.67	0.58	0.52	0.43
Nonmetro	0.89	0.76	0.48	0.43	0.36	0.33
Urbanized	1.50	1.22	0.87	0.78	0.67	0.57
Less Urbanized	1.16	1.10	0.62	0.58	0.45	0.46
Completely Rural	2.43	2.39	1.05	1.13	0.66	0.59

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.83P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.5606		0.8381		0.4711	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.1956		0.4946		0.4560	
New England	0.8308		0.9359		0.8554	
Middle Atlantic	0.1795		0.4267		0.4556	
Midwest	0.6028		0.9820		0.9179	
East North Central	0.9241		0.2757		0.2082	
West North Central	0.4172		0.1629		0.1503	
South	0.2076		0.8153		0.6107	
South Atlantic	0.0924		0.8547		0.6144	
East South Central	0.8190		0.5327		0.9964	
West South Central	0.7853		0.8205		0.8133	
West	0.2573		0.4825		0.7847	
Mountain	0.7911		0.1993		0.7861	
Pacific	0.2645		0.8332		0.6882	
<b>COUNTY TYPE</b>						
Large Metro	0.3686		0.7775		0.4915	
Small Metro	0.5268		0.8686		0.7297	
250K – 1 Mil. Pop.	0.8948		0.5613		0.6461	
< 250K Pop.	0.3673		0.2145		0.1728	
Nonmetro	0.6671		0.8016		0.2891	
Urbanized	0.6355		0.9761		0.8156	
Less Urbanized	0.6128		0.6339		0.1431	
Completely Rural	0.7784		0.6467		0.5805	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.84C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	96	100	87	88	67	64
<b>GEOGRAPHIC DIVISION</b>						
Northeast	40	42	36	36	34	26
New England	19	24	21	20	15	15
Middle Atlantic	35	34	29	30	30	21
Midwest	38	39	36	35	25	27
East North Central	28	31	26	29	18	21
West North Central	25	24	24	20	16	17
South	61	61	53	52	39	39
South Atlantic	46	46	41	39	31	30
East South Central	23	23	20	20	13	16
West South Central	33	33	27	29	19	21
West	49	59	46	51	35	39
Mountain	20	29	18	23	12	19
Pacific	45	52	43	46	32	34
<b>COUNTY TYPE</b>						
Large Metro	101	103	82	83	60	53
Small Metro	76	69	60	57	39	39
250K – 1 Mil. Pop.	64	57	49	48	30	36
< 250K Pop.	49	39	40	31	26	18
Nonmetro	60	57	50	46	31	27
Urbanized	35	33	28	26	18	16
Less Urbanized	49	45	41	34	25	20
Completely Rural	18	24	12	20	7	10

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.84D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.38	0.39	0.34	0.35	0.27	0.25
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.88	0.92	0.79	0.80	0.75	0.56
New England	1.64	2.04	1.75	1.73	1.30	1.25
Middle Atlantic	1.05	1.02	0.87	0.90	0.90	0.63
Midwest	0.66	0.69	0.62	0.62	0.43	0.47
East North Central	0.70	0.78	0.65	0.72	0.46	0.53
West North Central	1.50	1.44	1.44	1.20	0.98	1.03
South	0.68	0.68	0.59	0.58	0.43	0.43
South Atlantic	1.00	0.99	0.90	0.84	0.68	0.64
East South Central	1.62	1.61	1.36	1.41	0.91	1.09
West South Central	1.11	1.09	0.90	0.98	0.65	0.69
West	0.82	0.96	0.77	0.84	0.58	0.64
Mountain	1.15	1.67	1.02	1.33	0.71	1.09
Pacific	1.05	1.20	1.00	1.06	0.76	0.78
<b>COUNTY TYPE</b>						
Large Metro	0.55	0.57	0.50	0.49	0.39	0.35
Small Metro	0.68	0.71	0.61	0.62	0.44	0.48
250K – 1 Mil. Pop.	0.83	0.86	0.76	0.77	0.54	0.64
< 250K Pop.	1.21	1.24	1.10	1.08	0.84	0.70
Nonmetro	0.98	0.96	0.91	0.85	0.64	0.55
Urbanized	1.39	1.39	1.24	1.29	0.93	0.88
Less Urbanized	1.51	1.41	1.45	1.17	0.99	0.79
Completely Rural	3.43	3.06	2.48	2.85	1.59	1.65

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.84P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.0000		0.0202		0.0563	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.0068		0.0322		0.0499	
New England	0.0906		0.2332		0.4447	
Middle Atlantic	0.0333		0.0753		0.0685	
Midwest	0.0116		0.0387		0.8921	
East North Central	0.0065		0.0061		0.5566	
West North Central	0.5187		0.9068		0.6203	
South	0.5179		0.6761		0.3725	
South Atlantic	0.1251		0.7812		0.7734	
East South Central	0.7412		0.5784		0.3218	
West South Central	0.2408		0.1141		0.5578	
West	0.0021		0.1224		0.0078	
Mountain	0.9617		0.8706		0.9396	
Pacific	0.0006		0.0777		0.0034	
<b>COUNTY TYPE</b>						
Large Metro	0.0078		0.2710		0.1278	
Small Metro	0.0042		0.0932		0.6523	
250K – 1 Mil. Pop.	0.0140		0.4436		0.5947	
< 250K Pop.	0.1240		0.0693		0.0875	
Nonmetro	0.1554		0.1888		0.2051	
Urbanized	0.3896		0.1874		0.2329	
Less Urbanized	0.2368		0.3948		0.4929	
Completely Rural	0.9488		0.7675		0.8935	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.85C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	165	161	154	152	130	130
<b>GEOGRAPHIC DIVISION</b>						
Northeast	62	59	64	60	65	52
New England	24	25	27	30	33	25
Middle Atlantic	57	52	57	49	55	44
Midwest	63	63	65	61	50	49
East North Central	52	55	54	48	43	40
West North Central	36	32	37	38	25	27
South	102	95	87	91	66	75
South Atlantic	72	70	63	70	46	55
East South Central	41	32	31	30	28	27
West South Central	57	56	51	49	39	42
West	96	91	87	84	75	73
Mountain	37	36	28	38	26	33
Pacific	88	83	82	74	71	65
<b>COUNTY TYPE</b>						
Large Metro	215	234	144	165	102	121
Small Metro	203	173	153	127	112	93
250K – 1 Mil. Pop.	174	147	125	110	98	82
< 250K Pop.	125	95	97	67	59	46
Nonmetro	111	104	73	73	52	50
Urbanized	95	77	64	55	44	39
Less Urbanized	76	66	43	43	30	27
Completely Rural	30	34	24	22	16	13

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.85D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.51	0.49	0.48	0.47	0.40	0.40
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.10	1.03	1.13	1.06	1.15	0.92
New England	1.62	1.69	1.84	1.99	2.24	1.69
Middle Atlantic	1.36	1.23	1.36	1.17	1.30	1.04
Midwest	0.85	0.85	0.88	0.82	0.67	0.65
East North Central	1.01	1.07	1.05	0.95	0.84	0.79
West North Central	1.55	1.39	1.61	1.62	1.07	1.18
South	0.88	0.81	0.76	0.77	0.57	0.64
South Atlantic	1.27	1.20	1.11	1.20	0.80	0.94
East South Central	2.08	1.65	1.61	1.53	1.44	1.41
West South Central	1.46	1.42	1.32	1.26	1.00	1.06
West	1.27	1.19	1.15	1.10	1.00	0.96
Mountain	1.60	1.54	1.23	1.61	1.14	1.39
Pacific	1.68	1.57	1.56	1.40	1.35	1.24
<b>COUNTY TYPE</b>						
Large Metro	0.76	0.72	0.65	0.66	0.52	0.56
Small Metro	0.84	0.83	0.92	0.86	0.81	0.72
250K – 1 Mil. Pop.	1.05	1.05	1.13	1.12	1.10	0.94
< 250K Pop.	1.43	1.27	1.62	1.27	1.10	1.07
Nonmetro	1.13	1.03	1.02	1.01	0.85	0.81
Urbanized	1.89	1.60	1.66	1.58	1.49	1.37
Less Urbanized	1.42	1.38	1.30	1.35	1.02	0.94
Completely Rural	3.94	3.69	4.38	2.71	3.40	2.25

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 1.85P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.9765		0.6290		0.1803	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.9806		0.3269		0.5801	
New England	0.6370		0.6473		0.9335	
Middle Atlantic	0.8519		0.1660		0.4773	
Midwest	0.0547		0.8158		0.9223	
East North Central	0.1435		0.7828		0.3736	
West North Central	0.2065		0.9927		0.2124	
South	0.8078		0.7168		0.2390	
South Atlantic	0.0780		0.9477		0.4865	
East South Central	0.4902		0.9858		0.8439	
West South Central	0.0248		0.5797		0.2954	
West	0.1077		0.1617		0.0800	
Mountain	0.6012		0.7588		0.3969	
Pacific	0.1273		0.0966		0.1216	
<b>COUNTY TYPE</b>						
Large Metro	0.3562		0.3817		0.1139	
Small Metro	0.7557		0.9578		0.5959	
250K – 1 Mil. Pop.	0.5279		0.5996		0.4780	
< 250K Pop.	0.1405		0.3831		0.8302	
Nonmetro	0.1351		0.7207		0.7628	
Urbanized	0.8048		0.9260		0.4668	
Less Urbanized	0.0641		0.9631		0.5956	
Completely Rural	0.8662		0.3246		0.1219	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.86C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	928	903	473	493	366	395
<b>GEOGRAPHIC DIVISION</b>						
Northeast	437	434	215	238	144	192
New England	231	184	99	85	78	65
Middle Atlantic	378	394	191	219	121	177
Midwest	316	353	185	187	151	147
East North Central	271	292	148	142	119	112
West North Central	161	200	112	125	93	96
South	584	547	252	294	208	220
South Atlantic	461	440	194	238	168	174
East South Central	191	188	88	102	68	88
West South Central	305	258	134	138	101	100
West	478	450	284	247	219	197
Mountain	183	192	107	101	72	75
Pacific	442	408	264	223	207	180
<b>COUNTY TYPE</b>						
Large Metro	1,023	1,008	406	405	293	333
Small Metro	679	674	250	283	192	192
250K – 1 Mil. Pop.	571	555	206	258	153	169
< 250K Pop.	402	402	153	123	126	91
Nonmetro	451	447	180	168	129	130
Urbanized	290	280	125	112	92	81
Less Urbanized	313	325	120	122	87	97
Completely Rural	186	201	40	48	20	33

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.86D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.51	0.49	0.26	0.27	0.20	0.21
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.24	1.23	0.61	0.67	0.41	0.54
New England	2.49	1.98	1.07	0.91	0.84	0.70
Middle Atlantic	1.46	1.51	0.73	0.84	0.47	0.68
Midwest	0.77	0.85	0.45	0.45	0.37	0.35
East North Central	0.94	1.01	0.51	0.49	0.41	0.39
West North Central	1.31	1.61	0.91	1.00	0.76	0.77
South	0.89	0.82	0.38	0.44	0.32	0.33
South Atlantic	1.32	1.23	0.56	0.67	0.48	0.49
East South Central	1.73	1.69	0.80	0.91	0.62	0.79
West South Central	1.55	1.29	0.68	0.69	0.51	0.50
West	1.16	1.08	0.69	0.59	0.53	0.47
Mountain	1.53	1.56	0.90	0.82	0.60	0.61
Pacific	1.51	1.39	0.90	0.76	0.71	0.61
<b>COUNTY TYPE</b>						
Large Metro	0.73	0.72	0.38	0.38	0.28	0.32
Small Metro	0.80	0.81	0.42	0.47	0.34	0.34
250K – 1 Mil. Pop.	1.01	0.97	0.53	0.63	0.42	0.44
< 250K Pop.	1.40	1.43	0.76	0.63	0.66	0.50
Nonmetro	1.09	0.94	0.55	0.50	0.40	0.39
Urbanized	1.76	1.55	0.98	0.91	0.73	0.64
Less Urbanized	1.44	1.34	0.71	0.68	0.52	0.57
Completely Rural	2.87	3.03	1.21	1.09	0.67	0.71

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.86P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.2981		0.9328		0.4816	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.1151		0.1745		0.1762	
New England	0.7366		0.9845		0.7464	
Middle Atlantic	0.1104		0.1370		0.1737	
Midwest	0.2356		0.5833		0.9786	
East North Central	0.5040		0.5423		0.3206	
West North Central	0.2464		0.1083		0.2399	
South	0.2231		0.6740		0.9767	
South Atlantic	0.1855		0.8685		0.7806	
East South Central	0.9553		0.6034		0.8190	
West South Central	0.7667		0.8251		0.8163	
West	0.2218		0.3411		0.8628	
Mountain	0.8735		0.1732		0.5377	
Pacific	0.2080		0.6553		0.6694	
<b>COUNTY TYPE</b>						
Large Metro	0.2968		0.6328		0.6470	
Small Metro	0.8125		0.6781		0.7247	
250K – 1 Mil. Pop.	0.9521		0.4322		0.8055	
< 250K Pop.	0.6123		0.5911		0.3248	
Nonmetro	0.3781		0.5010		0.1230	
Urbanized	0.4986		0.7984		0.8205	
Less Urbanized	0.3427		0.4594		0.0656	
Completely Rural	0.7509		0.5557		0.2473	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.87C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	965	937	519	541	404	430
<b>GEOGRAPHIC DIVISION</b>						
Northeast	451	443	231	254	154	205
New England	242	186	106	101	76	82
Middle Atlantic	388	404	206	232	134	186
Midwest	332	363	203	211	166	162
East North Central	283	302	166	163	137	122
West North Central	171	206	118	140	94	108
South	613	564	281	324	221	239
South Atlantic	483	448	210	255	172	184
East South Central	194	194	97	110	75	95
West South Central	324	275	160	158	118	113
West	491	472	312	276	252	224
Mountain	196	201	117	112	79	85
Pacific	450	427	290	251	239	206
<b>COUNTY TYPE</b>						
Large Metro	1,092	1,066	450	448	325	362
Small Metro	756	714	298	318	219	217
250K – 1 Mil. Pop.	644	585	242	284	175	190
< 250K Pop.	465	434	188	149	137	105
Nonmetro	475	479	200	190	148	144
Urbanized	327	297	148	130	113	96
Less Urbanized	332	351	132	136	94	103
Completely Rural	199	211	48	57	26	36

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.87D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.45	0.43	0.24	0.25	0.19	0.20
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.10	1.08	0.56	0.62	0.38	0.50
New England	2.25	1.73	0.99	0.94	0.71	0.76
Middle Atlantic	1.29	1.33	0.68	0.77	0.44	0.61
Midwest	0.68	0.74	0.42	0.43	0.34	0.33
East North Central	0.83	0.88	0.49	0.48	0.40	0.36
West North Central	1.17	1.39	0.81	0.95	0.65	0.73
South	0.79	0.72	0.36	0.41	0.29	0.30
South Atlantic	1.19	1.08	0.52	0.61	0.42	0.44
East South Central	1.50	1.48	0.75	0.84	0.58	0.73
West South Central	1.38	1.14	0.68	0.66	0.50	0.47
West	1.01	0.96	0.64	0.56	0.52	0.45
Mountain	1.37	1.37	0.82	0.77	0.56	0.58
Pacific	1.31	1.23	0.84	0.72	0.70	0.59
<b>COUNTY TYPE</b>						
Large Metro	0.65	0.64	0.35	0.36	0.26	0.30
Small Metro	0.71	0.69	0.41	0.44	0.33	0.31
250K – 1 Mil. Pop.	0.90	0.84	0.50	0.57	0.40	0.41
< 250K Pop.	1.23	1.24	0.72	0.63	0.58	0.47
Nonmetro	0.98	0.85	0.52	0.48	0.40	0.37
Urbanized	1.64	1.37	0.97	0.87	0.76	0.63
Less Urbanized	1.25	1.22	0.65	0.65	0.48	0.52
Completely Rural	2.55	2.74	1.16	1.15	0.70	0.66

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.87P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.3182		0.8516		0.2989	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.1236		0.3071		0.2749	
New England	0.7029		0.8790		0.7400	
Middle Atlantic	0.1257		0.2902		0.2886	
Midwest	0.4354		0.6987		0.9378	
East North Central	0.7144		0.5121		0.2329	
West North Central	0.3814		0.1464		0.1597	
South	0.2234		0.7678		0.7112	
South Atlantic	0.1214		0.8948		0.6410	
East South Central	0.8439		0.6072		0.8656	
West South Central	0.8937		0.9721		0.8850	
West	0.1367		0.6414		0.4905	
Mountain	0.8090		0.1803		0.7964	
Pacific	0.1295		0.9446		0.4014	
<b>COUNTY TYPE</b>						
Large Metro	0.2378		0.9093		0.3484	
Small Metro	0.7228		0.8801		0.7919	
250K – 1 Mil. Pop.	0.8954		0.4590		0.6991	
< 250K Pop.	0.4256		0.3662		0.2858	
Nonmetro	0.5422		0.6024		0.1972	
Urbanized	0.5644		0.8191		0.6857	
Less Urbanized	0.4984		0.4773		0.1013	
Completely Rural	0.7811		0.6853		0.5947	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.