

Table 1.88C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	912	925	451	473	360	360
GEOGRAPHIC DIVISION						
Northeast	408	437	197	230	138	178
New England	210	191	101	91	66	72
Middle Atlantic	360	394	170	211	121	162
Midwest	326	363	182	189	139	144
East North Central	280	301	144	138	118	105
West North Central	165	211	112	131	73	98
South	590	552	261	274	203	191
South Atlantic	451	452	208	220	163	151
East South Central	199	181	92	103	77	82
West South Central	321	257	129	130	92	88
West	460	475	254	239	225	194
Mountain	173	194	91	94	57	76
Pacific	425	430	238	220	219	179
COUNTY TYPE						
Large Metro	1,032	1,008	376	377	277	294
Small Metro	715	676	256	280	201	190
250K – 1 Mil. Pop.	604	565	210	258	154	171
< 250K Pop.	435	394	157	117	124	87
Nonmetro	448	455	172	159	130	118
Urbanized	302	295	126	107	102	77
Less Urbanized	327	330	113	113	78	86
Completely Rural	152	200	45	55	21	27

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.88D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.38	0.38	0.19	0.19	0.15	0.15
GEOGRAPHIC DIVISION						
Northeast	0.90	0.96	0.43	0.50	0.30	0.39
New England	1.76	1.59	0.84	0.76	0.55	0.60
Middle Atlantic	1.07	1.17	0.51	0.63	0.36	0.48
Midwest	0.60	0.67	0.34	0.35	0.26	0.26
East North Central	0.74	0.79	0.38	0.36	0.31	0.27
West North Central	1.01	1.28	0.69	0.80	0.45	0.60
South	0.68	0.63	0.30	0.31	0.24	0.22
South Atlantic	1.00	0.98	0.46	0.48	0.36	0.33
East South Central	1.39	1.25	0.64	0.71	0.53	0.57
West South Central	1.21	0.95	0.49	0.48	0.35	0.33
West	0.84	0.86	0.46	0.43	0.41	0.35
Mountain	1.08	1.18	0.57	0.57	0.36	0.47
Pacific	1.10	1.10	0.61	0.56	0.57	0.46
COUNTY TYPE						
Large Metro	0.55	0.57	0.27	0.28	0.20	0.22
Small Metro	0.61	0.61	0.32	0.35	0.27	0.25
250K – 1 Mil. Pop.	0.77	0.74	0.40	0.47	0.32	0.32
< 250K Pop.	1.06	1.07	0.54	0.46	0.47	0.36
Nonmetro	0.83	0.75	0.40	0.37	0.31	0.28
Urbanized	1.39	1.25	0.75	0.69	0.62	0.47
Less Urbanized	1.08	1.06	0.48	0.48	0.34	0.39
Completely Rural	1.95	2.46	0.98	1.05	0.53	0.50

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.88P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.8089		0.5807		0.8247	
GEOGRAPHIC DIVISION						
Northeast	0.4689		0.5121		0.5987	
New England	0.8592		0.8826		0.6776	
Middle Atlantic	0.3637		0.4192		0.6991	
Midwest	0.8205		0.4901		0.5084	
East North Central	0.8635		0.0949		0.0603	
West North Central	0.4951		0.3759		0.1771	
South	0.2288		0.2974		0.5656	
South Atlantic	0.1160		0.4286		0.8074	
East South Central	0.5865		0.3882		0.4624	
West South Central	0.6753		0.8419		0.8548	
West	0.8391		0.9480		0.8270	
Mountain	0.6478		0.2593		0.8069	
Pacific	0.9861		0.5922		0.8736	
COUNTY TYPE						
Large Metro	0.9809		0.7228		0.9539	
Small Metro	0.3151		0.6025		0.6605	
250K – 1 Mil. Pop.	0.8935		0.5583		0.6922	
< 250K Pop.	0.1216		0.0365		0.1516	
Nonmetro	0.4917		0.9411		0.9140	
Urbanized	0.5279		0.6495		0.6558	
Less Urbanized	0.6420		0.4463		0.1887	
Completely Rural	0.6122		0.9293		0.3440	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.89C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	87	85	77	75	57	56
GEOGRAPHIC DIVISION						
Northeast	36	34	31	31	27	24
New England	20	17	19	17	13	14
Middle Atlantic	29	29	25	26	23	20
Midwest	35	33	33	30	23	23
East North Central	27	28	23	25	17	18
West North Central	23	19	23	17	16	14
South	54	50	47	42	31	32
South Atlantic	43	38	37	32	25	25
East South Central	17	16	15	15	10	11
West South Central	27	28	25	23	16	18
West	46	51	41	44	31	33
Mountain	20	24	17	21	13	17
Pacific	42	45	37	39	28	28
COUNTY TYPE						
Large Metro	76	75	67	66	50	45
Small Metro	57	52	48	43	29	32
250K – 1 Mil. Pop.	49	44	39	38	23	29
< 250K Pop.	32	28	28	22	18	14
Nonmetro	44	41	39	33	25	22
Urbanized	27	23	23	20	17	14
Less Urbanized	34	32	30	25	18	17
Completely Rural	13	20	9	14	5	7

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.89D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.34	0.33	0.31	0.30	0.23	0.22
GEOGRAPHIC DIVISION						
Northeast	0.78	0.74	0.69	0.68	0.58	0.52
New England	1.71	1.45	1.61	1.41	1.10	1.16
Middle Atlantic	0.87	0.86	0.75	0.78	0.69	0.58
Midwest	0.62	0.59	0.58	0.53	0.41	0.40
East North Central	0.67	0.69	0.58	0.63	0.42	0.46
West North Central	1.40	1.16	1.39	1.05	0.94	0.85
South	0.60	0.55	0.53	0.46	0.35	0.35
South Atlantic	0.94	0.82	0.82	0.69	0.54	0.53
East South Central	1.17	1.13	1.03	1.07	0.68	0.79
West South Central	0.91	0.93	0.84	0.78	0.53	0.60
West	0.77	0.83	0.68	0.72	0.52	0.55
Mountain	1.12	1.34	1.00	1.19	0.76	0.97
Pacific	0.98	1.04	0.87	0.89	0.67	0.66
COUNTY TYPE						
Large Metro	0.48	0.48	0.44	0.42	0.34	0.31
Small Metro	0.61	0.58	0.52	0.51	0.34	0.41
250K – 1 Mil. Pop.	0.74	0.72	0.63	0.65	0.41	0.54
< 250K Pop.	1.02	0.99	0.94	0.83	0.66	0.58
Nonmetro	0.84	0.77	0.78	0.66	0.54	0.47
Urbanized	1.33	1.11	1.17	1.03	0.92	0.77
Less Urbanized	1.21	1.08	1.12	0.92	0.72	0.69
Completely Rural	2.78	3.05	2.02	2.27	1.31	1.21

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.89P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.0007		0.0068		0.0182	
GEOGRAPHIC DIVISION						
Northeast	0.1216		0.3127		0.4103	
New England	0.2112		0.6314		0.8567	
Middle Atlantic	0.3007		0.3714		0.2809	
Midwest	0.0014		0.0135		0.3986	
East North Central	0.0193		0.0355		0.3994	
West North Central	0.0299		0.1896		0.7687	
South	0.9943		0.4886		0.6860	
South Atlantic	0.3144		0.5118		0.8736	
East South Central	0.4625		0.0844		0.7526	
West South Central	0.0557		0.4588		0.2384	
West	0.0088		0.1185		0.0010	
Mountain	0.7783		0.7260		0.6102	
Pacific	0.0054		0.0547		0.0005	
COUNTY TYPE						
Large Metro	0.0104		0.2717		0.0419	
Small Metro	0.0644		0.0638		0.5881	
250K – 1 Mil. Pop.	0.1336		0.5783		0.5945	
< 250K Pop.	0.2524		0.0125		0.0553	
Nonmetro	0.2486		0.0215		0.1706	
Urbanized	0.2740		0.1073		0.1756	
Less Urbanized	0.5279		0.1342		0.8865	
Completely Rural	0.9435		0.5453		0.3006	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.90C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	176	168	152	145	119	121
GEOGRAPHIC DIVISION						
Northeast	68	65	63	61	60	49
New England	28	30	27	29	34	24
Middle Atlantic	61	57	56	52	47	42
Midwest	65	67	64	56	48	47
East North Central	53	56	52	45	41	39
West North Central	38	37	37	34	24	26
South	109	100	86	88	62	70
South Atlantic	78	73	62	69	42	52
East South Central	44	32	34	30	27	24
West South Central	59	60	49	46	36	39
West	101	93	85	80	65	70
Mountain	36	40	25	36	24	32
Pacific	94	83	81	72	61	62
COUNTY TYPE						
Large Metro	199	214	129	151	89	111
Small Metro	189	159	136	109	100	81
250K – 1 Mil. Pop.	163	138	115	97	89	72
< 250K Pop.	114	85	81	56	52	41
Nonmetro	102	96	65	61	47	44
Urbanized	89	70	58	48	42	36
Less Urbanized	69	61	35	35	25	22
Completely Rural	29	26	22	17	11	8

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.90D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.55	0.52	0.47	0.45	0.37	0.37
GEOGRAPHIC DIVISION						
Northeast	1.19	1.14	1.10	1.06	1.05	0.87
New England	1.91	2.00	1.82	1.93	2.28	1.57
Middle Atlantic	1.45	1.34	1.32	1.23	1.13	1.00
Midwest	0.87	0.89	0.86	0.75	0.64	0.63
East North Central	1.03	1.10	1.02	0.87	0.81	0.75
West North Central	1.63	1.57	1.59	1.45	1.03	1.12
South	0.94	0.85	0.75	0.76	0.54	0.60
South Atlantic	1.36	1.25	1.08	1.18	0.74	0.90
East South Central	2.23	1.64	1.74	1.55	1.37	1.22
West South Central	1.52	1.52	1.27	1.17	0.94	0.99
West	1.35	1.22	1.13	1.05	0.87	0.91
Mountain	1.58	1.71	1.10	1.51	1.05	1.37
Pacific	1.80	1.58	1.55	1.36	1.16	1.18
COUNTY TYPE						
Large Metro	0.79	0.75	0.63	0.65	0.47	0.54
Small Metro	0.92	0.88	0.91	0.82	0.76	0.66
250K – 1 Mil. Pop.	1.14	1.12	1.14	1.08	1.04	0.87
< 250K Pop.	1.59	1.43	1.48	1.20	1.05	1.00
Nonmetro	1.18	1.06	0.99	0.89	0.79	0.73
Urbanized	1.97	1.59	1.66	1.47	1.44	1.30
Less Urbanized	1.52	1.44	1.12	1.12	0.88	0.81
Completely Rural	3.99	3.58	4.55	2.78	2.26	1.51

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.90P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.6685		0.7494		0.3959	
GEOGRAPHIC DIVISION						
Northeast	0.9322		0.3099		0.5802	
New England	0.7903		0.6862		0.8882	
Middle Atlantic	0.9718		0.3387		0.5586	
Midwest	0.0302		0.3068		0.4848	
East North Central	0.1029		0.3396		0.2410	
West North Central	0.1500		0.6796		0.5726	
South	0.8598		0.7208		0.6262	
South Atlantic	0.1545		0.7466		0.4818	
East South Central	0.8240		0.9619		0.7624	
West South Central	0.1046		0.8761		0.8785	
West	0.3857		0.0851		0.0465	
Mountain	0.9387		0.6872		0.3807	
Pacific	0.3304		0.0889		0.0735	
COUNTY TYPE						
Large Metro	0.5805		0.2193		0.1244	
Small Metro	0.4646		0.4518		0.9680	
250K – 1 Mil. Pop.	0.7844		0.8776		0.7183	
< 250K Pop.	0.1011		0.0980		0.4521	
Nonmetro	0.1872		0.6787		0.4853	
Urbanized	0.9438		0.8895		0.5108	
Less Urbanized	0.1633		0.8184		0.3725	
Completely Rural	0.1863		0.1348		0.0088	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.91C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	875	887	395	418	312	323
GEOGRAPHIC DIVISION						
Northeast	394	423	181	210	123	165
New England	209	185	99	75	68	56
Middle Atlantic	342	381	152	194	103	152
Midwest	311	352	152	164	120	123
East North Central	266	295	120	119	98	91
West North Central	158	201	93	112	69	82
South	561	534	223	240	181	171
South Atlantic	433	439	179	194	152	139
East South Central	190	176	80	93	66	74
West South Central	303	241	105	109	73	74
West	445	448	226	201	187	166
Mountain	169	179	82	72	50	60
Pacific	411	408	212	187	180	154
COUNTY TYPE						
Large Metro	949	944	333	329	241	264
Small Metro	619	623	198	237	165	162
250K – 1 Mil. Pop.	514	520	163	218	125	144
< 250K Pop.	366	356	117	94	109	75
Nonmetro	409	415	141	136	110	104
Urbanized	260	268	100	86	83	62
Less Urbanized	290	296	90	97	68	77
Completely Rural	133	185	34	42	16	24

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.91D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.48	0.48	0.22	0.23	0.17	0.17
GEOGRAPHIC DIVISION						
Northeast	1.12	1.20	0.51	0.59	0.35	0.47
New England	2.26	1.99	1.07	0.80	0.73	0.60
Middle Atlantic	1.32	1.46	0.58	0.74	0.40	0.58
Midwest	0.76	0.85	0.37	0.40	0.29	0.30
East North Central	0.93	1.02	0.42	0.41	0.34	0.31
West North Central	1.28	1.61	0.76	0.90	0.57	0.66
South	0.86	0.80	0.34	0.36	0.28	0.26
South Atlantic	1.24	1.23	0.51	0.55	0.43	0.39
East South Central	1.73	1.58	0.73	0.83	0.60	0.66
West South Central	1.54	1.20	0.54	0.54	0.37	0.37
West	1.08	1.07	0.55	0.48	0.45	0.40
Mountain	1.42	1.45	0.68	0.58	0.42	0.49
Pacific	1.41	1.39	0.73	0.64	0.62	0.52
COUNTY TYPE						
Large Metro	0.69	0.72	0.32	0.32	0.24	0.26
Small Metro	0.77	0.78	0.35	0.41	0.30	0.28
250K – 1 Mil. Pop.	0.97	0.95	0.44	0.55	0.35	0.38
< 250K Pop.	1.33	1.35	0.59	0.50	0.58	0.41
Nonmetro	1.02	0.92	0.43	0.42	0.34	0.32
Urbanized	1.65	1.56	0.79	0.74	0.66	0.51
Less Urbanized	1.35	1.30	0.53	0.57	0.41	0.46
Completely Rural	2.42	3.06	1.09	1.04	0.55	0.57

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.91P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.8870		0.8460		0.9019	
GEOGRAPHIC DIVISION						
Northeast	0.3887		0.2349		0.3570	
New England	0.9176		0.9558		0.6313	
Middle Atlantic	0.3020		0.1897		0.4230	
Midwest	0.3265		0.9056		0.7605	
East North Central	0.7138		0.2635		0.1256	
West North Central	0.2141		0.1389		0.1541	
South	0.2145		0.2416		0.3813	
South Atlantic	0.1925		0.3704		0.6408	
East South Central	0.6499		0.5124		0.5112	
West South Central	0.9088		0.6584		0.5842	
West	0.7577		0.7891		0.9122	
Mountain	0.6140		0.1193		0.9838	
Pacific	0.9080		0.7412		0.9002	
COUNTY TYPE						
Large Metro	0.9227		0.4706		0.7539	
Small Metro	0.4794		0.7485		0.8310	
250K – 1 Mil. Pop.	0.9810		0.3672		0.7384	
< 250K Pop.	0.2305		0.3247		0.3840	
Nonmetro	0.2773		0.5726		0.5186	
Urbanized	0.4234		0.7762		0.5835	
Less Urbanized	0.4459		0.2593		0.0935	
Completely Rural	0.5012		0.6213		0.9043	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.92C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	918	924	437	463	349	357
GEOGRAPHIC DIVISION						
Northeast	409	433	193	227	132	177
New England	221	188	98	87	62	70
Middle Atlantic	355	390	168	208	117	161
Midwest	330	364	177	183	138	139
East North Central	279	304	141	134	117	102
West North Central	171	209	106	126	72	95
South	592	552	251	272	196	190
South Atlantic	454	449	195	217	157	150
East South Central	200	181	93	102	75	81
West South Central	323	256	127	128	88	86
West	464	469	245	230	219	191
Mountain	177	187	88	86	55	72
Pacific	428	427	230	215	213	177
COUNTY TYPE						
Large Metro	1,013	997	362	368	266	291
Small Metro	694	661	242	268	192	185
250K – 1 Mil. Pop.	585	551	197	246	148	165
< 250K Pop.	421	385	149	113	121	87
Nonmetro	434	442	165	156	128	116
Urbanized	296	285	126	105	103	75
Less Urbanized	309	317	100	108	73	83
Completely Rural	146	194	42	52	20	26

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.92D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.43	0.42	0.20	0.21	0.16	0.16
GEOGRAPHIC DIVISION						
Northeast	1.00	1.05	0.47	0.55	0.32	0.43
New England	2.05	1.74	0.91	0.81	0.57	0.65
Middle Atlantic	1.18	1.29	0.56	0.69	0.39	0.53
Midwest	0.68	0.74	0.36	0.37	0.28	0.29
East North Central	0.82	0.89	0.42	0.39	0.34	0.30
West North Central	1.17	1.41	0.73	0.85	0.49	0.64
South	0.77	0.70	0.32	0.35	0.25	0.24
South Atlantic	1.12	1.08	0.48	0.52	0.39	0.36
East South Central	1.54	1.39	0.72	0.78	0.58	0.62
West South Central	1.37	1.07	0.54	0.53	0.37	0.36
West	0.95	0.95	0.50	0.47	0.45	0.39
Mountain	1.24	1.28	0.62	0.59	0.38	0.49
Pacific	1.24	1.23	0.67	0.62	0.62	0.51
COUNTY TYPE						
Large Metro	0.62	0.64	0.29	0.30	0.22	0.24
Small Metro	0.68	0.67	0.35	0.38	0.29	0.27
250K – 1 Mil. Pop.	0.87	0.82	0.43	0.51	0.35	0.35
< 250K Pop.	1.16	1.18	0.59	0.50	0.52	0.40
Nonmetro	0.93	0.83	0.43	0.42	0.34	0.31
Urbanized	1.54	1.39	0.84	0.76	0.70	0.52
Less Urbanized	1.20	1.17	0.50	0.54	0.37	0.43
Completely Rural	2.18	2.82	1.07	1.13	0.57	0.54

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.92P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.9619		0.9204		0.8762	
GEOGRAPHIC DIVISION						
Northeast	0.3943		0.4144		0.5021	
New England	0.9519		0.9519		0.6897	
Middle Atlantic	0.3184		0.3472		0.5770	
Midwest	0.6046		0.7862		0.5948	
East North Central	0.9689		0.1809		0.0760	
West North Central	0.3750		0.2441		0.1491	
South	0.2205		0.3473		0.5151	
South Atlantic	0.1349		0.4802		0.8240	
East South Central	0.6236		0.5532		0.4817	
West South Central	0.8279		0.7378		0.6775	
West	0.6359		0.7299		0.4587	
Mountain	0.6444		0.2086		0.6945	
Pacific	0.7551		0.3814		0.5060	
COUNTY TYPE						
Large Metro	0.8321		0.8561		0.7848	
Small Metro	0.3719		0.8316		0.7180	
250K – 1 Mil. Pop.	0.9938		0.4799		0.7464	
< 250K Pop.	0.1243		0.1018		0.2492	
Nonmetro	0.4171		0.7052		0.7227	
Urbanized	0.4531		0.8361		0.8133	
Less Urbanized	0.5946		0.2499		0.1687	
Completely Rural	0.6115		0.9606		0.4770	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.