

Table 1.93C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	636	595	205	205	119	142
GEOGRAPHIC DIVISION						
Northeast	288	291	80	92	52	68
New England	135	126	29	49	26	40
Middle Atlantic	256	262	74	77	45	55
Midwest	216	223	94	78	62	58
East North Central	189	174	73	58	57	39
West North Central	105	144	58	57	23	50
South	365	338	120	131	71	93
South Atlantic	284	260	96	98	55	73
East South Central	104	133	41	57	31	38
West South Central	203	173	59	62	33	43
West	378	315	112	98	51	61
Mountain	133	127	46	52	19	43
Pacific	355	287	102	84	47	43
COUNTY TYPE						
Large Metro	583	532	176	152	100	107
Small Metro	362	369	112	119	61	91
250K – 1 Mil. Pop.	309	307	93	103	50	80
< 250K Pop.	205	199	63	65	35	46
Nonmetro	231	207	60	65	33	31
Urbanized	166	124	44	43	27	18
Less Urbanized	163	160	39	47	19	26
Completely Rural	62	81	15	11	4	3

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.93D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.26	0.24	0.09	0.08	0.05	0.06
GEOGRAPHIC DIVISION						
Northeast	0.63	0.64	0.17	0.20	0.11	0.15
New England	1.13	1.05	0.24	0.41	0.21	0.34
Middle Atlantic	0.76	0.78	0.22	0.23	0.13	0.16
Midwest	0.40	0.41	0.17	0.14	0.11	0.11
East North Central	0.50	0.46	0.19	0.15	0.15	0.10
West North Central	0.64	0.88	0.36	0.35	0.14	0.31
South	0.42	0.39	0.14	0.15	0.08	0.11
South Atlantic	0.63	0.56	0.21	0.21	0.12	0.16
East South Central	0.72	0.92	0.28	0.39	0.22	0.26
West South Central	0.76	0.64	0.22	0.23	0.13	0.16
West	0.69	0.57	0.21	0.18	0.09	0.11
Mountain	0.83	0.77	0.29	0.32	0.12	0.26
Pacific	0.92	0.73	0.26	0.21	0.12	0.11
COUNTY TYPE						
Large Metro	0.39	0.36	0.13	0.12	0.08	0.08
Small Metro	0.42	0.44	0.15	0.16	0.08	0.12
250K – 1 Mil. Pop.	0.52	0.54	0.19	0.21	0.10	0.16
< 250K Pop.	0.71	0.75	0.24	0.27	0.14	0.19
Nonmetro	0.54	0.45	0.15	0.16	0.08	0.08
Urbanized	0.89	0.68	0.25	0.29	0.16	0.12
Less Urbanized	0.75	0.68	0.19	0.22	0.09	0.13
Completely Rural	1.54	1.39	0.39	0.25	0.12	0.05

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.93P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.3244		0.4945		0.0585	
GEOGRAPHIC DIVISION						
Northeast	0.5473		0.2381		0.0956	
New England	0.3669		0.1075		0.1908	
Middle Atlantic	0.8288		0.6291		0.2591	
Midwest	0.5676		0.1272		0.7033	
East North Central	0.8936		0.0237		0.2204	
West North Central	0.2320		0.7477		0.3387	
South	0.2068		0.7599		0.2005	
South Atlantic	0.1915		0.6338		0.5375	
East South Central	0.8458		0.4294		0.9342	
West South Central	0.7216		0.4540		0.0742	
West	0.7394		0.1613		0.2447	
Mountain	0.1334		0.9468		0.0955	
Pacific	0.3365		0.1046		0.8365	
COUNTY TYPE						
Large Metro	0.2400		0.4612		0.3118	
Small Metro	0.9487		0.9288		0.0286	
250K – 1 Mil. Pop.	0.9318		0.8141		0.0226	
< 250K Pop.	0.9917		0.8262		0.6723	
Nonmetro	0.8883		0.6076		0.5059	
Urbanized	0.3455		0.4891		0.3119	
Less Urbanized	0.3092		0.6141		0.6600	
Completely Rural	0.7312		0.3186		0.4342	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.94C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	33	34	27	28	15	16
GEOGRAPHIC DIVISION						
Northeast	13	13	11	12	7	9
New England	9	8	7	7	4	6
Middle Atlantic	10	11	8	10	6	6
Midwest	12	11	9	10	6	5
East North Central	9	9	7	8	4	4
West North Central	7	7	6	6	4	3
South	20	22	17	18	9	9
South Atlantic	14	12	11	11	5	6
East South Central	7	9	6	7	3	4
West South Central	12	15	11	12	6	5
West	19	18	16	14	9	9
Mountain	8	9	5	9	4	6
Pacific	18	16	15	10	8	7
COUNTY TYPE						
Large Metro	26	24	21	19	12	11
Small Metro	19	20	15	17	7	11
250K – 1 Mil. Pop.	16	18	11	15	5	10
< 250K Pop.	11	9	10	8	5	6
Nonmetro	12	13	11	10	7	5
Urbanized	7	7	6	6	4	4
Less Urbanized	10	11	9	8	5	4
Completely Rural	3	3	3	2	1	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.94D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.13	0.14	0.11	0.11	0.06	0.06
GEOGRAPHIC DIVISION						
Northeast	0.28	0.29	0.24	0.27	0.15	0.19
New England	0.73	0.65	0.61	0.63	0.34	0.50
Middle Atlantic	0.28	0.32	0.24	0.29	0.17	0.19
Midwest	0.20	0.19	0.16	0.17	0.10	0.09
East North Central	0.22	0.22	0.18	0.19	0.10	0.10
West North Central	0.43	0.41	0.35	0.38	0.25	0.18
South	0.22	0.24	0.19	0.20	0.09	0.10
South Atlantic	0.31	0.27	0.24	0.23	0.10	0.13
East South Central	0.46	0.63	0.42	0.48	0.20	0.30
West South Central	0.42	0.52	0.37	0.40	0.22	0.17
West	0.32	0.30	0.27	0.23	0.14	0.15
Mountain	0.46	0.54	0.30	0.50	0.23	0.33
Pacific	0.42	0.36	0.36	0.24	0.18	0.17
COUNTY TYPE						
Large Metro	0.19	0.17	0.16	0.14	0.09	0.08
Small Metro	0.24	0.27	0.19	0.23	0.10	0.15
250K – 1 Mil. Pop.	0.29	0.35	0.21	0.30	0.10	0.19
< 250K Pop.	0.42	0.37	0.40	0.34	0.20	0.23
Nonmetro	0.28	0.30	0.26	0.23	0.15	0.13
Urbanized	0.39	0.41	0.37	0.36	0.23	0.25
Less Urbanized	0.44	0.48	0.40	0.35	0.24	0.16
Completely Rural	0.74	0.60	0.65	0.43	0.26	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.94P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.5009		0.7965		0.4860	
GEOGRAPHIC DIVISION						
Northeast	0.6062		0.5513		0.3147	
New England	0.8394		0.9176		0.6199	
Middle Atlantic	0.4086		0.4940		0.3715	
Midwest	0.7552		0.8793		0.8223	
East North Central	0.5925		0.9628		0.4028	
West North Central	0.8520		0.8525		0.5583	
South	0.5489		0.6644		0.9838	
South Atlantic	0.4634		0.9866		0.6069	
East South Central	0.3957		0.5011		0.5451	
West South Central	0.2542		0.7671		0.3807	
West	0.0396		0.5611		0.8299	
Mountain	0.7832		0.0535		0.7310	
Pacific	0.0297		0.0839		0.9738	
COUNTY TYPE						
Large Metro	0.1562		0.4891		0.6829	
Small Metro	0.4181		0.0592		0.2862	
250K – 1 Mil. Pop.	0.1687		0.0123		0.0579	
< 250K Pop.	0.4476		0.7567		0.3793	
Nonmetro	0.8577		0.4134		0.5718	
Urbanized	0.3370		0.4992		0.7799	
Less Urbanized	0.5217		0.8903		0.4723	
Completely Rural	0.5893		0.3232		*	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.95C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	109	115	80	74	43	47
GEOGRAPHIC DIVISION						
Northeast	47	39	37	31	20	21
New England	19	17	15	15	11	11
Middle Atlantic	43	34	34	25	17	17
Midwest	44	47	32	31	17	19
East North Central	36	36	24	24	11	15
West North Central	25	30	20	19	13	12
South	60	65	44	42	27	27
South Atlantic	39	47	32	31	19	18
East South Central	27	24	18	16	11	13
West South Central	38	38	25	24	15	16
West	66	68	45	42	22	26
Mountain	32	33	17	24	8	15
Pacific	57	60	42	36	20	21
COUNTY TYPE						
Large Metro	83	99	60	59	29	37
Small Metro	87	78	54	50	31	27
250K – 1 Mil. Pop.	76	65	45	42	23	21
< 250K Pop.	45	43	31	28	21	16
Nonmetro	49	45	27	27	16	16
Urbanized	36	33	19	22	13	14
Less Urbanized	31	25	17	14	11	10
Completely Rural	14	13	5	6	0	2

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.95D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.34	0.35	0.25	0.23	0.13	0.15
GEOGRAPHIC DIVISION						
Northeast	0.82	0.68	0.65	0.54	0.36	0.36
New England	1.29	1.13	0.98	1.03	0.77	0.75
Middle Atlantic	1.01	0.82	0.82	0.60	0.40	0.41
Midwest	0.59	0.63	0.43	0.41	0.23	0.26
East North Central	0.69	0.70	0.48	0.47	0.22	0.30
West North Central	1.10	1.28	0.88	0.84	0.55	0.51
South	0.52	0.56	0.38	0.36	0.23	0.23
South Atlantic	0.68	0.81	0.55	0.54	0.33	0.32
East South Central	1.41	1.24	0.91	0.81	0.56	0.65
West South Central	0.97	0.97	0.64	0.60	0.40	0.41
West	0.87	0.89	0.60	0.56	0.29	0.34
Mountain	1.41	1.39	0.73	1.00	0.35	0.63
Pacific	1.09	1.13	0.79	0.68	0.38	0.41
COUNTY TYPE						
Large Metro	0.44	0.49	0.35	0.31	0.17	0.21
Small Metro	0.64	0.65	0.45	0.44	0.28	0.25
250K – 1 Mil. Pop.	0.84	0.82	0.55	0.56	0.31	0.30
< 250K Pop.	0.98	1.08	0.78	0.74	0.55	0.45
Nonmetro	0.82	0.81	0.51	0.51	0.31	0.32
Urbanized	1.23	1.29	0.75	0.91	0.55	0.61
Less Urbanized	1.03	1.00	0.70	0.56	0.44	0.41
Completely Rural	3.39	2.16	1.41	1.23	0.05	0.46

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.95P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.8436		0.3888		0.0380	
GEOGRAPHIC DIVISION						
Northeast	0.3666		0.8646		0.6103	
New England	0.9493		0.6144		0.9792	
Middle Atlantic	0.3021		0.9540		0.5254	
Midwest	0.5435		0.7730		0.9511	
East North Central	0.2952		0.5484		0.5569	
West North Central	0.7229		0.7814		0.5825	
South	0.2043		0.2081		0.1093	
South Atlantic	0.4603		0.3946		0.7473	
East South Central	0.9066		0.6173		0.4216	
West South Central	0.2309		0.4375		0.0850	
West	0.5905		0.7180		0.0939	
Mountain	0.6865		0.6194		0.1201	
Pacific	0.3952		0.8855		0.3029	
COUNTY TYPE						
Large Metro	0.4492		0.2837		0.0017	
Small Metro	0.7503		0.7022		0.8219	
250K – 1 Mil. Pop.	0.5734		0.5496		0.5427	
< 250K Pop.	0.7797		0.8482		0.7320	
Nonmetro	0.1801		0.7389		0.4317	
Urbanized	0.7005		0.7626		0.9116	
Less Urbanized	0.1045		0.4342		0.3084	
Completely Rural	0.7591		0.8050		0.0904	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.96C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	621	580	180	180	110	129
GEOGRAPHIC DIVISION						
Northeast	287	279	69	85	48	64
New England	137	121	26	44	22	39
Middle Atlantic	254	251	64	73	42	51
Midwest	204	220	83	69	56	54
East North Central	182	171	65	51	53	35
West North Central	92	143	51	53	18	48
South	359	332	109	117	66	86
South Atlantic	288	256	88	89	51	68
East South Central	98	131	41	52	30	33
West South Central	192	166	50	54	29	40
West	363	306	95	81	48	53
Mountain	123	127	42	48	19	40
Pacific	343	276	85	66	44	36
COUNTY TYPE						
Large Metro	559	512	155	136	95	98
Small Metro	330	347	96	105	50	84
250K – 1 Mil. Pop.	278	288	81	92	42	76
< 250K Pop.	189	189	52	55	28	39
Nonmetro	225	199	53	56	29	26
Urbanized	155	117	39	33	25	12
Less Urbanized	161	154	34	44	15	24
Completely Rural	58	78	13	8	4	1

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.96D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.34	0.31	0.10	0.10	0.06	0.07
GEOGRAPHIC DIVISION						
Northeast	0.81	0.79	0.20	0.24	0.13	0.18
New England	1.48	1.30	0.28	0.47	0.23	0.42
Middle Atlantic	0.98	0.96	0.25	0.28	0.16	0.19
Midwest	0.50	0.53	0.20	0.17	0.14	0.13
East North Central	0.63	0.59	0.23	0.17	0.19	0.12
West North Central	0.75	1.15	0.42	0.42	0.15	0.39
South	0.55	0.50	0.17	0.17	0.10	0.13
South Atlantic	0.82	0.72	0.25	0.25	0.14	0.19
East South Central	0.89	1.17	0.37	0.47	0.28	0.30
West South Central	0.97	0.83	0.25	0.27	0.15	0.20
West	0.88	0.73	0.23	0.20	0.12	0.13
Mountain	1.03	1.03	0.36	0.39	0.16	0.32
Pacific	1.18	0.94	0.29	0.22	0.15	0.12
COUNTY TYPE						
Large Metro	0.50	0.47	0.15	0.14	0.10	0.10
Small Metro	0.53	0.56	0.18	0.19	0.09	0.15
250K – 1 Mil. Pop.	0.67	0.68	0.23	0.25	0.12	0.21
< 250K Pop.	0.91	0.97	0.28	0.30	0.15	0.22
Nonmetro	0.69	0.56	0.17	0.18	0.09	0.08
Urbanized	1.12	0.87	0.30	0.29	0.19	0.10
Less Urbanized	0.97	0.87	0.21	0.27	0.09	0.15
Completely Rural	1.84	1.74	0.46	0.22	0.14	0.03

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.96P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.3378		0.2420		0.2298	
GEOGRAPHIC DIVISION						
Northeast	0.6157		0.2552		0.1440	
New England	0.3646		0.1197		0.1821	
Middle Atlantic	0.9223		0.6395		0.3875	
Midwest	0.4710		0.1063		0.6526	
East North Central	0.9241		0.0203		0.1176	
West North Central	0.2565		0.8132		0.2013	
South	0.1163		0.8440		0.4063	
South Atlantic	0.1627		0.4084		0.6101	
East South Central	0.7712		0.5676		0.6510	
West South Central	0.4660		0.6450		0.1749	
West	0.9008		0.0814		0.6425	
Mountain	0.1462		0.6476		0.2558	
Pacific	0.4787		0.0768		0.7607	
COUNTY TYPE						
Large Metro	0.2139		0.2304		0.9549	
Small Metro	0.9280		0.7883		0.0244	
250K – 1 Mil. Pop.	0.9449		0.7625		0.0398	
< 250K Pop.	0.9376		0.9757		0.3836	
Nonmetro	0.8872		0.7723		0.8359	
Urbanized	0.4086		0.3953		0.2321	
Less Urbanized	0.2210		0.3941		0.2428	
Completely Rural	0.7590		0.2448		0.1912	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.97C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	635	597	202	202	119	141
GEOGRAPHIC DIVISION						
Northeast	291	287	79	91	51	67
New England	138	124	29	48	25	40
Middle Atlantic	258	259	73	77	44	54
Midwest	217	224	93	78	62	58
East North Central	190	175	72	58	57	38
West North Central	104	144	58	57	23	50
South	364	338	118	129	71	92
South Atlantic	286	260	95	97	55	72
East South Central	103	133	39	57	31	38
West South Central	201	173	57	61	32	43
West	373	315	111	97	52	60
Mountain	134	128	46	51	20	43
Pacific	349	286	100	83	48	42
COUNTY TYPE						
Large Metro	582	531	174	151	100	107
Small Metro	358	366	109	117	60	90
250K – 1 Mil. Pop.	307	304	91	100	49	79
< 250K Pop.	203	200	61	65	35	46
Nonmetro	230	206	60	63	33	31
Urbanized	165	124	44	42	28	18
Less Urbanized	162	159	38	46	18	26
Completely Rural	62	81	14	11	4	3

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.97D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.30	0.27	0.09	0.09	0.06	0.06
GEOGRAPHIC DIVISION						
Northeast	0.71	0.70	0.19	0.22	0.12	0.16
New England	1.28	1.15	0.27	0.45	0.23	0.37
Middle Atlantic	0.86	0.85	0.24	0.25	0.15	0.18
Midwest	0.45	0.46	0.19	0.16	0.13	0.12
East North Central	0.56	0.51	0.21	0.17	0.17	0.11
West North Central	0.72	0.98	0.39	0.39	0.15	0.34
South	0.47	0.43	0.15	0.16	0.09	0.12
South Atlantic	0.70	0.63	0.23	0.23	0.14	0.17
East South Central	0.80	1.02	0.30	0.43	0.24	0.29
West South Central	0.85	0.72	0.24	0.25	0.13	0.18
West	0.77	0.64	0.23	0.20	0.11	0.12
Mountain	0.94	0.88	0.32	0.35	0.14	0.29
Pacific	1.01	0.82	0.29	0.24	0.14	0.12
COUNTY TYPE						
Large Metro	0.44	0.41	0.14	0.13	0.08	0.09
Small Metro	0.47	0.49	0.16	0.17	0.09	0.14
250K – 1 Mil. Pop.	0.59	0.60	0.21	0.23	0.12	0.18
< 250K Pop.	0.79	0.84	0.27	0.30	0.16	0.21
Nonmetro	0.60	0.50	0.16	0.18	0.09	0.08
Urbanized	0.98	0.76	0.28	0.32	0.18	0.13
Less Urbanized	0.84	0.77	0.21	0.25	0.10	0.14
Completely Rural	1.75	1.56	0.43	0.26	0.13	0.06

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.97P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	0.3321		0.4643		0.0687	
GEOGRAPHIC DIVISION						
Northeast	0.5309		0.2660		0.1188	
New England	0.3760		0.1063		0.2110	
Middle Atlantic	0.8025		0.6843		0.2997	
Midwest	0.5702		0.1183		0.6847	
East North Central	0.9099		0.0215		0.1927	
West North Central	0.2457		0.7634		0.3092	
South	0.1874		0.8053		0.1988	
South Atlantic	0.2018		0.6306		0.5680	
East South Central	0.7945		0.4784		0.8822	
West South Central	0.6471		0.4755		0.0495	
West	0.8224		0.1816		0.2622	
Mountain	0.1406		0.8220		0.1046	
Pacific	0.3971		0.1622		0.8423	
COUNTY TYPE						
Large Metro	0.2723		0.5122		0.3324	
Small Metro	0.8674		0.8457		0.0378	
250K – 1 Mil. Pop.	0.8425		0.9045		0.0377	
< 250K Pop.	0.9792		0.8566		0.5934	
Nonmetro	0.8984		0.7009		0.5742	
Urbanized	0.3781		0.5504		0.2966	
Less Urbanized	0.3365		0.5886		0.5525	
Completely Rural	0.7520		0.3990		0.5647	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.