

**Table 1.98C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	280	292	117	114	66	87
<b>GEOGRAPHIC DIVISION</b>						
Northeast	109	124	31	49	24	43
New England	56	58	11	22	6	19
Middle Atlantic	93	110	29	44	23	38
Midwest	116	110	70	57	37	50
East North Central	100	77	54	33	34	18
West North Central	58	76	44	46	15	46
South	176	181	71	67	49	42
South Atlantic	147	139	64	51	44	33
East South Central	58	66	25	35	15	16
West South Central	76	94	18	26	13	21
West	148	158	52	51	6	40
Mountain	67	65	12	41	5	35
Pacific	132	144	51	30	3	19
<b>COUNTY TYPE</b>						
Large Metro	226	239	96	93	55	73
Small Metro	147	143	56	60	28	47
250K – 1 Mil. Pop.	126	110	46	53	19	45
< 250K Pop.	75	85	33	27	20	15
Nonmetro	104	99	37	29	22	13
Urbanized	81	52	26	15	16	7
Less Urbanized	59	75	25	25	15	11
Completely Rural	15	37	8	3	4	1

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.98D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.12	0.12	0.05	0.05	0.03	0.04
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.24	0.27	0.07	0.11	0.05	0.09
New England	0.47	0.49	0.09	0.18	0.05	0.16
Middle Atlantic	0.28	0.33	0.09	0.13	0.07	0.11
Midwest	0.21	0.20	0.13	0.10	0.07	0.09
East North Central	0.26	0.20	0.14	0.09	0.09	0.05
West North Central	0.35	0.46	0.27	0.28	0.09	0.28
South	0.20	0.21	0.08	0.08	0.06	0.05
South Atlantic	0.33	0.30	0.14	0.11	0.10	0.07
East South Central	0.40	0.45	0.18	0.24	0.10	0.11
West South Central	0.29	0.35	0.07	0.10	0.05	0.08
West	0.27	0.28	0.10	0.09	0.01	0.07
Mountain	0.42	0.39	0.08	0.25	0.03	0.21
Pacific	0.34	0.37	0.13	0.08	0.01	0.05
<b>COUNTY TYPE</b>						
Large Metro	0.17	0.18	0.07	0.07	0.04	0.06
Small Metro	0.20	0.19	0.08	0.08	0.04	0.07
250K – 1 Mil. Pop.	0.26	0.22	0.10	0.11	0.04	0.09
< 250K Pop.	0.28	0.35	0.13	0.11	0.08	0.06
Nonmetro	0.25	0.23	0.09	0.07	0.06	0.03
Urbanized	0.47	0.33	0.16	0.10	0.10	0.05
Less Urbanized	0.28	0.35	0.12	0.12	0.07	0.06
Completely Rural	0.42	0.68	0.22	0.06	0.10	0.02

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.98P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	1.0000		0.7040		0.0560	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.8328		0.1777		0.0714	
New England	0.3944		0.6230		0.2387	
Middle Atlantic	0.8135		0.2082		0.1482	
Midwest	0.2420		0.1656		0.8712	
East North Central	0.0539		0.0394		0.1074	
West North Central	0.5510		0.9255		0.2848	
South	0.5089		0.7380		0.7069	
South Atlantic	0.3250		0.7202		0.6083	
East South Central	0.5314		0.8602		0.5448	
West South Central	0.4721		0.0888		0.1052	
West	0.1458		0.2945		0.0078	
Mountain	0.9023		0.0208		0.0672	
Pacific	0.1214		0.7079		0.0260	
<b>COUNTY TYPE</b>						
Large Metro	0.5163		0.4853		0.1214	
Small Metro	0.4656		0.7181		0.0697	
250K – 1 Mil. Pop.	0.1821		0.5073		0.0374	
< 250K Pop.	0.5165		0.6930		0.9335	
Nonmetro	0.6285		0.2022		0.2401	
Urbanized	0.0579		0.2309		0.2609	
Less Urbanized	0.3155		0.7319		0.7008	
Completely Rural	0.3408		0.2954		0.4798	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.99C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	14	14	10	10	5	7
<b>GEOGRAPHIC DIVISION</b>						
Northeast	6	5	5	3	3	1
New England	4	2	3	1	0	1
Middle Atlantic	4	4	3	3	2	1
Midwest	5	5	4	4	1	1
East North Central	5	3	4	2	1	1
West North Central	1	4	1	3	1	1
South	9	9	6	6	4	4
South Atlantic	6	5	2	4	2	3
East South Central	3	7	2	3	*	1
West South Central	6	4	6	3	3	2
West	8	8	5	6	2	6
Mountain	4	3	2	2	1	1
Pacific	7	7	5	6	2	6
<b>COUNTY TYPE</b>						
Large Metro	11	9	7	7	3	5
Small Metro	8	8	6	5	2	4
250K – 1 Mil. Pop.	7	7	6	3	2	2
< 250K Pop.	4	4	3	4	1	4
Nonmetro	5	6	4	5	3	3
Urbanized	2	4	1	4	*	3
Less Urbanized	5	4	4	1	3	1
Completely Rural	1	2	1	2	*	*

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.99D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.06	0.05	0.04	0.04	0.02	0.03
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.13	0.11	0.10	0.06	0.06	0.03
New England	0.31	0.21	0.30	0.10	0.02	0.09
Middle Atlantic	0.13	0.12	0.09	0.08	0.07	0.02
Midwest	0.09	0.09	0.07	0.06	0.02	0.02
East North Central	0.12	0.07	0.10	0.05	0.03	0.03
West North Central	0.08	0.24	0.07	0.17	0.03	0.05
South	0.10	0.10	0.07	0.06	0.04	0.04
South Atlantic	0.13	0.11	0.05	0.08	0.04	0.07
East South Central	0.22	0.46	0.11	0.20	*	0.09
West South Central	0.21	0.13	0.19	0.09	0.10	0.06
West	0.13	0.13	0.09	0.11	0.04	0.10
Mountain	0.23	0.15	0.12	0.10	0.06	0.08
Pacific	0.16	0.16	0.11	0.14	0.05	0.13
<b>COUNTY TYPE</b>						
Large Metro	0.08	0.07	0.05	0.05	0.02	0.04
Small Metro	0.10	0.11	0.08	0.06	0.03	0.05
250K – 1 Mil. Pop.	0.13	0.14	0.11	0.06	0.04	0.03
< 250K Pop.	0.17	0.18	0.12	0.15	0.05	0.15
Nonmetro	0.12	0.14	0.09	0.11	0.08	0.08
Urbanized	0.12	0.27	0.07	0.24	*	0.20
Less Urbanized	0.21	0.17	0.17	0.06	0.15	0.04
Completely Rural	0.35	0.42	0.23	0.42	*	*

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.99P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.3538		0.4883		0.2909	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.4492		0.3310		0.6463	
New England	0.3052		0.1326		0.2245	
Middle Atlantic	0.8471		0.9479		0.3205	
Midwest	0.6543		0.2728		0.9112	
East North Central	0.0794		0.1149		0.7446	
West North Central	0.0984		0.7081		0.7549	
South	0.9698		0.6580		0.8105	
South Atlantic	0.7259		0.4428		0.6303	
East South Central	0.4616		0.4290		*	
West South Central	0.2983		0.1303		0.6289	
West	0.3521		0.5365		0.1258	
Mountain	0.0751		0.1594		0.7483	
Pacific	0.8839		0.2487		0.1329	
<b>COUNTY TYPE</b>						
Large Metro	0.7845		0.7365		0.1735	
Small Metro	0.1906		0.2164		0.8076	
250K – 1 Mil. Pop.	0.3524		0.2339		0.6247	
< 250K Pop.	0.3150		0.6496		0.5223	
Nonmetro	0.8706		0.6001		0.9751	
Urbanized	0.4213		0.5617		*	
Less Urbanized	0.7026		0.0982		0.3075	
Completely Rural	0.8884		0.7005		*	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.100C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	50	54	24	29	13	16
<b>GEOGRAPHIC DIVISION</b>						
Northeast	19	16	10	11	6	5
New England	10	10	8	5	6	2
Middle Atlantic	16	13	6	10	3	4
Midwest	24	23	12	11	8	6
East North Central	17	16	9	10	5	6
West North Central	17	15	7	5	7	1
South	29	32	14	17	7	13
South Atlantic	19	22	12	12	6	8
East South Central	15	15	5	9	3	8
West South Central	15	17	6	9	3	7
West	27	30	12	17	4	5
Mountain	15	16	6	9	3	3
Pacific	23	25	10	15	3	4
<b>COUNTY TYPE</b>						
Large Metro	35	36	13	20	7	12
Small Metro	35	33	17	19	9	10
250K – 1 Mil. Pop.	27	24	13	13	7	9
< 250K Pop.	22	21	12	15	6	5
Nonmetro	20	22	11	10	7	5
Urbanized	13	14	7	7	4	4
Less Urbanized	14	17	8	6	6	3
Completely Rural	7	7	*	2	0	0

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.100D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.16	0.17	0.07	0.09	0.04	0.05
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.34	0.29	0.18	0.19	0.11	0.08
New England	0.69	0.67	0.53	0.31	0.37	0.13
Middle Atlantic	0.38	0.31	0.15	0.24	0.08	0.10
Midwest	0.33	0.30	0.16	0.15	0.11	0.09
East North Central	0.34	0.32	0.18	0.20	0.09	0.12
West North Central	0.74	0.63	0.32	0.22	0.29	0.05
South	0.25	0.27	0.12	0.15	0.06	0.11
South Atlantic	0.33	0.38	0.20	0.20	0.10	0.14
East South Central	0.77	0.76	0.26	0.48	0.14	0.39
West South Central	0.39	0.43	0.14	0.22	0.09	0.17
West	0.36	0.39	0.15	0.23	0.05	0.07
Mountain	0.64	0.67	0.26	0.36	0.13	0.15
Pacific	0.45	0.48	0.19	0.28	0.05	0.07
<b>COUNTY TYPE</b>						
Large Metro	0.21	0.20	0.08	0.11	0.04	0.07
Small Metro	0.31	0.31	0.16	0.18	0.09	0.10
250K – 1 Mil. Pop.	0.35	0.35	0.17	0.18	0.10	0.13
< 250K Pop.	0.59	0.59	0.31	0.41	0.17	0.14
Nonmetro	0.40	0.44	0.22	0.20	0.13	0.09
Urbanized	0.53	0.63	0.29	0.34	0.16	0.17
Less Urbanized	0.57	0.70	0.35	0.27	0.24	0.11
Completely Rural	1.99	1.29	*	0.30	0.02	0.08

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 1.100P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	1.0000		0.0979		0.2735	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.2468		0.7580		0.5381	
New England	0.9075		0.2247		0.1082	
Middle Atlantic	0.1389		0.1806		0.4098	
Midwest	1.0000		0.8566		0.6047	
East North Central	0.7872		0.4815		0.5384	
West North Central	0.7700		0.4547		0.1428	
South	0.4878		0.1726		0.0565	
South Atlantic	0.6143		0.3624		0.2741	
East South Central	0.5951		0.7056		0.1961	
West South Central	0.1341		0.2753		0.3453	
West	0.9908		0.2362		0.4559	
Mountain	0.7836		0.3115		0.3133	
Pacific	0.8347		0.4390		0.9756	
<b>COUNTY TYPE</b>						
Large Metro	0.6788		0.0078		0.0448	
Small Metro	0.2752		0.7623		0.8199	
250K – 1 Mil. Pop.	0.4508		0.8482		0.7477	
< 250K Pop.	0.4364		0.5473		0.9501	
Nonmetro	0.2348		0.6807		0.3973	
Urbanized	0.3084		0.8160		0.6243	
Less Urbanized	0.3971		0.7756		0.5060	
Completely Rural	0.6782		*		0.5105	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.101C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	274	283	112	109	64	85
<b>GEOGRAPHIC DIVISION</b>						
Northeast	108	123	30	47	23	42
New England	51	56	6	22	1	19
Middle Atlantic	95	109	30	42	23	37
Midwest	111	107	67	56	34	49
East North Central	95	75	52	32	32	17
West North Central	57	74	43	46	13	46
South	173	174	70	64	49	40
South Atlantic	146	136	62	49	44	32
East South Central	56	61	25	33	14	14
West South Central	73	91	18	24	15	19
West	147	155	47	48	4	39
Mountain	61	63	9	41	4	35
Pacific	133	142	46	25	*	17
<b>COUNTY TYPE</b>						
Large Metro	222	233	94	91	55	72
Small Metro	136	137	51	55	25	46
250K – 1 Mil. Pop.	114	107	41	51	17	44
< 250K Pop.	73	81	30	22	18	14
Nonmetro	102	95	36	27	21	12
Urbanized	79	48	26	13	16	5
Less Urbanized	56	73	24	24	14	11
Completely Rural	12	35	8	1	4	1

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.101D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.15	0.15	0.06	0.06	0.03	0.05
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.31	0.35	0.09	0.13	0.06	0.12
New England	0.55	0.61	0.06	0.23	0.01	0.21
Middle Atlantic	0.37	0.42	0.11	0.16	0.09	0.14
Midwest	0.27	0.26	0.16	0.14	0.08	0.12
East North Central	0.33	0.26	0.18	0.11	0.11	0.06
West North Central	0.46	0.60	0.35	0.37	0.10	0.37
South	0.26	0.26	0.11	0.10	0.07	0.06
South Atlantic	0.42	0.38	0.18	0.14	0.13	0.09
East South Central	0.51	0.55	0.22	0.30	0.13	0.12
West South Central	0.37	0.45	0.09	0.12	0.07	0.10
West	0.36	0.37	0.11	0.11	0.01	0.09
Mountain	0.51	0.51	0.08	0.33	0.03	0.28
Pacific	0.46	0.48	0.16	0.08	*	0.06
<b>COUNTY TYPE</b>						
Large Metro	0.22	0.23	0.09	0.09	0.06	0.07
Small Metro	0.25	0.25	0.09	0.10	0.05	0.08
250K – 1 Mil. Pop.	0.32	0.29	0.11	0.14	0.05	0.12
< 250K Pop.	0.37	0.44	0.16	0.12	0.10	0.08
Nonmetro	0.32	0.29	0.11	0.09	0.07	0.04
Urbanized	0.61	0.39	0.20	0.11	0.12	0.04
Less Urbanized	0.35	0.44	0.15	0.15	0.09	0.07
Completely Rural	0.42	0.84	0.26	0.03	0.13	0.03

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.101P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.9727		0.9520		0.0968	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.6699		0.1602		0.0484	
New England	0.3455		0.1976		0.0982	
Middle Atlantic	0.9888		0.3307		0.1530	
Midwest	0.2296		0.1641		0.9397	
East North Central	0.0468		0.0282		0.0665	
West North Central	0.5514		0.8562		0.1976	
South	0.4145		0.9486		0.9301	
South Atlantic	0.3453		0.5465		0.4514	
East South Central	0.3874		0.9820		0.9451	
West South Central	0.6090		0.0761		0.1560	
West	0.1277		0.4889		0.0182	
Mountain	0.8792		0.0286		0.0903	
Pacific	0.1083		0.3927		*	
<b>COUNTY TYPE</b>						
Large Metro	0.5359		0.8345		0.2393	
Small Metro	0.6596		0.6612		0.0688	
250K – 1 Mil. Pop.	0.2355		0.3742		0.0345	
< 250K Pop.	0.3521		0.4932		0.8619	
Nonmetro	0.4427		0.2525		0.3278	
Urbanized	0.0265		0.2021		0.2019	
Less Urbanized	0.3996		0.9249		0.9920	
Completely Rural	0.2768		0.2148		0.4484	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.102C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	280	293	115	114	66	87
<b>GEOGRAPHIC DIVISION</b>						
Northeast	108	124	31	49	24	43
New England	54	58	11	22	6	19
Middle Atlantic	94	109	29	44	23	38
Midwest	116	110	70	57	37	49
East North Central	100	77	54	33	34	18
West North Central	58	76	44	46	15	46
South	176	180	71	67	49	42
South Atlantic	148	138	64	51	44	33
East South Central	58	66	25	35	15	16
West South Central	76	94	17	26	13	20
West	149	158	50	50	6	40
Mountain	67	65	12	41	5	35
Pacific	133	144	48	29	3	18
<b>COUNTY TYPE</b>						
Large Metro	226	239	96	93	55	73
Small Metro	146	144	54	59	28	47
250K – 1 Mil. Pop.	124	111	43	53	19	45
< 250K Pop.	75	85	33	27	20	15
Nonmetro	104	98	37	29	22	13
Urbanized	81	51	26	15	16	6
Less Urbanized	59	75	25	25	15	11
Completely Rural	15	37	8	2	4	1

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.102D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.13	0.13	0.05	0.05	0.03	0.04
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.26	0.30	0.08	0.12	0.06	0.10
New England	0.50	0.54	0.10	0.20	0.05	0.18
Middle Atlantic	0.31	0.36	0.10	0.14	0.08	0.13
Midwest	0.24	0.23	0.14	0.12	0.08	0.10
East North Central	0.30	0.23	0.16	0.10	0.10	0.05
West North Central	0.39	0.52	0.30	0.31	0.10	0.31
South	0.23	0.23	0.09	0.09	0.06	0.05
South Atlantic	0.36	0.33	0.16	0.12	0.11	0.08
East South Central	0.44	0.51	0.19	0.26	0.11	0.12
West South Central	0.32	0.39	0.07	0.11	0.06	0.09
West	0.31	0.32	0.10	0.10	0.01	0.08
Mountain	0.47	0.44	0.08	0.28	0.03	0.24
Pacific	0.39	0.41	0.14	0.08	0.01	0.05
<b>COUNTY TYPE</b>						
Large Metro	0.19	0.20	0.08	0.08	0.05	0.06
Small Metro	0.22	0.22	0.08	0.09	0.04	0.07
250K – 1 Mil. Pop.	0.28	0.25	0.10	0.12	0.05	0.10
< 250K Pop.	0.31	0.39	0.15	0.12	0.09	0.07
Nonmetro	0.28	0.26	0.10	0.08	0.06	0.04
Urbanized	0.52	0.36	0.17	0.11	0.11	0.04
Less Urbanized	0.31	0.39	0.14	0.13	0.08	0.06
Completely Rural	0.47	0.76	0.24	0.04	0.11	0.03

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 1.102P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.9731		0.6597		0.0672	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.8058		0.1480		0.0664	
New England	0.3559		0.4691		0.2646	
Middle Atlantic	0.8192		0.2080		0.1310	
Midwest	0.2475		0.1863		0.8722	
East North Central	0.0646		0.0512		0.1106	
West North Central	0.6088		0.9417		0.2878	
South	0.5000		0.7112		0.7227	
South Atlantic	0.3155		0.6874		0.5845	
East South Central	0.4884		0.9094		0.5854	
West South Central	0.4372		0.0402		0.0873	
West	0.1343		0.3143		0.0141	
Mountain	0.8396		0.0159		0.0693	
Pacific	0.1187		0.5822		0.0642	
<b>COUNTY TYPE</b>						
Large Metro	0.5065		0.4993		0.1433	
Small Metro	0.4953		0.6286		0.0727	
250K – 1 Mil. Pop.	0.1965		0.4301		0.0350	
< 250K Pop.	0.5025		0.7222		0.8492	
Nonmetro	0.6210		0.2228		0.2320	
Urbanized	0.0513		0.1975		0.1718	
Less Urbanized	0.3064		0.8684		0.8355	
Completely Rural	0.3344		0.2461		0.4803	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.