

Table 2.77A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	161,842	161,863	69,909	70,832	59,896	60,532
GEOGRAPHIC DIVISION						
Northeast	30,002	30,722	12,905	12,982	11,022	11,189
New England	8,268	8,250	3,113	3,254	2,685	2,817
Middle Atlantic	21,734	22,472	9,791	9,728	8,337	8,371
Midwest	38,610	38,439	17,252	17,694	15,055	15,305
East North Central	26,893	26,475	12,078	12,245	10,549	10,735
West North Central	11,718	11,963	5,174	5,450	4,506	4,570
South	58,128	57,786	26,602	26,119	23,063	22,403
South Atlantic	30,967	30,266	13,807	12,824	11,921	11,180
East South Central	9,698 ^a	10,242	4,507	4,958	4,046	4,288
West South Central	17,463	17,278	8,288	8,337	7,096	6,936
West	35,102	34,917	13,150	14,037	10,756	11,636
Mountain	10,837	11,052	4,434	4,459	3,702	3,777
Pacific	24,265	23,865	8,716	9,578	7,053	7,859
COUNTY TYPE						
Large Metro	83,354	84,817	35,335	36,017	29,738	30,535
Small Metro	49,776	48,468	21,447	21,359	18,644	18,403
250K – 1 Mil. Pop.	31,973	32,285	13,639	13,901	11,713	11,923
< 250K Pop.	17,803	16,183	7,808	7,457	6,932	6,480
Nonmetro	28,711	28,579	13,127	13,456	11,513	11,594
Urbanized	11,670	10,629	5,663	5,081	4,891	4,490
Less Urbanized	14,504	14,605	6,536	6,969	5,809	5,995
Completely Rural	2,537	3,345	928 ^a	1,407	813	1,109

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.77B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	67.3	66.6	29.1	29.1	24.9	24.9
GEOGRAPHIC DIVISION						
Northeast	65.9	67.3	28.4	28.5	24.2	24.5
New England	69.2	69.0	26.1	27.2	22.5	23.5
Middle Atlantic	64.8	66.7	29.2	28.9	24.8	24.9
Midwest	71.2	70.5	31.8	32.5	27.8	28.1
East North Central	70.9	69.5	31.8	32.1	27.8	28.2
West North Central	72.0	72.9	31.8	33.2	27.7	27.8
South	67.5	66.0	30.9	29.8	26.8	25.6
South Atlantic	68.5 ^a	65.6	30.6 ^a	27.8	26.4	24.2
East South Central	67.4	70.5	31.3	34.1	28.1	29.5
West South Central	65.8	64.1	31.2	30.9	26.7	25.7
West	64.2	63.0	24.1	25.3	19.7	21.0
Mountain	67.8	67.2	27.7	27.1	23.2	23.0
Pacific	62.7	61.1	22.5	24.5	18.2	20.1
COUNTY TYPE						
Large Metro	65.0	64.7	27.5	27.5	23.2	23.3
Small Metro	69.5 ^a	67.7	29.9	29.8	26.0	25.7
250K – 1 Mil. Pop.	67.8	67.7	28.9	29.1	24.8	25.0
< 250K Pop.	72.8 ^b	67.7	31.9	31.2	28.3	27.1
Nonmetro	70.8	70.5	32.4	33.2	28.4	28.6
Urbanized	69.9	69.1	33.9	33.0	29.3	29.2
Less Urbanized	71.5	71.6	32.2	34.2	28.6	29.4
Completely Rural	71.1	70.2	26.0	29.5	22.8	23.3

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.78A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	7,363 ^b	6,781	4,645 ^a	4,387	2,998 ^a	2,733
GEOGRAPHIC DIVISION						
Northeast	1,269	1,196	877	793	550	522
New England	333	294	243	198	152	129
Middle Atlantic	935	902	634	595	398	393
Midwest	1,768 ^b	1,582	1,113	1,046	735	689
East North Central	1,198 ^a	1,086	770	695	496	457
West North Central	570 ^a	496	343	352	238	232
South	2,698	2,618	1,677	1,633	1,086	984
South Atlantic	1,353	1,305	834	822	554	503
East South Central	494	463	316	292	218	192
West South Central	851	850	527	519	313	289
West	1,628 ^b	1,386	978	915	628	538
Mountain	495	507	289	340	194	200
Pacific	1,133 ^b	878	690	575	434 ^a	338
COUNTY TYPE						
Large Metro	3,473	3,251	2,158	2,122	1,333	1,325
Small Metro	2,373 ^b	2,046	1,532 ^b	1,277	1,008 ^b	794
250K – 1 Mil. Pop.	1,536 ^a	1,351	1,000 ^a	864	646 ^a	538
< 250K Pop.	837 ^a	695	531 ^b	414	362 ^b	257
Nonmetro	1,517	1,485	955	988	657	614
Urbanized	565	508	373	335	259	221
Less Urbanized	821	785	511	519	351	314
Completely Rural	132	192	70 ^a	133	47	79

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.78B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	29.2 ^b	26.7	18.4 ^a	17.3	11.9 ^b	10.8
GEOGRAPHIC DIVISION						
Northeast	28.0	26.3	19.3	17.4	12.1	11.5
New England	28.4	25.0	20.7	16.8	12.9	11.0
Middle Atlantic	27.8	26.8	18.9	17.7	11.8	11.7
Midwest	31.1 ^b	27.9	19.6	18.5	12.9	12.2
East North Central	29.9 ^a	27.1	19.2	17.3	12.4	11.4
West North Central	34.0 ^a	30.0	20.5	21.3	14.2	14.0
South	30.0	28.9	18.6	18.0	12.1	10.9
South Atlantic	29.5	28.1	18.2	17.7	12.1	10.8
East South Central	34.1	32.0	21.8	20.2	15.0	13.2
West South Central	28.6	28.5	17.7	17.4	10.5	9.7
West	27.2 ^b	22.8	16.3	15.0	10.5	8.9
Mountain	28.4	28.8	16.6	19.3	11.1	11.4
Pacific	26.7 ^b	20.3	16.2 ^a	13.3	10.2 ^a	7.8
COUNTY TYPE						
Large Metro	26.0 ^b	23.8	16.2	15.5	10.0	9.7
Small Metro	31.0 ^b	27.4	20.0 ^b	17.1	13.2 ^b	10.6
250K – 1 Mil. Pop.	30.1 ^b	26.5	19.6 ^b	16.9	12.7 ^a	10.5
< 250K Pop.	32.9 ^a	29.4	20.9 ^a	17.5	14.2 ^b	10.9
Nonmetro	35.9	35.1	22.6	23.4	15.6	14.5
Urbanized	33.2	32.1	22.0	21.2	15.2	14.0
Less Urbanized	38.2	36.6	23.8	24.2	16.4	14.6
Completely Rural	34.8	38.2	18.6	26.4	12.5	15.7

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.79A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	22,118	21,879	15,290	15,348	12,731	12,667
GEOGRAPHIC DIVISION						
Northeast	3,966	3,822	2,814	2,709	2,377	2,245
New England	1,036	1,000	747	715	644	584
Middle Atlantic	2,930	2,823	2,068	1,994	1,733	1,661
Midwest	5,518 ^b	5,293	3,962 ^a	3,750	3,369 ^a	3,146
East North Central	3,763 ^a	3,603	2,712 ^a	2,550	2,314 ^a	2,153
West North Central	1,755	1,690	1,250	1,200	1,055	993
South	7,814	7,863	5,373	5,615	4,500	4,692
South Atlantic	3,907	3,855	2,684	2,744	2,248	2,259
East South Central	1,342	1,377	940	976	810	850
West South Central	2,565	2,631	1,749	1,895	1,443	1,583
West	4,821	4,901	3,140	3,274	2,485	2,585
Mountain	1,546	1,572	1,013	1,016	841	845
Pacific	3,275	3,329	2,126	2,258	1,644	1,739
COUNTY TYPE						
Large Metro	11,085	11,140	7,512	7,841	6,134	6,383
Small Metro	7,382	7,102	5,112	4,906	4,269	4,082
250K – 1 Mil. Pop.	4,657	4,571	3,213	3,140	2,672	2,623
< 250K Pop.	2,725	2,530	1,899	1,766	1,597	1,460
Nonmetro	3,652	3,637	2,666	2,601	2,328	2,201
Urbanized	1,666	1,529	1,247	1,078	1,088 ^a	908
Less Urbanized	1,720	1,729	1,223	1,243	1,072	1,070
Completely Rural	266 ^a	379	196	280	168	223

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.79B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	68.7 ^a	67.3	47.5	47.2	39.5	39.0
GEOGRAPHIC DIVISION						
Northeast	69.8 ^a	66.9	49.5	47.4	41.8	39.3
New England	69.6	66.9	50.2	47.9	43.2	39.1
Middle Atlantic	69.8	67.0	49.3	47.3	41.3	39.4
Midwest	74.2 ^b	71.1	53.3 ^a	50.3	45.3 ^a	42.2
East North Central	73.4 ^a	70.3	52.9 ^a	49.8	45.1 ^a	42.0
West North Central	75.8	72.6	54.0	51.6	45.6	42.7
South	67.7	67.2	46.6	48.0	39.0	40.1
South Atlantic	68.5	66.1	47.0	47.1	39.4	38.7
East South Central	68.8	70.7	48.2	50.1	41.5	43.6
West South Central	66.1	67.0	45.1	48.3	37.2	40.3
West	64.0	64.3	41.7	43.0	33.0	33.9
Mountain	67.6	67.0	44.3	43.3	36.8	36.0
Pacific	62.5	63.1	40.5	42.8	31.4	33.0
COUNTY TYPE						
Large Metro	66.6	64.7	45.1	45.5	36.8	37.1
Small Metro	69.6	68.8	48.2	47.5	40.3	39.6
250K – 1 Mil. Pop.	67.6	67.5	46.6	46.3	38.8	38.7
< 250K Pop.	73.3	71.4	51.1	49.9	43.0	41.2
Nonmetro	73.9	73.4	54.0	52.5	47.1	44.4
Urbanized	72.3	72.6	54.2	51.2	47.2	43.1
Less Urbanized	74.4	73.4	52.8	52.8	46.3	45.4
Completely Rural	81.9	77.1	60.4	57.0	51.8	45.3

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.80A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	132,360	133,203	49,974	51,098	44,166	45,133
GEOGRAPHIC DIVISION						
Northeast	24,767	25,704	9,214	9,481	8,095	8,422
New England	6,898	6,957	2,124	2,341	1,890	2,105
Middle Atlantic	17,869 ^a	18,747	7,089	7,140	6,206	6,318
Midwest	31,325	31,564	12,176	12,898	10,951	11,470
East North Central	21,931	21,786	8,595	9,000	7,738	8,125
West North Central	9,393	9,778	3,581	3,898	3,213	3,345
South	47,616	47,304	19,553	18,871	17,477	16,728
South Atlantic	25,707	25,106	10,289	9,259	9,119	8,418
East South Central	7,862 ^a	8,401	3,251	3,689	3,018	3,246
West South Central	14,047	13,797	6,013	5,923	5,340	5,063
West	28,652	28,630	9,032	9,848	7,643	8,513
Mountain	8,795	8,973	3,132	3,103	2,667	2,731
Pacific	19,857	19,657	5,900	6,745	4,975	5,781
COUNTY TYPE						
Large Metro	68,797	70,426	25,665	26,055	22,271	22,827
Small Metro	40,021	39,320	14,803	15,175	13,367	13,526
250K – 1 Mil. Pop.	25,779	26,362	9,425	9,897	8,394	8,762
< 250K Pop.	14,242	12,958	5,378	5,278	4,973	4,764
Nonmetro	23,542	23,457	9,506	9,868	8,528	8,779
Urbanized	9,440	8,593	4,043	3,667	3,544	3,361
Less Urbanized	11,963	12,091	4,802	5,207	4,386	4,611
Completely Rural	2,140	2,774	662	994	598	807

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.80B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	72.3	71.9	27.3	27.6	24.1	24.3
GEOGRAPHIC DIVISION						
Northeast	70.2	72.7	26.1	26.8	22.9	23.8
New England	74.3	74.8	22.9	25.2	20.4	22.6
Middle Atlantic	68.7	71.9	27.3	27.4	23.9	24.2
Midwest	76.2	76.2	29.6	31.1	26.7	27.7
East North Central	76.1	75.2	29.8	31.1	26.9	28.0
West North Central	76.5	78.6	29.1	31.3	26.1	26.9
South	72.6	70.8	29.8	28.2	26.6	25.0
South Atlantic	73.6 ^a	70.4	29.5 ^a	26.0	26.1	23.6
East South Central	71.5	75.4	29.6	33.1	27.5	29.2
West South Central	71.3	68.8	30.5	29.5	27.1	25.2
West	69.6	68.6	22.0	23.6	18.6	20.4
Mountain	73.6	72.8	26.2	25.2	22.3	22.2
Pacific	68.0	66.8	20.2	22.9	17.0	19.6
COUNTY TYPE						
Large Metro	70.0	70.3	26.1	26.0	22.7	22.8
Small Metro	75.0	73.0	27.7	28.2	25.0	25.1
250K – 1 Mil. Pop.	73.3	73.6	26.8	27.6	23.9	24.5
< 250K Pop.	78.2 ^b	72.0	29.5	29.3	27.3	26.5
Nonmetro	75.0	74.8	30.3	31.5	27.2	28.0
Urbanized	74.4	73.5	31.8	31.4	27.9	28.7
Less Urbanized	75.6	76.0	30.3	32.7	27.7	29.0
Completely Rural	74.7	73.6	23.1	26.4	20.9	21.4

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.81A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	154,479	155,082	65,264	66,446	56,897	57,799
GEOGRAPHIC DIVISION						
Northeast	28,733	29,526	12,028	12,189	10,472	10,667
New England	7,935	7,957	2,871	3,056	2,533	2,689
Middle Atlantic	20,799	21,570	9,157	9,133	7,939	7,978
Midwest	36,842	36,857	16,139	16,648	14,320	14,616
East North Central	25,694	25,389	11,307	11,550	10,052	10,278
West North Central	11,148	11,468	4,831	5,098	4,268	4,338
South	55,430	55,168	24,926	24,486	21,978	21,419
South Atlantic	29,614	28,961	12,973	12,003	11,366	10,677
East South Central	9,204 ^a	9,778	4,191	4,666	3,828	4,096
West South Central	16,612	16,428	7,762	7,818	6,783	6,646
West	33,473	33,531	12,172	13,122	10,127	11,097
Mountain	10,341	10,545	4,145	4,119	3,508	3,577
Pacific	23,132	22,986	8,027 ^a	9,004	6,620 ^a	7,521
COUNTY TYPE						
Large Metro	79,881	81,566	33,177	33,896	28,406	29,211
Small Metro	47,403	46,422	19,915	20,081	17,636	17,608
250K – 1 Mil. Pop.	30,437	30,934	12,638	13,037	11,066	11,385
< 250K Pop.	16,967	15,488	7,277	7,044	6,570	6,223
Nonmetro	27,194	27,094	12,172	12,469	10,856	10,980
Urbanized	11,105	10,121	5,290	4,745	4,632	4,269
Less Urbanized	13,683	13,820	6,024	6,449	5,458	5,681
Completely Rural	2,406	3,152	858 ^a	1,274	766	1,030

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.81B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	71.8	71.2	30.3	30.5	26.4	26.5
GEOGRAPHIC DIVISION						
Northeast	70.1	71.9	29.4	29.7	25.6	26.0
New England	73.7	73.7	26.7	28.3	23.5	24.9
Middle Atlantic	68.9	71.2	30.3	30.1	26.3	26.3
Midwest	75.9	75.4	33.3	34.1	29.5	29.9
East North Central	75.7	74.5	33.3	33.9	29.6	30.1
West North Central	76.4	77.7	33.1	34.5	29.2	29.4
South	71.9	70.2	32.3	31.2	28.5	27.3
South Atlantic	72.9 ^a	69.8	31.9 ^a	28.9	28.0	25.7
East South Central	71.1	74.7	32.4	35.7	29.6	31.3
West South Central	70.4	68.5	32.9	32.6	28.8	27.7
West	68.8	67.9	25.0	26.6	20.8	22.5
Mountain	72.6	71.8	29.1	28.1	24.6	24.4
Pacific	67.2	66.2	23.3	25.9	19.2	21.7
COUNTY TYPE						
Large Metro	69.5	69.5	28.9	28.9	24.7	24.9
Small Metro	74.1	72.4	31.1	31.3	27.6	27.5
250K – 1 Mil. Pop.	72.4	72.6	30.0	30.6	26.3	26.7
< 250K Pop.	77.4 ^b	71.9	33.2	32.7	30.0	28.9
Nonmetro	74.9	74.6	33.5	34.3	29.9	30.2
Urbanized	74.1	73.4	35.3	34.4	30.9	30.9
Less Urbanized	75.4	75.7	33.2	35.3	30.1	31.1
Completely Rural	75.4	74.0	26.9	29.9	24.0	24.2

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.82A Daily Cigarette Use in Lifetime and Past Month Smoking Status among Persons Aged 12 or Older, by Geographic Characteristics:
Numbers in Thousands, 2004 and 2005

Geographic Characteristic	Daily Cigarette Use in Lifetime		Daily Cigarette Use in Lifetime and Cigarette Use in Past Month		Daily Cigarette Use in Lifetime but No Cigarette Use in Past Month		Percentage Who Did Not Smoke Cigarettes in the Past Month among Lifetime Daily Smokers	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	93,409	93,470	50,278	50,927	43,130	42,543	46.2	45.5
GEOGRAPHIC DIVISION								
Northeast	18,252	18,619	9,447	9,563	8,805	9,057	48.2	48.6
New England	5,019	5,016	2,300	2,449	2,719	2,566	54.2	51.2
Middle Atlantic	13,233	13,604	7,147	7,113	6,087	6,490	46.0	47.7
Midwest	22,726	23,054	12,872	13,197	9,854	9,857	43.4	42.8
East North Central	16,052	15,736	9,122	9,209	6,929	6,527	43.2	41.5
West North Central	6,674 ^a	7,318	3,749	3,987	2,925	3,330	43.8	45.5
South	34,530	33,839	19,540	18,902	14,990	14,937	43.4	44.1
South Atlantic	18,932	17,871	10,270	9,583	8,662	8,288	45.8	46.4
East South Central	5,995 ^a	6,716	3,582	3,800	2,413	2,916	40.2	43.4
West South Central	9,603	9,252	5,688	5,518	3,916	3,734	40.8	40.4
West	17,901	17,958	8,420	9,266	9,480	8,692	53.0 ^a	48.4
Mountain	6,019	5,980	3,023	3,130	2,996	2,850	49.8	47.7
Pacific	11,881	11,978	5,397	6,135	6,484	5,842	54.6 ^a	48.8
COUNTY TYPE								
Large Metro	46,333	47,081	24,270	24,893	22,063	22,187	47.6	47.1
Small Metro	29,296	28,269	15,892	15,720	13,404	12,549	45.8	44.4
250K - 1 Mil. Pop.	18,776	18,799	10,001	10,165	8,774	8,634	46.7	45.9
< 250K Pop.	10,520	9,470	5,891	5,554	4,629	3,915	44.0	41.3
Nonmetro	17,780	18,121	10,117	10,314	7,663	7,807	43.1	43.1
Urbanized	7,342	6,674	4,278	4,036	3,064	2,637	41.7	39.5
Less Urbanized	8,874	9,465	5,151	5,317	3,723	4,148	42.0	43.8
Completely Rural	1,564	1,982	688	961	876	1,021	56.0	51.5

*Low precision; no estimate reported.

NOTE: Daily Cigarette Use in Lifetime is defined as ever smoking every day for at least 30 days.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.82B Daily Cigarette Use in Lifetime and Past Month Smoking Status among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	Daily Cigarette Use in Lifetime		Daily Cigarette Use in Lifetime and Cigarette Use in Past Month		Daily Cigarette Use in Lifetime but No Cigarette Use in Past Month		Percentage Who Did Not Smoke Cigarettes in the Past Month among Lifetime Daily Smokers	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	38.8	38.4	20.9	20.9	17.9	17.5	46.2	45.5
GEOGRAPHIC DIVISION								
Northeast	40.1	40.8	20.8	21.0	19.4	19.8	48.2	48.6
New England	42.0	41.9	19.3	20.5	22.8	21.4	54.2	51.2
Middle Atlantic	39.4	40.4	21.3	21.1	18.1	19.3	46.0	47.7
Midwest	41.9	42.3	23.7	24.2	18.2	18.1	43.4	42.8
East North Central	42.3	41.3	24.0	24.2	18.3	17.1	43.2	41.5
West North Central	41.0 ^a	44.6	23.0	24.3	18.0	20.3	43.8	45.5
South	40.1	38.6	22.7	21.6	17.4	17.1	43.4	44.1
South Atlantic	41.9 ^a	38.8	22.7	20.8	19.2	18.0	45.8	46.4
East South Central	41.7 ^a	46.2	24.9	26.1	16.8	20.1	40.2	43.4
West South Central	36.2	34.3	21.4	20.5	14.7	13.8	40.8	40.4
West	32.7	32.4	15.4	16.7	17.3	15.7	53.0 ^a	48.4
Mountain	37.7	36.4	18.9	19.0	18.7	17.3	49.8	47.7
Pacific	30.7	30.7	14.0	15.7	16.8	15.0	54.6 ^a	48.8
COUNTY TYPE								
Large Metro	36.1	35.9	18.9	19.0	17.2	16.9	47.6	47.1
Small Metro	40.9	39.5	22.2	22.0	18.7	17.5	45.8	44.4
250K - 1 Mil. Pop.	39.8	39.4	21.2	21.3	18.6	18.1	46.7	45.9
< 250K Pop.	43.0	39.6	24.1	23.2	18.9	16.4	44.0	41.3
Nonmetro	43.8	44.7	24.9	25.4	18.9	19.3	43.1	43.1
Urbanized	44.0	43.4	25.6	26.2	18.4	17.1	41.7	39.5
Less Urbanized	43.7	46.4	25.4	26.1	18.3	20.3	42.0	43.8
Completely Rural	43.8	41.6	19.3	20.2	24.6	21.4	56.0	51.5

*Low precision; no estimate reported.

NOTE: Daily Cigarette Use in Lifetime is defined as ever smoking every day for at least 30 days.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.