

Table 2.88A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	87,409	88,260	25,974	26,908	13,727	13,640
GEOGRAPHIC DIVISION						
Northeast	15,421	15,324	4,528	4,739	2,294	2,392
New England	4,415	4,508	1,263	1,240	740	663
Middle Atlantic	11,006	10,816	3,265	3,499	1,554	1,729
Midwest	21,939	22,453	6,823	6,878	3,758	3,659
East North Central	15,012	15,208	4,741	4,753	2,652	2,572
West North Central	6,927	7,245	2,081	2,125	1,105	1,087
South	30,055	30,739	9,127	9,668	5,058	5,086
South Atlantic	15,875	16,216	4,748	4,923	2,661	2,532
East South Central	5,104	5,182	1,527	1,786	899	951
West South Central	9,077	9,341	2,852	2,960	1,498	1,602
West	19,994	19,744	5,497	5,622	2,618	2,503
Mountain	6,290	6,376	1,865	1,794	906	773
Pacific	13,704	13,368	3,631	3,828	1,712	1,730
COUNTY TYPE						
Large Metro	45,315	45,808	13,786	14,392	7,255	7,092
Small Metro	26,930	26,986	8,084	8,116	4,293	4,302
250K – 1 Mil. Pop.	17,116	17,835	5,205	5,560	2,678	3,070
< 250K Pop.	9,814	9,151	2,879	2,556	1,615 ^a	1,232
Nonmetro	15,165	15,466	4,104	4,399	2,180	2,245
Urbanized	6,371	5,937	1,793	1,784	944	847
Less Urbanized	7,384	7,669	2,057	2,146	1,099	1,136
Completely Rural	1,410	1,860	254 ^a	469	137	262

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.88B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	36.3	36.3	10.8	11.1	5.7	5.6
GEOGRAPHIC DIVISION						
Northeast	33.9	33.6	10.0	10.4	5.0	5.2
New England	37.0	37.7	10.6	10.4	6.2	5.5
Middle Atlantic	32.8	32.1	9.7	10.4	4.6	5.1
Midwest	40.5	41.2	12.6	12.6	6.9	6.7
East North Central	39.6	39.9	12.5	12.5	7.0	6.7
West North Central	42.6	44.1	12.8	12.9	6.8	6.6
South	34.9	35.1	10.6	11.0	5.9	5.8
South Atlantic	35.1	35.2	10.5	10.7	5.9	5.5
East South Central	35.5	35.7	10.6	12.3	6.2	6.5
West South Central	34.2	34.6	10.7	11.0	5.6	5.9
West	36.6	35.6	10.1	10.1	4.8	4.5
Mountain	39.3	38.8	11.7	10.9	5.7	4.7
Pacific	35.4	34.3	9.4	9.8	4.4	4.4
COUNTY TYPE						
Large Metro	35.3	34.9	10.7	11.0	5.7	5.4
Small Metro	37.6	37.7	11.3	11.3	6.0	6.0
250K – 1 Mil. Pop.	36.3	37.4	11.0	11.7	5.7	6.4
< 250K Pop.	40.1	38.3	11.8	10.7	6.6 ^a	5.2
Nonmetro	37.4	38.1	10.1	10.9	5.4	5.5
Urbanized	38.2	38.6	10.7	11.6	5.7	5.5
Less Urbanized	36.4	37.6	10.1	10.5	5.4	5.6
Completely Rural	39.5	39.0	7.1	9.9	3.8	5.5

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.89A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	3,743	3,573	2,568	2,485	1,201 ^a	1,064
GEOGRAPHIC DIVISION						
Northeast	633	603	472	433	215	182
New England	188	178	140	130	58	49
Middle Atlantic	445	425	332	304	157	134
Midwest	947	899	662	635	313	283
East North Central	630	608	436	435	211	183
West North Central	317	291	226	200	102	101
South	1,313	1,272	868	827	402	371
South Atlantic	662	614	431	407	190	193
East South Central	235	227	155	145	74	59
West South Central	415	431	283	276	138	120
West	851	798	566	589	271	227
Mountain	298	329	205	242	95	89
Pacific	554	469	361	347	176	138
COUNTY TYPE						
Large Metro	1,779	1,774	1,253	1,263	563	538
Small Metro	1,199	1,096	811	757	392 ^a	319
250K – 1 Mil. Pop.	788	740	528	507	248	208
< 250K Pop.	411	357	283	250	144	111
Nonmetro	766	703	503	464	246	207
Urbanized	297	248	198	176	101	76
Less Urbanized	406	345	269	217	132	101
Completely Rural	63 ^a	110	37	72	14	30

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.89B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	14.8	14.1	10.2	9.8	4.8 ^a	4.2
GEOGRAPHIC DIVISION						
Northeast	13.9	13.3	10.4	9.5	4.7	4.0
New England	16.0	15.1	12.0	11.0	4.9	4.1
Middle Atlantic	13.2	12.6	9.9	9.0	4.7	4.0
Midwest	16.7	15.9	11.7	11.2	5.5	5.0
East North Central	15.7	15.2	10.9	10.8	5.3	4.5
West North Central	19.0	17.6	13.5	12.1	6.1	6.1
South	14.6	14.0	9.6	9.1	4.5	4.1
South Atlantic	14.5	13.2	9.4	8.8	4.2	4.2
East South Central	16.2	15.7	10.7	10.0	5.1	4.1
West South Central	14.0	14.5	9.5	9.3	4.6	4.0
West	14.2	13.1	9.4	9.7	4.5	3.7
Mountain	17.1	18.7	11.7	13.8	5.5	5.1
Pacific	13.0	10.9	8.5	8.0	4.1	3.2
COUNTY TYPE						
Large Metro	13.3	13.0	9.4	9.2	4.2	3.9
Small Metro	15.7	14.7	10.6	10.1	5.1 ^a	4.3
250K – 1 Mil. Pop.	15.4	14.5	10.4	9.9	4.9	4.1
< 250K Pop.	16.2	15.1	11.1	10.6	5.7	4.7
Nonmetro	18.1	16.6	11.9	11.0	5.8	4.9
Urbanized	17.5	15.7	11.7	11.1	5.9	4.8
Less Urbanized	18.9	16.1	12.5	10.1	6.1	4.7
Completely Rural	16.6	21.8	9.7	14.3	3.7	6.0

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.90A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	14,213	14,036	7,724	7,856	4,103	3,895
GEOGRAPHIC DIVISION						
Northeast	2,444	2,418	1,371	1,333	675	667
New England	712	685	400	387	208	209
Middle Atlantic	1,732	1,734	970	946	467	458
Midwest	3,831 ^a	3,641	2,029	2,037	1,079	975
East North Central	2,533	2,444	1,377	1,399	734	677
West North Central	1,298 ^a	1,197	652	638	345	298
South	4,760	4,774	2,683	2,706	1,506	1,417
South Atlantic	2,382	2,314	1,338	1,330	736	729
East South Central	891	867	514	482	293	250
West South Central	1,486	1,593	832	894	477	438
West	3,177	3,203	1,641	1,781	842	835
Mountain	1,080	1,073	603	602	329	271
Pacific	2,097	2,130	1,038	1,179	513	565
COUNTY TYPE						
Large Metro	7,000	7,110	3,753	3,953	2,034	1,910
Small Metro	4,918	4,636	2,733	2,659	1,431	1,404
250K – 1 Mil. Pop.	3,136	2,970	1,722	1,716	858	931
< 250K Pop.	1,782	1,666	1,011	942	574	473
Nonmetro	2,295	2,290	1,238	1,244	638	581
Urbanized	1,091	1,005	582	538	311	242
Less Urbanized	1,048	1,055	588	581	289	291
Completely Rural	156 ^a	230	68 ^a	125	38	48

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.90B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	44.1	43.2	24.0	24.2	12.7	12.0
GEOGRAPHIC DIVISION						
Northeast	43.0	42.4	24.1	23.3	11.9	11.7
New England	47.9	45.8	26.9	25.9	14.0	14.0
Middle Atlantic	41.3	41.1	23.1	22.4	11.1	10.9
Midwest	51.5 ^a	48.9	27.3	27.3	14.5	13.1
East North Central	49.4	47.7	26.9	27.3	14.3	13.2
West North Central	56.1 ^a	51.4	28.2	27.4	14.9	12.8
South	41.3	40.8	23.3	23.1	13.1	12.1
South Atlantic	41.8	39.7	23.5	22.8	12.9	12.5
East South Central	45.7	44.5	26.3	24.8	15.0	12.8
West South Central	38.3	40.6	21.4	22.8	12.3	11.2
West	42.2	42.0	21.8	23.4	11.2	11.0
Mountain	47.2	45.7	26.4	25.7	14.4 ^a	11.5
Pacific	40.0	40.4	19.8	22.3	9.8	10.7
COUNTY TYPE						
Large Metro	42.0	41.3	22.5	23.0	12.2	11.1
Small Metro	46.4	44.9	25.8	25.8	13.5	13.6
250K – 1 Mil. Pop.	45.5	43.8	25.0	25.3	12.5	13.7
< 250K Pop.	48.0	47.0	27.2	26.6	15.4	13.3
Nonmetro	46.5	46.2	25.1	25.1	12.9	11.7
Urbanized	47.4	47.7	25.3	25.6	13.5	11.5
Less Urbanized	45.3	44.8	25.4	24.7	12.5	12.4
Completely Rural	48.2	46.8	20.8	25.5	11.7	9.8

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.91A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	69,453	70,652	15,681	16,567	8,423	8,681
GEOGRAPHIC DIVISION						
Northeast	12,344	12,303	2,685	2,973	1,404	1,543
New England	3,515	3,645	722	724	474	405
Middle Atlantic	8,829	8,657	1,963	2,249	929	1,137
Midwest	17,160	17,913	4,132	4,206	2,365	2,400
East North Central	11,849	12,156	2,928	2,919	1,707	1,712
West North Central	5,311	5,757	1,204	1,287	658	688
South	23,983	24,693	5,575	6,135	3,149	3,297
South Atlantic	12,830	13,288	2,978	3,187	1,735	1,611
East South Central	3,978	4,087	859	1,158	532	642
West South Central	7,175	7,318	1,738	1,791	883	1,044
West	15,966	15,743	3,290	3,252	1,505	1,441
Mountain	4,912	4,973	1,057	950	481	414
Pacific	11,053	10,769	2,233	2,303	1,023	1,027
COUNTY TYPE						
Large Metro	36,536	36,924	8,779	9,176	4,658	4,645
Small Metro	20,813	21,254	4,540	4,701	2,469	2,580
250K – 1 Mil. Pop.	13,192	14,125	2,955	3,336	1,572	1,931
< 250K Pop.	7,621	7,129	1,585	1,364	897	648
Nonmetro	12,104	12,473	2,362	2,691	1,296	1,457
Urbanized	4,983	4,684	1,012	1,070	533	529
Less Urbanized	5,930	6,269	1,200	1,349	678	744
Completely Rural	1,191	1,520	149	272	85	185

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.91B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	37.9	38.1	8.6	8.9	4.6	4.7
GEOGRAPHIC DIVISION						
Northeast	35.0	34.8	7.6	8.4	4.0	4.4
New England	37.9	39.2	7.8	7.8	5.1	4.4
Middle Atlantic	34.0	33.2	7.6	8.6	3.6	4.4
Midwest	41.8	43.3	10.1	10.2	5.8	5.8
East North Central	41.1	42.0	10.2	10.1	5.9	5.9
West North Central	43.2	46.3	9.8	10.3	5.4	5.5
South	36.6	36.9	8.5	9.2	4.8	4.9
South Atlantic	36.8	37.3	8.5	8.9	5.0	4.5
East South Central	36.2	36.7	7.8	10.4	4.8	5.8
West South Central	36.4	36.5	8.8	8.9	4.5	5.2
West	38.8	37.7	8.0	7.8	3.7	3.4
Mountain	41.1	40.3	8.8	7.7	4.0	3.4
Pacific	37.9	36.6	7.7	7.8	3.5	3.5
COUNTY TYPE						
Large Metro	37.2	36.9	8.9	9.2	4.7	4.6
Small Metro	39.0	39.5	8.5	8.7	4.6	4.8
250K – 1 Mil. Pop.	37.5	39.4	8.4	9.3	4.5	5.4
< 250K Pop.	41.8	39.6	8.7	7.6	4.9	3.6
Nonmetro	38.6	39.8	7.5	8.6	4.1	4.6
Urbanized	39.3	40.1	8.0	9.1	4.2	4.5
Less Urbanized	37.5	39.4	7.6	8.5	4.3	4.7
Completely Rural	41.6	40.3	5.2	7.2	3.0	4.9

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.92A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	83,666	84,687	23,405	24,423	12,526	12,576
GEOGRAPHIC DIVISION						
Northeast	14,788	14,721	4,056	4,306	2,079	2,210
New England	4,227	4,330	1,123	1,111	682	615
Middle Atlantic	10,561	10,391	2,933	3,195	1,397	1,595
Midwest	20,992	21,554	6,160	6,243	3,445	3,376
East North Central	14,382	14,600	4,305	4,318	2,441	2,390
West North Central	6,610	6,954	1,856	1,925	1,004	986
South	28,743	29,467	8,258	8,841	4,656	4,714
South Atlantic	15,212	15,602	4,317	4,516	2,471	2,340
East South Central	4,869	4,954	1,373	1,641	825	892
West South Central	8,661	8,911	2,569	2,684	1,360	1,482
West	19,143	18,945	4,931	5,033	2,347	2,276
Mountain	5,993	6,046	1,660	1,552	811	684
Pacific	13,151	12,899	3,271	3,481	1,536	1,592
COUNTY TYPE						
Large Metro	43,536	44,034	12,532	13,129	6,692	6,554
Small Metro	25,731	25,890	7,273	7,360	3,901	3,983
250K – 1 Mil. Pop.	16,328	17,095	4,677	5,053	2,430 ^a	2,862
< 250K Pop.	9,403	8,795	2,596	2,307	1,471 ^a	1,121
Nonmetro	14,399	14,763	3,600	3,935	1,934	2,038
Urbanized	6,073	5,690	1,595	1,608	843	771
Less Urbanized	6,978	7,324	1,788	1,929	968	1,035
Completely Rural	1,347	1,750	217 ^a	397	123	232

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 2.92B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	38.9	38.9	10.9	11.2	5.8	5.8
GEOGRAPHIC DIVISION						
Northeast	36.1	35.8	9.9	10.5	5.1	5.4
New England	39.2	40.1	10.4	10.3	6.3	5.7
Middle Atlantic	35.0	34.3	9.7	10.5	4.6	5.3
Midwest	43.3	44.1	12.7	12.8	7.1	6.9
East North Central	42.4	42.8	12.7	12.7	7.2	7.0
West North Central	45.3	47.1	12.7	13.0	6.9	6.7
South	37.3	37.5	10.7	11.3	6.0	6.0
South Atlantic	37.5	37.6	10.6	10.9	6.1	5.6
East South Central	37.6	37.9	10.6	12.5	6.4	6.8
West South Central	36.7	37.2	10.9	11.2	5.8	6.2
West	39.3	38.4	10.1	10.2	4.8	4.6
Mountain	42.1	41.2	11.7	10.6	5.7	4.7
Pacific	38.2	37.2	9.5	10.0	4.5	4.6
COUNTY TYPE						
Large Metro	37.9	37.5	10.9	11.2	5.8	5.6
Small Metro	40.2	40.4	11.4	11.5	6.1	6.2
250K – 1 Mil. Pop.	38.8	40.1	11.1	11.9	5.8	6.7
< 250K Pop.	42.9	40.8	11.8	10.7	6.7 ^a	5.2
Nonmetro	39.6	40.6	9.9	10.8	5.3	5.6
Urbanized	40.5	41.2	10.6	11.7	5.6	5.6
Less Urbanized	38.5	40.1	9.9	10.6	5.3	5.7
Completely Rural	42.2	41.1	6.8	9.3	3.9	5.5

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.