

**Table 2.19C Tobacco Product Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2004 and 2005**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	812	793	818	885	794	845
12	25	21	17	16	9	10
13	36	37	26	32	21	18
14	54	44	40	34	30	24
15	57	56	43	43	34	33
16	65	63	54	55	42	42
17	69	70	58	56	50	46
18	94	91	84	82	71	70
19	92	100	81	86	71	73
20	96	96	86	84	71	74
21	101	99	83	87	75	77
22	97	95	82	79	73	70
23	91	87	79	74	72	65
24	90	91	74	76	66	67
25	89	94	76	76	68	69
26-29	362	363	273	259	238	228
30-34	381	379	272	287	252	258
35-39	452	424	297	289	277	267
40-44	450	487	314	327	290	311
45-49	440	440	290	298	276	282
50-54	597	573	332	364	311	340
55-59	576	542	315	305	295	276
60-64	474	463	239	246	222	229
65 or Older	466	432	317	330	304	319

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.19D Tobacco Product Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2004 and 2005**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.34	0.33	0.34	0.36	0.33	0.35
12	0.59	0.52	0.41	0.38	0.24	0.24
13	0.76	0.78	0.57	0.69	0.48	0.42
14	0.99	0.92	0.81	0.75	0.63	0.55
15	1.06	1.04	0.86	0.89	0.73	0.72
16	1.08	1.10	1.06	1.07	0.90	0.89
17	1.13	1.12	1.09	1.09	1.00	0.98
18	1.11	1.17	1.15	1.19	1.14	1.15
19	1.16	1.16	1.28	1.23	1.26	1.19
20	1.13	1.12	1.28	1.27	1.22	1.24
21	1.21	1.13	1.28	1.30	1.25	1.28
22	1.04	1.17	1.27	1.21	1.27	1.21
23	1.18	1.13	1.36	1.21	1.35	1.19
24	1.13	1.17	1.23	1.32	1.24	1.28
25	1.14	1.23	1.39	1.29	1.35	1.31
26-29	1.08	1.06	1.21	1.24	1.15	1.22
30-34	1.00	1.03	1.09	1.14	1.07	1.07
35-39	1.00	1.00	1.05	1.13	1.07	1.10
40-44	0.87	0.95	1.11	1.06	1.08	1.05
45-49	0.93	0.88	1.09	1.06	1.07	1.04
50-54	1.36	1.31	1.49	1.55	1.45	1.49
55-59	1.42	1.51	1.56	1.52	1.47	1.44
60-64	1.61	1.56	1.66	1.60	1.56	1.53
65 or Older	1.34	1.23	0.91	0.94	0.88	0.91

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.19P Tobacco Product Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.1770		0.4291		0.6856	
12	0.0663		0.3800		0.8887	
13	0.2887		0.4638		0.3178	
14	0.0166		0.0353		0.0028	
15	0.0903		0.2594		0.1639	
16	0.1933		0.5335		0.2361	
17	0.0669		0.1789		0.0572	
18	0.0578		0.4291		0.1890	
19	0.6012		0.5546		0.4091	
20	0.8840		0.9759		0.7409	
21	0.3763		0.4860		0.5426	
22	0.0607		0.8514		0.6788	
23	0.2554		0.2884		0.6596	
24	0.1958		0.7957		0.9957	
25	0.9086		0.9968		0.8444	
26-29	0.9270		0.6549		0.5694	
30-34	0.7597		0.3653		0.3048	
35-39	0.5151		0.8469		0.7776	
40-44	0.1540		0.9488		0.4505	
45-49	0.6786		0.1030		0.2536	
50-54	0.5245		0.6456		0.8263	
55-59	0.6102		0.7241		0.4232	
60-64	0.8068		0.6034		0.7632	
65 or Older	0.4316		0.7724		0.5512	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.20C Cigarette Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2004 and 2005**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	824	858	788	817	768	777
12	22	19	15	14	8	9
13	34	35	26	30	19	16
14	50	39	36	30	27	21
15	55	51	39	39	31	31
16	62	59	50	48	39	38
17	67	67	53	52	45	42
18	89	85	75	74	64	64
19	87	95	75	76	62	66
20	91	92	78	77	67	70
21	98	94	77	81	70	71
22	94	91	76	73	67	65
23	88	84	75	68	68	61
24	87	89	71	71	64	64
25	88	91	71	70	65	65
26-29	343	352	252	236	227	212
30-34	368	368	251	263	236	238
35-39	431	400	265	252	250	232
40-44	435	474	287	298	266	288
45-49	427	437	265	260	253	252
50-54	589	559	313	335	298	318
55-59	537	530	274	269	262	250
60-64	456	452	213	222	202	210
65 or Older	478	448	270	293	256	282

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.20D Cigarette Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2004 and 2005**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.34	0.35	0.33	0.34	0.32	0.32
12	0.53	0.46	0.36	0.34	0.20	0.22
13	0.72	0.74	0.56	0.65	0.43	0.37
14	0.95	0.85	0.75	0.67	0.57	0.49
15	1.07	0.97	0.81	0.81	0.69	0.67
16	1.07	1.08	1.04	0.98	0.86	0.82
17	1.14	1.15	1.03	1.06	0.93	0.92
18	1.16	1.18	1.16	1.18	1.12	1.11
19	1.19	1.24	1.28	1.23	1.18	1.15
20	1.19	1.22	1.31	1.30	1.22	1.28
21	1.24	1.18	1.27	1.31	1.24	1.26
22	1.06	1.18	1.25	1.19	1.22	1.15
23	1.21	1.20	1.38	1.21	1.33	1.16
24	1.20	1.20	1.26	1.33	1.26	1.27
25	1.20	1.24	1.39	1.27	1.34	1.26
26-29	1.12	1.10	1.20	1.24	1.14	1.17
30-34	1.08	1.09	1.07	1.09	1.03	1.03
35-39	1.02	1.05	1.01	1.06	1.01	1.00
40-44	0.91	1.03	1.09	1.04	1.05	1.03
45-49	0.98	0.95	1.06	0.98	1.04	0.97
50-54	1.44	1.42	1.43	1.48	1.40	1.43
55-59	1.44	1.58	1.41	1.38	1.37	1.31
60-64	1.64	1.66	1.50	1.51	1.43	1.45
65 or Older	1.38	1.27	0.78	0.83	0.74	0.80

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.20P Cigarette Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.1330		0.9044		0.9728	
12	0.0836		0.5841		0.5821	
13	0.4215		0.6682		0.1207	
14	0.0006		0.0022		0.0037	
15	0.0291		0.2274		0.1983	
16	0.0202		0.1299		0.1928	
17	0.0766		0.4665		0.2128	
18	0.0832		0.4902		0.0829	
19	0.4013		0.1852		0.3820	
20	0.8939		0.8337		0.7609	
21	0.1482		0.7683		0.7973	
22	0.0421		0.6759		0.5240	
23	0.5803		0.3690		0.6317	
24	0.4947		0.7902		0.7996	
25	0.9513		0.4981		0.8967	
26-29	0.6896		0.8391		0.5586	
30-34	0.9046		0.2258		0.2268	
35-39	0.1681		0.5504		0.6101	
40-44	0.0264		0.4236		0.9573	
45-49	0.8876		0.1579		0.2641	
50-54	0.5219		0.9266		0.9621	
55-59	0.7773		0.9011		0.4867	
60-64	0.8087		0.6549		0.6975	
65 or Older	0.3084		0.5272		0.4845	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.21C Daily Cigarette Use in Lifetime and Past Month Smoking Status, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2004 and 2005**

Age Category	Daily Cigarette Use in Lifetime		Daily Cigarette Use in Lifetime and Cigarette Use in Past Month		Daily Cigarette Use in Lifetime but No Cigarette Use in Past Month		Percentage Who Did Not Smoke Cigarettes in the Past Month among Lifetime Daily Smokers	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	893	974	743	732	750	804	0.64	0.64
12	5	3	4	2	2	1	*	*
13	12	10	8	8	8	5	*	*
14	18	14	16	11	6	9	3.46	*
15	25	23	22	19	11	11	2.94	3.69
16	30	25	28	23	9	10	1.96	2.21
17	36	34	33	32	12	13	1.59	1.82
18	53	51	49	48	17	18	1.37	1.68
19	55	55	50	50	19	23	1.55	1.73
20	54	61	51	57	19	20	1.33	1.39
21	63	60	58	55	24	23	1.47	1.55
22	62	62	57	57	23	24	1.41	1.41
23	61	56	56	51	25	22	1.51	1.35
24	63	67	55	59	30	26	1.64	1.52
25	63	65	57	59	25	27	1.54	1.55
26-29	234	228	208	197	110	107	1.61	1.55
30-34	244	277	206	218	128	155	1.58	1.65
35-39	295	267	235	216	175	154	1.75	1.72
40-44	315	330	254	266	197	173	1.58	1.47
45-49	314	317	242	236	209	223	1.59	1.60
50-54	463	450	277	311	363	328	2.33	2.42
55-59	409	440	259	245	313	355	2.41	2.37
60-64	362	372	192	207	296	301	2.41	2.50
65 or Older	448	461	239	272	432	439	1.47	1.58

\*Low precision; no estimate reported.

NOTE: Daily Cigarette Use in Lifetime is defined as ever smoking every day for at least 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.21D Daily Cigarette Use in Lifetime and Past Month Smoking Status, by Detailed Age Category: Standard Errors of Percentages, 2004 and 2005**

Age Category	Daily Cigarette Use in Lifetime		Daily Cigarette Use in Lifetime and Cigarette Use in Past Month		Daily Cigarette Use in Lifetime but No Cigarette Use in Past Month		Percentage Who Did Not Smoke Cigarettes in the Past Month among Lifetime Daily Smokers	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.37	0.40	0.31	0.30	0.31	0.33	0.64	0.64
12	0.12	0.07	0.11	0.06	0.04	0.02	*	*
13	0.26	0.23	0.18	0.20	0.18	0.12	*	*
14	0.39	0.31	0.36	0.24	0.14	0.20	3.46	*
15	0.55	0.51	0.49	0.43	0.25	0.25	2.94	3.69
16	0.68	0.57	0.65	0.52	0.23	0.23	1.96	2.21
17	0.80	0.79	0.75	0.73	0.28	0.30	1.59	1.82
18	1.00	1.00	0.94	0.94	0.36	0.39	1.37	1.68
19	1.19	1.09	1.13	1.01	0.47	0.53	1.55	1.73
20	1.12	1.22	1.08	1.16	0.46	0.48	1.33	1.39
21	1.15	1.20	1.10	1.14	0.58	0.55	1.47	1.55
22	1.17	1.19	1.17	1.13	0.53	0.56	1.41	1.41
23	1.21	1.18	1.19	1.10	0.61	0.55	1.51	1.35
24	1.19	1.29	1.15	1.24	0.71	0.66	1.64	1.52
25	1.31	1.26	1.27	1.23	0.65	0.69	1.54	1.55
26-29	1.19	1.21	1.12	1.13	0.69	0.64	1.61	1.55
30-34	1.04	1.13	0.94	0.97	0.62	0.74	1.58	1.65
35-39	1.09	1.11	0.98	0.96	0.76	0.73	1.75	1.72
40-44	1.06	1.10	1.01	0.97	0.77	0.68	1.58	1.47
45-49	1.13	1.03	1.01	0.93	0.88	0.91	1.59	1.60
50-54	1.76	1.63	1.33	1.41	1.55	1.41	2.33	2.42
55-59	1.68	1.71	1.35	1.29	1.61	1.62	2.41	2.37
60-64	1.94	1.99	1.38	1.45	1.85	1.80	2.41	2.50
65 or Older	1.29	1.31	0.69	0.77	1.24	1.25	1.47	1.58

\*Low precision; no estimate reported.

NOTE: Daily Cigarette Use in Lifetime is defined as ever smoking every day for at least 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 2.21P Daily Cigarette Use in Lifetime and Past Month Smoking Status, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Age Category	Daily Cigarette Use in Lifetime		Daily Cigarette Use in Lifetime and Cigarette Use in Past Month		Daily Cigarette Use in Lifetime but No Cigarette Use in Past Month		Percentage Who Did Not Smoke Cigarettes in the Past Month among Lifetime Daily Smokers	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.4565		0.9369		0.3323		0.4688	
12	0.3118		0.3905		0.5563		*	
13	0.5750		0.6238		0.7645		*	
14	0.0451		0.0083		0.5745		*	
15	0.0127		0.0062		0.8470		0.3614	
16	0.0327		0.0327		0.7002		0.6244	
17	0.3104		0.3924		0.5535		0.7910	
18	0.0374		0.0351		0.7915		0.6972	
19	0.7528		0.5128		0.4995		0.4092	
20	0.9874		0.7294		0.3872		0.3665	
21	0.0471		0.1909		0.1217		0.3196	
22	0.6736		0.7789		0.7500		0.8500	
23	0.6149		0.8784		0.1841		0.2210	
24	0.8362		0.3289		0.1837		0.1352	
25	0.3690		0.6905		0.3270		0.5000	
26-29	0.5708		0.9348		0.3789		0.4817	
30-34	0.0244		0.1176		0.1622		0.7442	
35-39	0.2775		0.8199		0.1923		0.3605	
40-44	0.0156		0.4768		0.0086		0.1245	
45-49	0.8241		0.5147		0.6625		0.5120	
50-54	0.5951		0.7736		0.3829		0.4733	
55-59	0.6521		0.4060		0.8354		0.4981	
60-64	0.6580		0.8357		0.5247		0.6376	
65 or Older	0.5009		0.3364		0.8901		0.4374	

\*Low precision; no estimate reported.

NOTE: Daily Cigarette Use in Lifetime is defined as ever smoking every day for at least 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.22C Smokeless Tobacco Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2004 and 2005**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	656	669	267	295	245	267
12	11	9	8	6	5	3
13	15	15	11	13	8	8
14	22	21	18	16	11	10
15	24	27	20	21	13	12
16	27	31	22	23	18	17
17	30	30	23	24	18	16
18	46	42	31	33	24	26
19	40	44	26	33	19	25
20	45	48	29	27	21	20
21	48	47	27	29	22	22
22	48	49	27	30	21	23
23	44	47	24	25	19	22
24	48	46	25	24	19	20
25	48	45	23	24	20	19
26-29	194	188	90	85	73	74
30-34	198	217	83	90	77	82
35-39	254	241	96	94	85	83
40-44	234	250	87	101	79	93
45-49	211	207	81	81	68	76
50-54	240	236	70	87	61	76
55-59	216	229	86	83	75	82
60-64	181	204	67	97	63	88
65 or Older	323	276	151	120	151	113

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.22D Smokeless Tobacco Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2004 and 2005**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.27	0.28	0.11	0.12	0.10	0.11
12	0.27	0.22	0.20	0.15	0.12	0.07
13	0.34	0.34	0.25	0.29	0.18	0.19
14	0.49	0.48	0.39	0.36	0.25	0.24
15	0.54	0.59	0.44	0.48	0.30	0.26
16	0.63	0.67	0.52	0.53	0.41	0.39
17	0.69	0.71	0.55	0.56	0.44	0.39
18	0.89	0.83	0.62	0.67	0.50	0.54
19	0.90	0.88	0.62	0.68	0.47	0.54
20	0.96	1.02	0.67	0.62	0.49	0.48
21	0.97	0.99	0.63	0.66	0.53	0.53
22	1.00	1.07	0.63	0.71	0.50	0.56
23	1.03	1.04	0.58	0.63	0.48	0.54
24	1.04	1.06	0.60	0.64	0.47	0.53
25	1.11	1.01	0.61	0.60	0.53	0.49
26-29	1.04	0.99	0.57	0.54	0.46	0.47
30-34	0.90	0.94	0.42	0.45	0.39	0.41
35-39	1.03	1.03	0.45	0.45	0.40	0.40
40-44	0.93	0.91	0.38	0.42	0.34	0.39
45-49	0.89	0.85	0.38	0.36	0.31	0.34
50-54	1.11	1.11	0.36	0.44	0.32	0.39
55-59	1.24	1.21	0.51	0.48	0.45	0.47
60-64	1.38	1.41	0.53	0.71	0.50	0.65
65 or Older	0.93	0.79	0.43	0.34	0.43	0.32

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.22P Smokeless Tobacco Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.7226		0.1500		0.2195	
12	0.1339		0.1185		0.2641	
13	0.8476		0.8894		0.9056	
14	0.9311		0.6855		0.8906	
15	0.6384		0.3705		0.4333	
16	0.7546		0.9299		0.8229	
17	0.5771		0.7380		0.2252	
18	0.0845		0.7487		0.7414	
19	0.9431		0.5621		0.5447	
20	0.2658		0.6550		0.7844	
21	0.2059		0.1488		0.5544	
22	0.4128		0.1544		0.2860	
23	0.4274		0.3845		0.6704	
24	0.8485		0.8507		0.8580	
25	0.5612		0.8027		0.6589	
26-29	0.2788		0.4949		0.8831	
30-34	0.2288		0.5163		0.4144	
35-39	0.4301		0.3785		0.5019	
40-44	0.1574		0.0484		0.0545	
45-49	0.1287		0.7811		0.5928	
50-54	0.5533		0.5550		0.6145	
55-59	0.9757		0.8833		0.7495	
60-64	0.3212		0.2151		0.3004	
65 or Older	0.3608		0.5955		0.3798	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.23C Cigar Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2004 and 2005**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	803	852	448	481	323	354
12	12	10	8	7	7	4
13	22	20	16	14	11	8
14	30	30	23	25	14	13
15	36	35	29	29	20	20
16	43	44	36	39	24	24
17	49	48	44	39	27	28
18	72	69	61	59	45	43
19	69	73	56	57	41	40
20	70	72	52	54	35	39
21	70	75	53	56	40	34
22	74	70	47	47	33	31
23	70	68	46	49	35	32
24	67	73	43	47	32	30
25	68	68	45	43	33	27
26-29	275	254	144	158	94	93
30-34	270	270	145	149	96	102
35-39	316	303	160	177	109	122
40-44	330	334	157	173	116	127
45-49	290	311	148	171	120	122
50-54	415	410	159	178	132	144
55-59	392	360	147	147	113	92
60-64	307	326	110	98	85	70
65 or Older	391	386	135	128	97	116

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.23D Cigar Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2004 and 2005**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.33	0.35	0.19	0.20	0.13	0.15
12	0.29	0.25	0.21	0.18	0.17	0.10
13	0.49	0.45	0.37	0.33	0.25	0.19
14	0.65	0.66	0.50	0.56	0.32	0.30
15	0.78	0.74	0.65	0.62	0.44	0.44
16	0.90	0.91	0.77	0.83	0.55	0.55
17	1.01	1.00	0.96	0.86	0.63	0.65
18	1.12	1.14	1.05	1.03	0.84	0.86
19	1.24	1.15	1.13	1.01	0.96	0.81
20	1.25	1.27	1.04	1.09	0.80	0.85
21	1.19	1.25	1.05	1.13	0.87	0.77
22	1.22	1.29	0.98	1.02	0.75	0.72
23	1.29	1.26	0.99	1.08	0.81	0.75
24	1.20	1.34	0.99	1.03	0.76	0.73
25	1.32	1.35	1.06	0.97	0.83	0.68
26-29	1.22	1.18	0.82	0.91	0.59	0.57
30-34	1.04	1.06	0.67	0.71	0.47	0.51
35-39	1.12	1.13	0.70	0.81	0.50	0.59
40-44	1.05	1.05	0.65	0.69	0.48	0.53
45-49	1.01	1.07	0.65	0.74	0.54	0.54
50-54	1.65	1.61	0.79	0.86	0.67	0.71
55-59	1.87	1.66	0.85	0.83	0.67	0.53
60-64	1.79	1.88	0.86	0.72	0.67	0.52
65 or Older	1.13	1.10	0.39	0.36	0.28	0.33

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.23P Cigar Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.9104		0.3315		0.6155	
12	0.3541		0.4485		0.0767	
13	0.2520		0.2531		0.6462	
14	0.8358		0.8162		0.1384	
15	0.1220		0.6044		0.5009	
16	0.5811		0.6843		0.2161	
17	0.2229		0.2342		0.1769	
18	0.3225		0.5690		0.2271	
19	0.5505		0.5817		0.3459	
20	0.5223		0.7407		0.3565	
21	0.6145		0.1217		0.2734	
22	0.0301		0.4043		0.3986	
23	0.5069		0.5948		0.7809	
24	0.8585		0.9280		0.5124	
25	0.3508		0.4642		0.1688	
26-29	0.6226		0.5744		0.7520	
30-34	0.4919		0.3485		0.3261	
35-39	0.3619		0.0123		0.0644	
40-44	0.4256		0.2860		0.4026	
45-49	0.7098		0.6948		0.6566	
50-54	0.5155		0.7529		0.7309	
55-59	0.4832		0.2236		0.0675	
60-64	0.3697		0.2632		0.3040	
65 or Older	0.0583		0.8462		0.7370	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.24C Alcohol Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2004 and 2005**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	705	649	885	917	957	975
12	29	26	22	20	13	14
13	42	40	34	35	23	20
14	56	52	49	47	31	28
15	62	66	57	58	38	39
16	74	74	66	67	45	48
17	82	75	75	70	56	51
18	111	101	104	96	85	75
19	104	116	97	110	81	96
20	102	107	100	102	85	88
21	114	113	110	112	99	102
22	104	102	100	97	90	86
23	101	98	94	95	81	86
24	98	102	91	98	82	87
25	97	104	93	98	81	91
26-29	414	397	375	380	332	337
30-34	416	432	383	408	342	351
35-39	505	481	465	450	401	403
40-44	508	511	456	455	414	411
45-49	455	472	413	418	376	392
50-54	627	620	549	536	501	488
55-59	579	572	486	473	427	418
60-64	474	480	413	404	377	356
65 or Older	444	398	505	498	471	490

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 2.24D Alcohol Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2004 and 2005**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.29	0.27	0.37	0.38	0.40	0.40
12	0.68	0.61	0.53	0.48	0.31	0.34
13	0.85	0.84	0.72	0.75	0.51	0.47
14	1.00	0.99	0.92	0.93	0.65	0.64
15	1.01	1.06	0.99	1.00	0.78	0.80
16	1.03	1.07	1.04	1.08	0.88	0.96
17	0.98	1.10	1.08	1.10	1.07	1.01
18	1.02	1.01	1.15	1.14	1.24	1.19
19	0.96	1.04	1.10	1.15	1.30	1.39
20	0.87	0.91	1.10	1.07	1.22	1.24
21	0.76	0.83	0.91	0.99	1.11	1.25
22	0.79	0.94	0.95	1.13	1.20	1.20
23	0.86	0.74	1.05	0.94	1.21	1.14
24	0.78	0.91	1.12	1.13	1.28	1.29
25	0.83	0.80	1.06	0.99	1.23	1.21
26-29	0.72	0.71	1.08	0.98	1.22	1.20
30-34	0.73	0.74	0.94	0.98	1.06	1.12
35-39	0.72	0.70	1.00	0.98	1.08	1.13
40-44	0.62	0.65	1.01	0.97	1.15	1.06
45-49	0.63	0.60	1.05	0.97	1.15	1.10
50-54	0.96	0.90	1.53	1.50	1.69	1.66
55-59	1.13	1.42	1.78	1.73	1.82	1.77
60-64	1.52	1.42	1.97	1.99	2.09	1.97
65 or Older	1.28	1.13	1.46	1.42	1.36	1.39

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.24P Alcohol Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.2069		0.0133		0.0067	
12	0.1043		0.2407		0.7167	
13	0.6409		0.7219		0.5923	
14	0.0219		0.2346		0.0608	
15	0.6979		0.7279		0.4437	
16	0.9404		0.9348		0.5880	
17	0.0021		0.1032		0.0063	
18	0.2829		0.4389		0.2477	
19	0.7087		0.8068		0.7602	
20	0.6558		0.8525		0.4453	
21	0.2275		0.9649		0.8295	
22	0.0644		0.0226		0.0914	
23	0.0078		0.0027		0.0006	
24	0.7247		0.9547		0.5581	
25	0.7705		0.6661		0.4807	
26-29	0.7100		0.1399		0.7797	
30-34	0.6822		0.0578		0.0367	
35-39	0.3839		0.0859		0.2520	
40-44	0.3263		0.4431		0.9919	
45-49	0.5203		0.1357		0.0793	
50-54	0.0587		0.1179		0.2496	
55-59	0.9952		0.9188		0.3184	
60-64	0.6802		0.3807		0.4164	
65 or Older	0.0669		0.0201		0.0169	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.25C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2004 and 2005**

Age Category	TYPE OF ALCOHOL USE					
	Alcohol Use		Binge Alcohol Use		Heavy Alcohol Use	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	957	975	698	701	382	379
12	13	14	9	11	2	2
13	23	20	19	14	6	6
14	31	28	21	20	9	9
15	38	39	30	29	12	14
16	45	48	39	36	19	18
17	56	51	45	41	25	21
18	85	75	72	66	37	35
19	81	96	69	80	42	44
20	85	88	74	72	46	42
21	99	102	79	87	47	51
22	90	86	72	71	44	46
23	81	86	65	71	38	37
24	82	87	64	64	36	39
25	81	91	65	69	39	36
26-29	332	337	238	241	126	117
30-34	342	351	215	252	120	132
35-39	401	403	254	249	111	120
40-44	414	411	253	268	147	132
45-49	376	392	216	233	122	123
50-54	501	488	268	267	146	146
55-59	427	418	223	207	109	89
60-64	377	356	179	172	97	91
65 or Older	471	490	241	246	112	95

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.25D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month, by Detailed Age Category: Standard Errors of Percentages, 2004 and 2005**

Age Category	TYPE OF ALCOHOL USE					
	Alcohol Use		Binge Alcohol Use		Heavy Alcohol Use	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.40	0.40	0.29	0.29	0.16	0.16
12	0.31	0.34	0.22	0.28	0.05	0.05
13	0.51	0.47	0.42	0.34	0.13	0.15
14	0.65	0.64	0.46	0.46	0.21	0.22
15	0.78	0.80	0.64	0.62	0.29	0.33
16	0.88	0.96	0.83	0.78	0.45	0.41
17	1.07	1.01	0.93	0.87	0.59	0.48
18	1.24	1.19	1.17	1.17	0.73	0.71
19	1.30	1.39	1.28	1.33	0.94	0.88
20	1.22	1.24	1.30	1.23	0.97	0.91
21	1.11	1.25	1.27	1.37	1.01	1.04
22	1.20	1.20	1.26	1.23	0.97	1.02
23	1.21	1.14	1.22	1.23	0.88	0.84
24	1.28	1.29	1.21	1.24	0.81	0.94
25	1.23	1.21	1.31	1.34	0.95	0.88
26-29	1.22	1.20	1.24	1.22	0.78	0.70
30-34	1.06	1.12	0.95	1.07	0.59	0.65
35-39	1.08	1.13	0.98	1.02	0.51	0.58
40-44	1.15	1.06	0.98	0.98	0.62	0.55
45-49	1.15	1.10	0.90	0.89	0.54	0.54
50-54	1.69	1.66	1.28	1.24	0.74	0.72
55-59	1.82	1.77	1.27	1.11	0.64	0.51
60-64	2.09	1.97	1.33	1.22	0.75	0.68
65 or Older	1.36	1.39	0.70	0.70	0.32	0.27

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.25P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Age Category	TYPE OF ALCOHOL USE					
	Alcohol Use		Binge Alcohol Use		Heavy Alcohol Use	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.0067		0.8010		0.1202	
12	0.7167		0.4277		0.8368	
13	0.5923		0.4865		0.9209	
14	0.0608		0.5140		0.8996	
15	0.4437		0.0335		0.6474	
16	0.5880		0.1923		0.5449	
17	0.0063		0.0021		0.0408	
18	0.2477		0.1667		0.6901	
19	0.7602		0.6962		0.9374	
20	0.4453		0.8120		0.1999	
21	0.8295		0.3429		0.6748	
22	0.0914		0.9129		0.3293	
23	0.0006		0.0089		0.0700	
24	0.5581		0.4355		0.5895	
25	0.4807		0.8020		0.5080	
26-29	0.7797		0.4011		0.9873	
30-34	0.0367		0.1012		0.5992	
35-39	0.2520		0.1467		0.7246	
40-44	0.9919		0.7768		0.1518	
45-49	0.0793		0.9001		0.4725	
50-54	0.2496		0.9696		0.4622	
55-59	0.3184		0.9530		0.2234	
60-64	0.4164		0.3372		0.5078	
65 or Older	0.0169		0.1584		0.8211	

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.