

**Table 2.26C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics:  
Standard Errors of Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	812	793	818	885	794	845
<b>AGE</b>						
12-17	106	113	96	99	80	78
18-25	143	148	162	155	161	155
26 or Older	768	747	768	829	752	798
<b>GENDER</b>						
Male	465	468	610	598	570	576
Female	607	598	519	565	497	543
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	753	708	792	831	768	798
White	603	580	710	728	679	707
Black or African American	300	300	265	301	257	289
American Indian or Alaska Native	152	92	70	73	59	67
Native Hawaiian or Other Pacific Islander	*	72	*	48	*	37
Asian	346	314	130	157	104	138
Two or More Races	174	127	105	92	102	87
Hispanic or Latino	310	331	270	307	250	273

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.26D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics:  
Standard Errors of Percentages, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.34	0.33	0.34	0.36	0.33	0.35
<b>AGE</b>						
12-17	0.42	0.44	0.38	0.39	0.32	0.31
18-25	0.44	0.46	0.50	0.48	0.50	0.48
26 or Older	0.42	0.40	0.42	0.45	0.41	0.43
<b>GENDER</b>						
Male	0.40	0.40	0.52	0.51	0.49	0.49
Female	0.49	0.48	0.42	0.45	0.40	0.43
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.36	0.34	0.38	0.39	0.37	0.38
White	0.36	0.35	0.42	0.43	0.41	0.42
Black or African American	1.07	1.05	0.94	1.05	0.92	1.01
American Indian or Alaska Native	2.84	3.76	5.27	3.99	4.64	3.99
Native Hawaiian or Other Pacific Islander	*	5.15	*	5.30	*	4.43
Asian	2.50	2.21	1.24	1.43	1.04	1.25
Two or More Races	1.92	2.94	3.30	2.81	3.21	2.69
Hispanic or Latino	1.00	1.03	0.87	0.96	0.81	0.85

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.26P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.1770		0.4291		0.6856	
<b>AGE</b>						
12-17	0.0014		0.1000		0.0031	
18-25	0.0695		0.9894		0.6334	
26 or Older	0.4971		0.2959		0.4141	
<b>GENDER</b>						
Male	0.0645		0.9450		0.9103	
Female	0.6970		0.1960		0.6229	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0282		0.5997		0.9107	
White	0.1221		0.8648		0.7319	
Black or African American	0.3491		0.7192		0.4171	
American Indian or Alaska Native	0.0444		0.2866		0.2009	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.8523		0.0346		0.0767	
Two or More Races	0.0002		0.1269		0.0797	
Hispanic or Latino	0.0588		0.3429		0.2899	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.27C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	106	113	96	99	80	78
<b>GENDER</b>						
Male	74	79	63	74	55	59
Female	75	75	66	63	53	50
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	97	97	86	88	73	69
White	111	110	92	91	76	67
Black or African American	46	55	30	37	24	28
American Indian or Alaska Native	*	11	*	10	*	9
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	22	27	15	15	13	8
Two or More Races	17	12	14	10	12	7
Hispanic or Latino	43	53	39	45	29	37
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	73	76	60	64	50	50
Female, White, Not Hispanic	74	69	62	58	50	44
Male, Black, Not Hispanic	34	35	23	27	19	21
Female, Black, Not Hispanic	28	35	19	24	15	17
Male, Hispanic	35	48	27	43	23	31
Female, Hispanic	40	41	33	32	22	24

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.27D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.42	0.44	0.38	0.39	0.32	0.31
<b>GENDER</b>						
Male	0.57	0.61	0.49	0.57	0.43	0.46
Female	0.61	0.60	0.53	0.51	0.43	0.40
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.46	0.46	0.41	0.42	0.35	0.33
White	0.52	0.53	0.48	0.48	0.42	0.39
Black or African American	1.00	1.05	0.72	0.82	0.60	0.67
American Indian or Alaska Native	*	4.44	*	4.26	*	4.04
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.97	2.15	1.45	1.42	1.26	0.77
Two or More Races	2.72	2.59	2.42	2.19	2.26	1.71
Hispanic or Latino	1.03	1.20	0.91	1.03	0.69	0.83
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.70	0.71	0.63	0.68	0.56	0.57
Female, White, Not Hispanic	0.74	0.71	0.68	0.64	0.58	0.53
Male, Black, Not Hispanic	1.42	1.46	1.06	1.24	0.91	1.04
Female, Black, Not Hispanic	1.29	1.46	0.95	1.07	0.75	0.84
Male, Hispanic	1.37	1.77	1.14	1.68	1.02	1.33
Female, Hispanic	1.59	1.57	1.40	1.31	1.01	1.02

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.27P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.0014		0.1000		0.0031	
<b>GENDER</b>						
Male	0.0315		0.8341		0.0851	
Female	0.0126		0.0230		0.0092	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0007		0.0394		0.0028	
White	0.0005		0.0277		0.0021	
Black or African American	0.9609		0.6319		0.6672	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.7668		0.5753		0.0753	
Two or More Races	0.1642		0.4857		0.4244	
Hispanic or Latino	0.6706		0.6039		0.5895	
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.1517		0.7893		0.1172	
Female, White, Not Hispanic	0.0003		0.0025		0.0032	
Male, Black, Not Hispanic	0.5392		0.9582		0.6539	
Female, Black, Not Hispanic	0.4576		0.4815		0.8774	
Male, Hispanic	0.7547		0.1606		0.8931	
Female, Hispanic	0.3462		0.4306		0.5070	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.28C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	143	148	162	155	161	155
<b>GENDER</b>						
Male	92	95	108	105	106	110
Female	100	101	107	106	102	101
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	124	131	141	138	139	140
White	267	270	227	228	198	200
Black or African American	99	107	81	83	70	74
American Indian or Alaska Native	22	20	17	16	15	15
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	58	57	50	46	41	40
Two or More Races	24	24	21	21	19	17
Hispanic or Latino	68	71	71	73	75	68
<b>EDUCATION</b>						
< High School	125	125	112	111	106	101
High School Graduate	163	165	135	139	119	123
Some College	184	185	160	157	136	132
College Graduate	110	111	83	85	69	67
<b>CURRENT EMPLOYMENT</b>						
Full-Time	227	216	183	178	166	158
Part-Time	137	145	116	124	99	105
Unemployed	69	74	64	67	60	63
Other <sup>1</sup>	123	125	107	101	93	87

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.28D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.44	0.46	0.50	0.48	0.50	0.48
<b>GENDER</b>						
Male	0.57	0.58	0.67	0.64	0.66	0.67
Female	0.62	0.63	0.67	0.66	0.64	0.63
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.47	0.49	0.53	0.52	0.52	0.52
White	0.49	0.48	0.63	0.54	0.61	0.58
Black or African American	1.17	1.22	1.20	1.30	1.17	1.21
American Indian or Alaska Native	2.65	4.40	5.26	5.54	5.62	4.63
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.44	2.55	2.46	2.34	2.26	2.28
Two or More Races	2.83	3.18	3.51	3.82	3.62	3.53
Hispanic or Latino	1.19	1.23	1.25	1.27	1.30	1.19
<b>EDUCATION</b>						
< High School	0.93	1.02	1.06	1.07	1.11	1.03
High School Graduate	0.67	0.71	0.73	0.76	0.71	0.75
Some College	0.77	0.77	0.89	0.82	0.85	0.79
College Graduate	1.15	1.21	1.31	1.27	1.24	1.20
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.59	0.57	0.69	0.66	0.66	0.64
Part-Time	0.78	0.85	0.88	0.90	0.85	0.89
Unemployed	1.28	1.41	1.49	1.51	1.52	1.60
Other <sup>1</sup>	1.02	1.05	1.06	1.02	1.07	0.98

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 2.28P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.0695		0.9894		0.6334	
<b>GENDER</b>						
Male	0.0388		0.8065		0.8589	
Female	0.4726		0.8355		0.5705	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0519		0.7362		0.5595	
White	0.1651		0.3553		0.8110	
Black or African American	0.5172		0.0991		0.5338	
American Indian or Alaska Native	0.0510		0.5715		0.8017	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.2102		0.3175		0.7418	
Two or More Races	0.2072		0.3066		0.4524	
Hispanic or Latino	0.7983		0.5491		0.9518	
<b>EDUCATION</b>						
< High School	0.3621		0.7985		0.2315	
High School Graduate	0.3662		0.8685		0.8611	
Some College	0.4350		0.7631		0.5755	
College Graduate	0.1327		0.6421		0.3083	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.2330		0.9667		0.6784	
Part-Time	0.7968		0.1641		0.4914	
Unemployed	0.5676		0.9374		0.9101	
Other <sup>1</sup>	0.0495		0.1067		0.2099	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.29C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics:  
Standard Errors of Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	768	747	768	829	752	798
<b>GENDER</b>						
Male	429	433	588	574	552	554
Female	588	579	483	526	469	515
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	718	674	748	787	732	759
White	1,527	1,506	794	809	739	756
Black or African American	581	596	330	374	313	358
American Indian or Alaska Native	142	*	*	65	*	60
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	333	305	113	150	94	131
Two or More Races	171	123	100	88	98	84
Hispanic or Latino	294	314	256	289	238	260
<b>EDUCATION</b>						
< High School	632	608	439	440	418	415
High School Graduate	854	856	509	513	473	497
Some College	811	727	486	464	463	442
College Graduate	952	1,040	435	431	356	372
<b>CURRENT EMPLOYMENT</b>						
Full-Time	1,205	1,196	704	730	644	668
Part-Time	479	466	259	248	245	232
Unemployed	225	228	155	170	146	159
Other <sup>1</sup>	1,003	962	508	491	479	475

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.29D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics:  
Standard Errors of Percentages, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.42	0.40	0.42	0.45	0.41	0.43
<b>GENDER</b>						
Male	0.49	0.49	0.67	0.65	0.63	0.62
Female	0.61	0.60	0.50	0.54	0.49	0.53
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.44	0.41	0.46	0.48	0.45	0.46
White	0.44	0.42	0.50	0.52	0.49	0.51
Black or African American	1.37	1.36	1.27	1.43	1.24	1.39
American Indian or Alaska Native	3.13	*	*	5.67	*	5.49
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3.36	2.91	1.47	1.84	1.24	1.60
Two or More Races	2.13	4.18	4.71	3.85	4.59	3.73
Hispanic or Latino	1.39	1.43	1.21	1.31	1.13	1.18
<b>EDUCATION</b>						
< High School	1.19	1.22	1.29	1.24	1.23	1.18
High School Graduate	0.78	0.69	0.76	0.78	0.72	0.76
Some College	0.73	0.73	0.86	0.83	0.84	0.82
College Graduate	0.78	0.72	0.74	0.68	0.63	0.62
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.50	0.48	0.53	0.56	0.51	0.54
Part-Time	1.14	1.12	1.12	1.10	1.07	1.05
Unemployed	2.02	2.30	2.61	2.61	2.49	2.58
Other <sup>1</sup>	0.90	0.87	0.80	0.78	0.77	0.76

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.29P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.4971		0.2959		0.4141	
<b>GENDER</b>						
Male	0.2107		0.9898		0.7530	
Female	0.9861		0.1008		0.3631	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.1195		0.4127		0.6336	
White	0.3242		0.8164		0.9524	
Black or African American	0.3523		0.5145		0.3595	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.9348		0.0072		0.0253	
Two or More Races	0.0002		0.1694		0.0959	
Hispanic or Latino	0.0319		0.4025		0.2221	
<b>EDUCATION</b>						
< High School	0.9050		0.3008		0.5072	
High School Graduate	0.4864		0.0724		0.0170	
Some College	0.6283		0.8865		0.5599	
College Graduate	0.8254		0.5902		0.5890	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.5495		0.7927		0.9707	
Part-Time	0.5580		0.9275		0.8155	
Unemployed	0.4665		0.7503		0.9050	
Other <sup>1</sup>	0.9515		0.1484		0.1639	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.30C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics:  
Standard Errors of Numbers in Thousands, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	795	768	816	878	793	839
<b>GENDER</b>						
Male	443	449	606	598	568	576
Female	600	592	517	561	494	541
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	744	690	793	830	767	798
White	1,563	1,555	849	873	786	810
Black or African American	605	624	349	393	327	373
American Indian or Alaska Native	149	88	*	70	58	65
Native Hawaiian or Other Pacific Islander	*	*	*	47	*	38
Asian	345	311	129	155	104	138
Two or More Races	172	126	103	91	100	86
Hispanic or Latino	303	321	270	303	251	270
<b>EDUCATION</b>						
< High School	649	631	451	458	430	432
High School Graduate	880	876	535	534	494	516
Some College	838	749	520	486	491	457
College Graduate	975	1,059	458	449	372	384
<b>CURRENT EMPLOYMENT</b>						
Full-Time	1,252	1,243	745	771	681	701
Part-Time	495	488	283	279	267	257
Unemployed	234	240	169	183	159	174
Other <sup>1</sup>	1,007	963	516	492	483	477

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.30D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics:  
Standard Errors of Percentages, 2004 and 2005**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.37	0.35	0.38	0.40	0.37	0.39
<b>GENDER</b>						
Male	0.43	0.43	0.58	0.57	0.55	0.55
Female	0.54	0.52	0.46	0.50	0.44	0.48
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.39	0.36	0.42	0.44	0.41	0.42
White	0.39	0.37	0.47	0.48	0.45	0.46
Black or African American	1.17	1.15	1.09	1.21	1.05	1.16
American Indian or Alaska Native	2.75	4.47	*	4.51	5.51	4.49
Native Hawaiian or Other Pacific Islander	*	*	*	5.84	*	5.18
Asian	2.81	2.45	1.40	1.60	1.17	1.41
Two or More Races	1.90	3.56	4.05	3.35	3.94	3.18
Hispanic or Latino	1.13	1.16	1.01	1.09	0.94	0.97
<b>EDUCATION</b>						
< High School	0.99	1.01	1.09	1.04	1.04	0.99
High School Graduate	0.67	0.60	0.67	0.68	0.63	0.66
Some College	0.62	0.61	0.74	0.70	0.71	0.68
College Graduate	0.73	0.68	0.71	0.65	0.60	0.59
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.44	0.43	0.49	0.51	0.47	0.48
Part-Time	0.85	0.85	0.88	0.87	0.82	0.81
Unemployed	1.39	1.59	1.83	1.84	1.74	1.83
Other <sup>1</sup>	0.83	0.79	0.73	0.71	0.71	0.69

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.30P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.3206		0.3338		0.5022	
<b>GENDER</b>						
Male	0.1016		0.9460		0.7941	
Female	0.9171		0.1174		0.4566	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0632		0.4694		0.7223	
White	0.2316		0.7072		0.9268	
Black or African American	0.3128		0.7608		0.4401	
American Indian or Alaska Native	0.0628		*		0.2327	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.9016		0.0288		0.0525	
Two or More Races	0.0001		0.1258		0.0768	
Hispanic or Latino	0.0442		0.3776		0.2567	
<b>EDUCATION</b>						
< High School	0.7877		0.3169		0.6513	
High School Graduate	0.3978		0.0753		0.0189	
Some College	0.5093		0.8250		0.6716	
College Graduate	0.7009		0.5070		0.4599	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.4326		0.8041		0.9164	
Part-Time	0.5458		0.7940		0.7058	
Unemployed	0.3923		0.7889		0.8533	
Other <sup>1</sup>	0.7512		0.2472		0.2438	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.