

**Table 2.72C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	812	793	818	885	794	845
<b>GEOGRAPHIC DIVISION</b>						
Northeast	359	378	348	395	334	381
New England	169	148	169	168	156	161
Middle Atlantic	317	347	302	357	294	347
Midwest	274	276	325	356	310	342
East North Central	225	231	258	280	253	272
West North Central	156	152	197	210	178	202
South	504	493	539	547	510	539
South Atlantic	399	397	450	404	428	406
East South Central	182	138	189	227	170	220
West South Central	244	238	227	278	219	254
West	451	453	382	415	393	374
Mountain	167	196	149	192	152	183
Pacific	423	403	349	368	360	327
<b>COUNTY TYPE</b>						
Large Metro	1,539	1,409	810	829	721	752
Small Metro	1,236	1,016	687	601	651	551
250K – 1 Mil. Pop.	978	848	543	482	505	439
< 250K Pop.	788	609	429	359	417	328
Nonmetro	773	816	458	481	422	432
Urbanized	516	516	320	320	284	298
Less Urbanized	617	633	352	373	332	333
Completely Rural	329	381	150	181	139	150

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.72D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.34	0.33	0.34	0.36	0.33	0.35
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.79	0.83	0.76	0.87	0.73	0.84
New England	1.42	1.24	1.41	1.41	1.31	1.34
Middle Atlantic	0.94	1.03	0.90	1.06	0.88	1.03
Midwest	0.51	0.51	0.60	0.65	0.57	0.63
East North Central	0.59	0.61	0.68	0.74	0.67	0.71
West North Central	0.96	0.93	1.21	1.28	1.10	1.23
South	0.59	0.56	0.63	0.62	0.59	0.62
South Atlantic	0.88	0.86	1.00	0.88	0.95	0.88
East South Central	1.26	0.95	1.31	1.56	1.18	1.52
West South Central	0.92	0.88	0.86	1.03	0.83	0.94
West	0.83	0.82	0.70	0.75	0.72	0.67
Mountain	1.04	1.19	0.93	1.17	0.95	1.11
Pacific	1.09	1.03	0.90	0.94	0.93	0.84
<b>COUNTY TYPE</b>						
Large Metro	0.51	0.49	0.47	0.54	0.45	0.50
Small Metro	0.54	0.55	0.61	0.62	0.61	0.59
250K – 1 Mil. Pop.	0.63	0.66	0.78	0.75	0.76	0.72
< 250K Pop.	1.08	0.97	0.98	1.05	1.01	1.00
Nonmetro	0.68	0.73	0.87	0.75	0.83	0.74
Urbanized	1.11	1.11	1.37	1.21	1.26	1.19
Less Urbanized	1.01	0.99	1.17	1.04	1.16	1.04
Completely Rural	2.18	2.44	2.23	2.41	2.05	2.10

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.72P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.1770		0.4291		0.6856	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.3786		0.5626		0.6059	
New England	0.9299		0.4741		0.7056	
Middle Atlantic	0.3078		0.7750		0.6978	
Midwest	0.2921		0.2675		0.4340	
East North Central	0.0876		0.5608		0.6111	
West North Central	0.5179		0.2777		0.5224	
South	0.1593		0.4671		0.2908	
South Atlantic	0.0256		0.0335		0.0535	
East South Central	0.0291		0.0773		0.2191	
West South Central	0.4937		0.5490		0.9524	
West	0.3696		0.2279		0.2411	
Mountain	0.7722		0.9424		0.9728	
Pacific	0.3799		0.1760		0.1934	
<b>COUNTY TYPE</b>						
Large Metro	0.8646		0.6064		0.6135	
Small Metro	0.0712		0.6969		0.5998	
250K – 1 Mil. Pop.	0.8089		0.6933		0.6765	
< 250K Pop.	0.0020		0.2168		0.1396	
Nonmetro	0.4232		0.0989		0.3616	
Urbanized	0.4634		0.5881		0.5698	
Less Urbanized	0.8399		0.0654		0.2943	
Completely Rural	0.4986		0.4825		0.9079	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.73C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	106	113	96	99	80	78
<b>GEOGRAPHIC DIVISION</b>						
Northeast	41	42	41	35	36	30
New England	20	19	19	18	18	13
Middle Atlantic	36	37	36	30	32	26
Midwest	41	42	37	38	31	30
East North Central	33	34	29	31	22	25
West North Central	24	24	23	21	21	17
South	66	68	59	59	49	48
South Atlantic	49	52	44	46	38	38
East South Central	24	24	20	22	18	17
West South Central	36	33	33	29	26	25
West	60	62	51	56	41	42
Mountain	25	26	26	26	21	21
Pacific	54	57	45	49	35	37
<b>COUNTY TYPE</b>						
Large Metro	102	104	84	82	63	61
Small Metro	84	74	65	56	52	43
250K – 1 Mil. Pop.	68	61	53	46	43	35
< 250K Pop.	51	45	37	34	30	25
Nonmetro	72	67	57	57	45	41
Urbanized	37	36	30	30	22	22
Less Urbanized	62	52	47	42	37	32
Completely Rural	22	31	15	27	12	16

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.73D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.42	0.44	0.38	0.39	0.32	0.31
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.91	0.93	0.90	0.78	0.80	0.65
New England	1.69	1.65	1.59	1.53	1.50	1.14
Middle Atlantic	1.08	1.11	1.08	0.90	0.94	0.78
Midwest	0.73	0.75	0.66	0.67	0.54	0.53
East North Central	0.83	0.84	0.73	0.77	0.56	0.61
West North Central	1.46	1.44	1.38	1.29	1.27	1.04
South	0.73	0.75	0.65	0.65	0.55	0.53
South Atlantic	1.06	1.12	0.96	1.00	0.82	0.83
East South Central	1.67	1.64	1.36	1.51	1.25	1.15
West South Central	1.22	1.12	1.12	0.98	0.86	0.83
West	0.99	1.02	0.86	0.92	0.68	0.69
Mountain	1.46	1.48	1.46	1.45	1.19	1.17
Pacific	1.27	1.31	1.05	1.13	0.83	0.85
<b>COUNTY TYPE</b>						
Large Metro	0.60	0.61	0.52	0.52	0.42	0.41
Small Metro	0.74	0.72	0.66	0.61	0.57	0.53
250K – 1 Mil. Pop.	0.87	0.89	0.79	0.73	0.67	0.63
< 250K Pop.	1.31	1.20	1.12	1.12	0.95	0.95
Nonmetro	1.14	1.04	1.03	1.03	0.88	0.79
Urbanized	1.43	1.37	1.35	1.38	1.13	1.13
Less Urbanized	1.68	1.41	1.50	1.33	1.30	1.15
Completely Rural	4.04	3.59	3.03	3.88	2.49	2.33

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.73P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.0014		0.1000		0.0031	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.3748		0.1553		0.4079	
New England	0.2832		0.1604		0.3751	
Middle Atlantic	0.6645		0.3930		0.6433	
Midwest	0.0186		0.3230		0.1735	
East North Central	0.0341		0.1791		0.1224	
West North Central	0.2611		0.8679		0.8076	
South	0.3147		0.5579		0.1534	
South Atlantic	0.3194		0.8253		0.5456	
East South Central	0.8297		0.5351		0.0613	
West South Central	0.7361		0.7180		0.5822	
West	0.0155		0.5323		0.0231	
Mountain	0.4966		0.0923		0.8802	
Pacific	0.0030		0.1046		0.0116	
<b>COUNTY TYPE</b>						
Large Metro	0.0721		0.7940		0.5049	
Small Metro	0.0016		0.0026		0.0005	
250K – 1 Mil. Pop.	0.0041		0.0065		0.0091	
< 250K Pop.	0.1638		0.1723		0.0139	
Nonmetro	0.6502		0.8218		0.2016	
Urbanized	0.8227		0.8363		0.3181	
Less Urbanized	0.2569		0.6843		0.1413	
Completely Rural	0.2844		0.0987		0.2813	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.74C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	143	148	162	155	161	155
<b>GEOGRAPHIC DIVISION</b>						
Northeast	54	58	69	63	67	64
New England	28	27	31	29	26	26
Middle Atlantic	46	51	61	55	62	58
Midwest	52	54	67	58	70	59
East North Central	43	44	56	47	61	48
West North Central	30	30	37	34	36	36
South	92	91	100	98	98	100
South Atlantic	57	69	69	71	71	70
East South Central	33	30	41	38	37	40
West South Central	63	48	59	53	58	59
West	78	84	81	87	77	84
Mountain	30	38	35	42	30	37
Pacific	71	75	72	75	70	75
<b>COUNTY TYPE</b>						
Large Metro	242	256	199	208	173	186
Small Metro	242	201	193	166	170	141
250K – 1 Mil. Pop.	199	164	157	136	135	114
< 250K Pop.	151	124	124	102	109	87
Nonmetro	130	125	112	104	98	94
Urbanized	106	87	88	71	75	64
Less Urbanized	97	89	79	74	72	68
Completely Rural	39	42	35	38	30	30

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.74D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.44	0.46	0.50	0.48	0.50	0.48
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.95	1.01	1.21	1.10	1.19	1.12
New England	1.86	1.80	2.05	1.93	1.74	1.73
Middle Atlantic	1.09	1.20	1.46	1.30	1.48	1.38
Midwest	0.70	0.72	0.90	0.78	0.95	0.80
East North Central	0.83	0.85	1.09	0.92	1.18	0.94
West North Central	1.28	1.29	1.59	1.46	1.54	1.53
South	0.79	0.78	0.86	0.83	0.85	0.85
South Atlantic	1.00	1.19	1.21	1.23	1.24	1.20
East South Central	1.70	1.55	2.08	1.95	1.90	2.04
West South Central	1.62	1.23	1.53	1.35	1.49	1.51
West	1.03	1.11	1.07	1.14	1.03	1.10
Mountain	1.31	1.61	1.53	1.79	1.31	1.59
Pacific	1.36	1.43	1.37	1.43	1.34	1.42
<b>COUNTY TYPE</b>						
Large Metro	0.65	0.67	0.71	0.68	0.68	0.69
Small Metro	0.71	0.76	0.85	0.82	0.89	0.82
250K – 1 Mil. Pop.	0.88	1.01	1.10	1.05	1.13	1.01
< 250K Pop.	1.39	1.05	1.47	1.34	1.42	1.48
Nonmetro	0.83	0.87	1.09	1.03	1.15	1.07
Urbanized	1.36	1.36	1.59	1.62	1.70	1.75
Less Urbanized	1.09	1.17	1.47	1.43	1.52	1.46
Completely Rural	2.44	2.37	4.28	3.13	4.43	3.24

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 2.74P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.0695		0.9894		0.6334	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.0806		0.1245		0.2306	
New England	0.3146		0.4394		0.2127	
Middle Atlantic	0.1479		0.1793		0.4404	
Midwest	0.0095		0.2115		0.0448	
East North Central	0.0817		0.3375		0.0939	
West North Central	0.0362		0.4145		0.2691	
South	0.7310		0.3832		0.4382	
South Atlantic	0.1780		0.7670		0.6543	
East South Central	0.5422		0.8922		0.6600	
West South Central	0.5304		0.0700		0.1158	
West	0.9504		0.2577		0.4502	
Mountain	0.8132		0.8010		0.6512	
Pacific	0.8699		0.1585		0.3014	
<b>COUNTY TYPE</b>						
Large Metro	0.1661		0.5605		0.7990	
Small Metro	0.3469		0.7357		0.7965	
250K – 1 Mil. Pop.	0.5746		0.9033		0.8316	
< 250K Pop.	0.4512		0.7230		0.4926	
Nonmetro	0.5751		0.5818		0.2119	
Urbanized	0.8256		0.1405		0.0758	
Less Urbanized	0.7073		0.4187		0.6547	
Completely Rural	0.1874		0.4875		0.1631	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.75C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	768	747	768	829	752	798
<b>GEOGRAPHIC DIVISION</b>						
Northeast	338	361	322	375	315	363
New England	163	143	145	154	142	151
Middle Atlantic	296	330	286	341	280	330
Midwest	265	263	302	342	292	332
East North Central	215	224	242	272	241	264
West North Central	155	140	181	198	164	194
South	467	474	518	519	493	509
South Atlantic	368	380	439	387	421	388
East South Central	166	125	173	214	159	207
West South Central	232	227	214	261	199	239
West	434	419	350	384	366	355
Mountain	161	179	131	181	144	172
Pacific	405	371	323	339	335	311
<b>COUNTY TYPE</b>						
Large Metro	1,428	1,357	739	774	668	711
Small Metro	1,114	943	579	542	565	507
250K – 1 Mil. Pop.	878	788	454	442	436	412
< 250K Pop.	691	555	350	311	351	295
Nonmetro	727	744	405	425	380	389
Urbanized	470	474	272	285	248	268
Less Urbanized	550	562	294	327	285	298
Completely Rural	294	349	126	152	119	133

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.75D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.42	0.40	0.42	0.45	0.41	0.43
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.96	1.02	0.91	1.06	0.89	1.03
New England	1.75	1.54	1.56	1.65	1.53	1.63
Middle Atlantic	1.14	1.26	1.10	1.31	1.08	1.27
Midwest	0.65	0.63	0.74	0.83	0.71	0.80
East North Central	0.75	0.77	0.84	0.94	0.84	0.91
West North Central	1.27	1.13	1.47	1.59	1.33	1.56
South	0.71	0.71	0.79	0.78	0.75	0.76
South Atlantic	1.05	1.07	1.26	1.09	1.21	1.09
East South Central	1.51	1.12	1.57	1.92	1.45	1.86
West South Central	1.18	1.13	1.09	1.30	1.01	1.19
West	1.05	1.00	0.85	0.92	0.89	0.85
Mountain	1.35	1.45	1.10	1.47	1.20	1.40
Pacific	1.39	1.26	1.11	1.15	1.15	1.06
<b>COUNTY TYPE</b>						
Large Metro	0.63	0.60	0.59	0.67	0.57	0.63
Small Metro	0.66	0.69	0.76	0.77	0.77	0.75
250K – 1 Mil. Pop.	0.80	0.82	0.95	0.95	0.96	0.91
< 250K Pop.	1.20	1.24	1.25	1.29	1.28	1.27
Nonmetro	0.86	0.91	1.06	0.93	1.01	0.91
Urbanized	1.36	1.36	1.66	1.54	1.55	1.49
Less Urbanized	1.29	1.23	1.42	1.28	1.43	1.29
Completely Rural	2.57	3.09	2.56	2.79	2.41	2.55

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.75P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.4971		0.2959		0.4141	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.1906		0.2908		0.3946	
New England	0.8222		0.2594		0.4725	
Middle Atlantic	0.1764		0.5245		0.5485	
Midwest	0.7907		0.1258		0.1727	
East North Central	0.2574		0.3312		0.2984	
West North Central	0.2306		0.1971		0.3629	
South	0.1799		0.3847		0.2558	
South Atlantic	0.0411		0.0328		0.0620	
East South Central	0.0236		0.0518		0.1624	
West South Central	0.3832		0.8045		0.7569	
West	0.5334		0.2510		0.1792	
Mountain	0.6684		0.7657		0.9489	
Pacific	0.6041		0.1629		0.1485	
<b>COUNTY TYPE</b>						
Large Metro	0.7323		0.6740		0.6112	
Small Metro	0.1526		0.9368		0.9095	
250K – 1 Mil. Pop.	0.4586		0.4040		0.4878	
< 250K Pop.	0.0010		0.2907		0.2435	
Nonmetro	0.5083		0.0715		0.1822	
Urbanized	0.4939		0.3752		0.2768	
Less Urbanized	0.9903		0.0668		0.2409	
Completely Rural	0.4446		0.6470		0.9078	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.76C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	795	768	816	878	793	839
<b>GEOGRAPHIC DIVISION</b>						
Northeast	347	365	345	389	332	377
New England	161	143	164	163	154	158
Middle Atlantic	307	335	302	353	294	343
Midwest	268	271	326	356	311	343
East North Central	219	229	255	282	252	273
West North Central	154	144	203	209	181	202
South	488	482	541	544	510	537
South Atlantic	385	385	450	401	428	401
East South Central	175	131	189	226	172	221
West South Central	240	233	233	277	218	255
West	450	432	378	410	392	372
Mountain	172	183	147	190	154	181
Pacific	419	385	345	363	358	326
<b>COUNTY TYPE</b>						
Large Metro	1,515	1,395	790	820	708	749
Small Metro	1,198	994	660	587	633	544
250K – 1 Mil. Pop.	950	828	525	469	493	432
< 250K Pop.	759	590	408	348	401	323
Nonmetro	748	787	443	463	410	420
Urbanized	502	499	313	307	279	290
Less Urbanized	586	602	330	355	315	322
Completely Rural	314	368	145	170	135	143

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.76D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.37	0.35	0.38	0.40	0.37	0.39
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.85	0.89	0.84	0.95	0.81	0.92
New England	1.49	1.33	1.52	1.51	1.43	1.46
Middle Atlantic	1.02	1.10	1.00	1.16	0.97	1.13
Midwest	0.55	0.55	0.67	0.73	0.64	0.70
East North Central	0.65	0.67	0.75	0.83	0.74	0.80
West North Central	1.05	0.98	1.39	1.41	1.24	1.37
South	0.63	0.61	0.70	0.69	0.66	0.68
South Atlantic	0.95	0.93	1.11	0.97	1.05	0.97
East South Central	1.35	1.00	1.46	1.73	1.33	1.69
West South Central	1.02	0.97	0.99	1.15	0.92	1.06
West	0.93	0.88	0.78	0.83	0.81	0.75
Mountain	1.21	1.24	1.03	1.29	1.08	1.23
Pacific	1.22	1.11	1.00	1.05	1.04	0.94
<b>COUNTY TYPE</b>						
Large Metro	0.55	0.53	0.52	0.60	0.50	0.56
Small Metro	0.57	0.59	0.68	0.68	0.68	0.66
250K – 1 Mil. Pop.	0.69	0.71	0.87	0.83	0.86	0.79
< 250K Pop.	1.09	1.06	1.11	1.17	1.12	1.12
Nonmetro	0.75	0.79	0.98	0.83	0.93	0.82
Urbanized	1.20	1.20	1.53	1.34	1.40	1.32
Less Urbanized	1.13	1.07	1.31	1.14	1.30	1.14
Completely Rural	2.31	2.76	2.51	2.69	2.33	2.35

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.76P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.3206		0.3338		0.5022	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.3116		0.4637		0.5513	
New England	0.9637		0.3707		0.6366	
Middle Atlantic	0.2705		0.7083		0.6659	
Midwest	0.4420		0.2309		0.3756	
East North Central	0.1494		0.4668		0.5225	
West North Central	0.4392		0.3006		0.5247	
South	0.1734		0.4953		0.3429	
South Atlantic	0.0274		0.0341		0.0578	
East South Central	0.0226		0.0678		0.1681	
West South Central	0.4879		0.5349		0.9246	
West	0.5560		0.1925		0.1555	
Mountain	0.6497		0.7311		0.9704	
Pacific	0.6381		0.1112		0.1140	
<b>COUNTY TYPE</b>						
Large Metro	0.9397		0.5802		0.5670	
Small Metro	0.1177		0.9184		0.8092	
250K – 1 Mil. Pop.	0.5355		0.4987		0.5190	
< 250K Pop.	0.0012		0.2580		0.1897	
Nonmetro	0.4610		0.1053		0.2898	
Urbanized	0.4878		0.5669		0.4998	
Less Urbanized	0.9691		0.0573		0.2222	
Completely Rural	0.3785		0.6610		0.8048	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.