

**Table 2.77C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	824	858	788	817	768	777
<b>GEOGRAPHIC DIVISION</b>						
Northeast	335	395	330	366	318	353
New England	187	172	154	155	158	149
Middle Atlantic	277	356	291	332	276	322
Midwest	282	294	302	328	294	320
East North Central	238	246	252	257	253	248
West North Central	152	167	167	200	150	195
South	523	540	524	496	505	477
South Atlantic	418	433	438	361	413	353
East South Central	196	156	181	222	182	208
West South Central	243	251	223	255	225	228
West	466	470	371	391	373	357
Mountain	186	212	157	176	149	171
Pacific	430	412	333	352	340	314
<b>COUNTY TYPE</b>						
Large Metro	1,426	1,368	715	746	668	687
Small Metro	1,194	989	589	535	550	493
250K – 1 Mil. Pop.	951	818	472	420	433	381
< 250K Pop.	767	591	363	331	350	306
Nonmetro	709	783	396	428	372	383
Urbanized	485	488	281	274	254	262
Less Urbanized	579	599	324	317	303	277
Completely Rural	308	374	127	160	116	129

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.77D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.34	0.35	0.33	0.34	0.32	0.32
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.74	0.87	0.73	0.80	0.70	0.77
New England	1.57	1.44	1.29	1.30	1.32	1.25
Middle Atlantic	0.82	1.06	0.87	0.99	0.82	0.96
Midwest	0.52	0.54	0.56	0.60	0.54	0.59
East North Central	0.63	0.65	0.66	0.67	0.67	0.65
West North Central	0.93	1.02	1.03	1.22	0.92	1.19
South	0.61	0.62	0.61	0.57	0.59	0.54
South Atlantic	0.92	0.94	0.97	0.78	0.91	0.77
East South Central	1.36	1.07	1.26	1.52	1.26	1.43
West South Central	0.92	0.93	0.84	0.94	0.85	0.84
West	0.85	0.85	0.68	0.71	0.68	0.64
Mountain	1.16	1.29	0.98	1.07	0.93	1.04
Pacific	1.11	1.05	0.86	0.90	0.88	0.81
<b>COUNTY TYPE</b>						
Large Metro	0.50	0.53	0.45	0.50	0.44	0.47
Small Metro	0.58	0.60	0.59	0.57	0.57	0.55
250K – 1 Mil. Pop.	0.70	0.71	0.74	0.69	0.69	0.65
< 250K Pop.	1.15	1.04	1.01	1.03	1.00	0.98
Nonmetro	0.71	0.73	0.81	0.73	0.78	0.70
Urbanized	1.24	1.21	1.22	1.16	1.17	1.14
Less Urbanized	0.97	1.01	1.16	1.02	1.13	0.96
Completely Rural	2.35	2.61	2.00	2.19	1.82	1.86

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.77P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.1330		0.9044		0.9728	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.2235		0.9358		0.7777	
New England	0.9057		0.5352		0.5557	
Middle Atlantic	0.1418		0.8270		0.9893	
Midwest	0.3347		0.4431		0.7093	
East North Central	0.1168		0.7544		0.6968	
West North Central	0.5280		0.3782		0.9224	
South	0.0804		0.1994		0.1339	
South Atlantic	0.0292		0.0283		0.0745	
East South Central	0.0753		0.1567		0.4683	
West South Central	0.2000		0.8184		0.4039	
West	0.2955		0.2010		0.1647	
Mountain	0.7530		0.6745		0.8976	
Pacific	0.3012		0.1078		0.1108	
<b>COUNTY TYPE</b>						
Large Metro	0.7383		0.9334		0.8483	
Small Metro	0.0314		0.8935		0.6802	
250K – 1 Mil. Pop.	0.9080		0.8263		0.8662	
< 250K Pop.	0.0012		0.6247		0.3866	
Nonmetro	0.7609		0.4510		0.8439	
Urbanized	0.6513		0.6003		0.9514	
Less Urbanized	0.9406		0.2081		0.6100	
Completely Rural	0.7965		0.2344		0.8504	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.78C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	105	108	89	90	76	71
<b>GEOGRAPHIC DIVISION</b>						
Northeast	39	41	37	32	32	28
New England	20	18	19	16	17	11
Middle Atlantic	34	37	32	28	27	26
Midwest	42	40	36	34	29	28
East North Central	33	32	29	28	22	23
West North Central	25	23	23	19	20	17
South	64	65	56	56	49	43
South Atlantic	49	51	43	43	39	33
East South Central	21	22	17	19	16	15
West South Central	35	32	31	28	24	22
West	61	59	46	49	39	39
Mountain	25	24	21	22	17	18
Pacific	56	53	41	44	35	34
<b>COUNTY TYPE</b>						
Large Metro	96	96	75	72	57	55
Small Metro	79	66	57	48	49	38
250K – 1 Mil. Pop.	64	55	47	41	41	33
< 250K Pop.	48	40	33	27	28	20
Nonmetro	65	62	48	51	39	35
Urbanized	35	33	26	27	20	19
Less Urbanized	56	49	40	39	32	26
Completely Rural	21	28	13	24	9	15

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.78D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.42	0.42	0.35	0.36	0.30	0.28
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.86	0.90	0.82	0.71	0.70	0.62
New England	1.68	1.55	1.59	1.32	1.41	0.94
Middle Atlantic	1.01	1.09	0.95	0.84	0.80	0.76
Midwest	0.73	0.70	0.64	0.60	0.52	0.50
East North Central	0.82	0.80	0.72	0.70	0.55	0.57
West North Central	1.51	1.40	1.35	1.17	1.17	1.05
South	0.71	0.72	0.62	0.61	0.54	0.47
South Atlantic	1.07	1.09	0.93	0.93	0.85	0.72
East South Central	1.43	1.53	1.20	1.32	1.11	1.05
West South Central	1.16	1.06	1.05	0.96	0.82	0.75
West	1.02	0.96	0.77	0.81	0.64	0.63
Mountain	1.42	1.39	1.23	1.27	1.00	1.04
Pacific	1.31	1.24	0.96	1.01	0.81	0.79
<b>COUNTY TYPE</b>						
Large Metro	0.57	0.58	0.47	0.47	0.39	0.38
Small Metro	0.74	0.68	0.61	0.55	0.55	0.48
250K – 1 Mil. Pop.	0.88	0.85	0.74	0.69	0.66	0.60
< 250K Pop.	1.31	1.19	1.06	0.94	0.92	0.77
Nonmetro	1.09	1.02	0.91	0.92	0.80	0.68
Urbanized	1.35	1.37	1.18	1.23	1.08	0.96
Less Urbanized	1.63	1.41	1.38	1.29	1.17	1.00
Completely Rural	3.93	3.70	2.67	3.54	2.04	2.18

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.78P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.0000		0.0259		0.0069	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.1847		0.0829		0.4895	
New England	0.1388		0.0653		0.2474	
Middle Atlantic	0.4770		0.3410		0.8689	
Midwest	0.0017		0.2006		0.2805	
East North Central	0.0133		0.0567		0.2077	
West North Central	0.0498		0.6602		0.8892	
South	0.2768		0.4824		0.0927	
South Atlantic	0.3566		0.7071		0.2609	
East South Central	0.3121		0.3679		0.2358	
West South Central	0.9459		0.8327		0.4490	
West	0.0019		0.2570		0.0741	
Mountain	0.8217		0.1151		0.8609	
Pacific	0.0005		0.0369		0.0360	
<b>COUNTY TYPE</b>						
Large Metro	0.0060		0.3318		0.5860	
Small Metro	0.0003		0.0004		0.0005	
250K – 1 Mil. Pop.	0.0031		0.0085		0.0177	
< 250K Pop.	0.0490		0.0168		0.0051	
Nonmetro	0.5953		0.5546		0.3205	
Urbanized	0.5611		0.6608		0.3863	
Less Urbanized	0.4526		0.8228		0.2642	
Completely Rural	0.5290		0.0780		0.2858	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.79C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	153	155	166	156	159	152
<b>GEOGRAPHIC DIVISION</b>						
Northeast	56	59	71	64	69	64
New England	26	30	29	29	24	24
Middle Atlantic	50	50	65	57	65	59
Midwest	59	60	69	62	68	61
East North Central	47	51	55	50	58	50
West North Central	35	30	42	36	35	36
South	98	98	102	99	97	97
South Atlantic	63	73	70	71	69	68
East South Central	40	32	42	37	37	39
West South Central	64	55	61	56	58	58
West	83	88	83	86	76	80
Mountain	36	39	37	38	33	36
Pacific	75	78	74	76	68	71
<b>COUNTY TYPE</b>						
Large Metro	232	243	182	192	159	172
Small Metro	230	190	176	145	156	126
250K – 1 Mil. Pop.	187	155	141	116	124	101
< 250K Pop.	143	118	115	91	99	80
Nonmetro	119	119	101	95	90	86
Urbanized	95	83	78	67	68	62
Less Urbanized	91	84	71	64	66	57
Completely Rural	38	41	33	35	28	28

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.79D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.48	0.48	0.52	0.48	0.49	0.47
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.99	1.03	1.25	1.12	1.22	1.11
New England	1.76	2.04	1.93	1.91	1.61	1.63
Middle Atlantic	1.19	1.19	1.54	1.35	1.54	1.39
Midwest	0.80	0.80	0.93	0.83	0.91	0.82
East North Central	0.92	1.00	1.07	0.98	1.13	0.97
West North Central	1.53	1.30	1.79	1.56	1.51	1.56
South	0.85	0.84	0.88	0.85	0.84	0.83
South Atlantic	1.11	1.25	1.23	1.22	1.22	1.16
East South Central	2.03	1.62	2.14	1.91	1.88	2.02
West South Central	1.64	1.40	1.58	1.42	1.48	1.48
West	1.11	1.15	1.10	1.12	1.01	1.05
Mountain	1.55	1.68	1.60	1.63	1.43	1.51
Pacific	1.44	1.49	1.41	1.44	1.29	1.35
<b>COUNTY TYPE</b>						
Large Metro	0.70	0.70	0.71	0.69	0.67	0.68
Small Metro	0.77	0.81	0.88	0.82	0.88	0.79
250K – 1 Mil. Pop.	0.94	1.03	1.15	1.03	1.13	0.96
< 250K Pop.	1.49	1.28	1.47	1.35	1.44	1.42
Nonmetro	0.97	0.94	1.20	1.07	1.18	1.09
Urbanized	1.60	1.52	1.72	1.72	1.73	1.87
Less Urbanized	1.19	1.24	1.63	1.40	1.56	1.40
Completely Rural	2.71	2.57	4.73	3.21	4.54	2.92

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 2.79P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.0450		0.7243		0.4147	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.0478		0.2165		0.1288	
New England	0.3093		0.3932		0.0688	
Middle Atlantic	0.0883		0.3334		0.3575	
Midwest	0.0062		0.0194		0.0132	
East North Central	0.0243		0.0317		0.0372	
West North Central	0.1123		0.3044		0.1809	
South	0.6504		0.2529		0.3619	
South Atlantic	0.1613		0.9894		0.6999	
East South Central	0.4741		0.5085		0.4542	
West South Central	0.6595		0.1312		0.1312	
West	0.8635		0.4216		0.5309	
Mountain	0.7920		0.6561		0.7271	
Pacific	0.7586		0.2623		0.3883	
<b>COUNTY TYPE</b>						
Large Metro	0.0593		0.6633		0.8028	
Small Metro	0.4778		0.5800		0.5558	
250K – 1 Mil. Pop.	0.9091		0.8441		0.9536	
< 250K Pop.	0.3364		0.5263		0.3783	
Nonmetro	0.7211		0.3703		0.0947	
Urbanized	0.9132		0.2212		0.1050	
Less Urbanized	0.5875		0.9667		0.6706	
Completely Rural	0.1970		0.5598		0.2308	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.80C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	783	807	733	758	718	726
<b>GEOGRAPHIC DIVISION</b>						
Northeast	320	377	309	344	302	332
New England	181	164	134	144	145	141
Middle Atlantic	261	338	278	314	264	301
Midwest	269	278	281	312	274	307
East North Central	221	234	241	244	242	237
West North Central	153	155	143	189	128	187
South	490	520	499	466	483	449
South Atlantic	387	418	421	344	403	339
East South Central	190	146	174	209	177	197
West South Central	231	239	203	237	195	211
West	449	435	328	364	336	336
Mountain	181	194	140	165	135	160
Pacific	413	380	294	325	307	296
<b>COUNTY TYPE</b>						
Large Metro	1,321	1,320	652	688	616	640
Small Metro	1,082	923	498	482	479	452
250K – 1 Mil. Pop.	856	766	393	383	374	354
< 250K Pop.	681	543	299	294	298	278
Nonmetro	668	718	351	375	336	341
Urbanized	445	450	238	238	221	230
Less Urbanized	516	535	276	277	262	249
Completely Rural	274	344	107	135	100	114

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.80D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.43	0.44	0.40	0.41	0.39	0.39
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.91	1.06	0.88	0.97	0.85	0.94
New England	1.95	1.76	1.45	1.55	1.56	1.52
Middle Atlantic	1.01	1.30	1.07	1.20	1.01	1.15
Midwest	0.65	0.67	0.68	0.75	0.67	0.74
East North Central	0.77	0.81	0.84	0.84	0.84	0.82
West North Central	1.25	1.25	1.17	1.52	1.04	1.50
South	0.75	0.78	0.76	0.70	0.74	0.67
South Atlantic	1.11	1.17	1.21	0.97	1.16	0.95
East South Central	1.73	1.31	1.58	1.88	1.61	1.77
West South Central	1.17	1.19	1.03	1.18	0.99	1.05
West	1.09	1.04	0.80	0.87	0.82	0.80
Mountain	1.51	1.58	1.17	1.34	1.13	1.29
Pacific	1.42	1.29	1.01	1.11	1.05	1.01
<b>COUNTY TYPE</b>						
Large Metro	0.63	0.65	0.56	0.61	0.55	0.57
Small Metro	0.73	0.75	0.73	0.71	0.73	0.68
250K – 1 Mil. Pop.	0.87	0.89	0.89	0.86	0.87	0.81
< 250K Pop.	1.33	1.33	1.27	1.28	1.27	1.24
Nonmetro	0.89	0.91	0.95	0.88	0.93	0.84
Urbanized	1.53	1.48	1.46	1.41	1.42	1.37
Less Urbanized	1.23	1.27	1.38	1.24	1.35	1.19
Completely Rural	2.83	3.25	2.26	2.57	2.11	2.29

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.80P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.4796		0.6353		0.6842	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.0797		0.6026		0.4978	
New England	0.8365		0.2761		0.2938	
Middle Atlantic	0.0562		0.9501		0.8203	
Midwest	0.9892		0.1372		0.2941	
East North Central	0.3943		0.3039		0.3157	
West North Central	0.2200		0.2511		0.6843	
South	0.0953		0.1290		0.1060	
South Atlantic	0.0479		0.0240		0.0947	
East South Central	0.0708		0.1479		0.4795	
West South Central	0.1340		0.5292		0.1989	
West	0.4684		0.1693		0.1159	
Mountain	0.7117		0.5603		0.9243	
Pacific	0.5141		0.0715		0.0747	
<b>COUNTY TYPE</b>						
Large Metro	0.7178		0.9081		0.8655	
Small Metro	0.0665		0.6485		0.9268	
250K – 1 Mil. Pop.	0.8174		0.5039		0.6202	
< 250K Pop.	0.0010		0.9133		0.6399	
Nonmetro	0.8669		0.3657		0.5134	
Urbanized	0.6823		0.8122		0.6765	
Less Urbanized	0.7974		0.1965		0.4746	
Completely Rural	0.8000		0.3386		0.8573	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.81C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	812	833	784	811	765	772
<b>GEOGRAPHIC DIVISION</b>						
Northeast	327	382	329	360	317	349
New England	180	166	152	152	155	147
Middle Atlantic	271	343	291	327	276	318
Midwest	278	289	300	328	292	320
East North Central	229	243	248	258	249	248
West North Central	157	160	169	199	151	196
South	511	531	526	497	506	477
South Atlantic	404	422	438	362	415	351
East South Central	196	154	181	224	183	211
West South Central	242	247	225	254	221	228
West	466	450	363	385	370	354
Mountain	197	198	154	172	151	169
Pacific	424	394	326	345	336	312
<b>COUNTY TYPE</b>						
Large Metro	1,405	1,356	699	738	658	683
Small Metro	1,160	970	569	526	536	489
250K – 1 Mil. Pop.	925	803	458	411	423	377
< 250K Pop.	743	574	348	325	339	303
Nonmetro	688	759	384	413	361	373
Urbanized	475	474	275	264	250	255
Less Urbanized	552	573	306	303	288	269
Completely Rural	294	362	123	151	114	123

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.81D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.38	0.38	0.36	0.37	0.36	0.35
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.80	0.93	0.80	0.88	0.77	0.85
New England	1.67	1.54	1.41	1.41	1.44	1.36
Middle Atlantic	0.90	1.13	0.96	1.08	0.91	1.05
Midwest	0.57	0.59	0.62	0.67	0.60	0.66
East North Central	0.68	0.71	0.73	0.76	0.73	0.73
West North Central	1.08	1.08	1.15	1.35	1.03	1.33
South	0.66	0.68	0.68	0.63	0.66	0.61
South Atlantic	0.99	1.02	1.08	0.87	1.02	0.85
East South Central	1.52	1.17	1.40	1.71	1.42	1.61
West South Central	1.02	1.03	0.96	1.06	0.93	0.95
West	0.96	0.91	0.75	0.78	0.76	0.72
Mountain	1.39	1.35	1.08	1.17	1.06	1.15
Pacific	1.23	1.14	0.95	0.99	0.98	0.90
<b>COUNTY TYPE</b>						
Large Metro	0.56	0.57	0.50	0.55	0.49	0.52
Small Metro	0.63	0.64	0.66	0.63	0.64	0.61
250K – 1 Mil. Pop.	0.77	0.77	0.83	0.76	0.78	0.72
< 250K Pop.	1.17	1.14	1.12	1.14	1.11	1.09
Nonmetro	0.79	0.80	0.89	0.81	0.86	0.77
Urbanized	1.35	1.32	1.36	1.29	1.30	1.26
Less Urbanized	1.08	1.11	1.29	1.12	1.25	1.05
Completely Rural	2.58	2.91	2.22	2.47	2.04	2.10

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.81P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.2907		0.7220		0.8377	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.1612		0.7979		0.7296	
New England	0.9698		0.4005		0.4795	
Middle Atlantic	0.1112		0.8977		0.9786	
Midwest	0.5591		0.3693		0.6476	
East North Central	0.1984		0.6009		0.6169	
West North Central	0.3874		0.4167		0.9282	
South	0.0894		0.2230		0.1732	
South Atlantic	0.0307		0.0310		0.0917	
East South Central	0.0593		0.1386		0.4218	
West South Central	0.1835		0.8265		0.4326	
West	0.5051		0.1480		0.1123	
Mountain	0.6905		0.5124		0.8660	
Pacific	0.5660		0.0560		0.0661	
<b>COUNTY TYPE</b>						
Large Metro	1.0000		0.9824		0.8057	
Small Metro	0.0581		0.8406		0.9015	
250K – 1 Mil. Pop.	0.8231		0.6237		0.6981	
< 250K Pop.	0.0009		0.7641		0.4932	
Nonmetro	0.8239		0.4927		0.7603	
Urbanized	0.7114		0.6370		0.9776	
Less Urbanized	0.8602		0.2153		0.5270	
Completely Rural	0.7146		0.3629		0.9539	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.82C Daily Cigarette Use in Lifetime and Past Month Smoking Status among Persons Aged 12 or Older, by Geographic Characteristics:  
Standard Errors of Numbers in Thousands, 2004 and 2005**

Geographic Characteristic	Daily Cigarette Use in Lifetime		Daily Cigarette Use in Lifetime and Cigarette Use in Past Month		Daily Cigarette Use in Lifetime but No Cigarette Use in Past Month		Percentage Who Did Not Smoke Cigarettes in the Past Month among Lifetime Daily Smokers	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	893	974	743	732	750	804	0.64	0.64
<b>GEOGRAPHIC DIVISION</b>								
Northeast	386	455	307	339	345	393	1.45	1.55
New England	226	203	142	144	242	181	3.16	2.55
Middle Atlantic	312	407	273	309	244	349	1.55	1.92
Midwest	328	352	280	302	282	315	1.01	1.11
East North Central	273	276	232	237	236	241	1.19	1.25
West North Central	181	220	157	181	154	200	1.90	2.15
South	548	598	506	449	460	490	1.15	1.09
South Atlantic	411	461	426	334	352	386	1.74	1.57
East South Central	229	190	185	201	165	206	2.20	2.70
West South Central	275	293	197	216	240	223	1.85	1.80
West	475	493	340	329	388	383	1.54	1.44
Mountain	188	197	146	158	155	161	1.96	2.11
Pacific	434	454	306	289	356	348	2.09	1.89
<b>COUNTY TYPE</b>								
Large Metro	950	1,017	632	635	650	745	0.93	1.01
Small Metro	801	715	505	452	522	489	1.11	1.10
250K - 1 Mil. Pop.	631	580	402	357	406	408	1.35	1.36
< 250K Pop.	504	434	313	279	325	287	1.89	1.97
Nonmetro	526	579	349	366	405	371	1.57	1.28
Urbanized	365	343	241	250	260	184	2.40	1.96
Less Urbanized	400	464	281	260	276	300	2.21	1.74
Completely Rural	220	238	98	122	153	161	3.97	3.93

\*Low precision; no estimate reported.

NOTE: Daily Cigarette Use in Lifetime is defined as ever smoking every day for at least 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 2.82D Daily Cigarette Use in Lifetime and Past Month Smoking Status among Persons Aged 12 or Older, by Geographic Characteristics:  
Standard Errors of Percentages, 2004 and 2005**

Geographic Characteristic	Daily Cigarette Use in Lifetime		Daily Cigarette Use in Lifetime and Cigarette Use in Past Month		Daily Cigarette Use in Lifetime but No Cigarette Use in Past Month		Percentage Who Did Not Smoke Cigarettes in the Past Month among Lifetime Daily Smokers	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.37	0.40	0.31	0.30	0.31	0.33	0.64	0.64
<b>GEOGRAPHIC DIVISION</b>								
Northeast	0.85	1.00	0.68	0.74	0.76	0.86	1.45	1.55
New England	1.89	1.69	1.19	1.20	2.03	1.52	3.16	2.55
Middle Atlantic	0.93	1.21	0.81	0.92	0.73	1.04	1.55	1.92
Midwest	0.61	0.65	0.52	0.55	0.52	0.58	1.01	1.11
East North Central	0.72	0.72	0.61	0.62	0.62	0.63	1.19	1.25
West North Central	1.11	1.34	0.96	1.10	0.95	1.22	1.90	2.15
South	0.64	0.68	0.59	0.51	0.53	0.56	1.15	1.09
South Atlantic	0.91	1.00	0.94	0.72	0.78	0.84	1.74	1.57
East South Central	1.59	1.31	1.29	1.39	1.15	1.42	2.20	2.70
West South Central	1.04	1.09	0.74	0.80	0.90	0.83	1.85	1.80
West	0.87	0.89	0.62	0.59	0.71	0.69	1.54	1.44
Mountain	1.17	1.20	0.91	0.96	0.97	0.98	1.96	2.11
Pacific	1.12	1.16	0.79	0.74	0.92	0.89	2.09	1.89
<b>COUNTY TYPE</b>								
Large Metro	0.54	0.59	0.44	0.44	0.43	0.49	0.93	1.01
Small Metro	0.64	0.67	0.55	0.51	0.56	0.57	1.11	1.10
250K - 1 Mil. Pop.	0.73	0.81	0.65	0.61	0.65	0.72	1.35	1.36
< 250K Pop.	1.26	1.23	1.00	0.93	1.04	1.03	1.89	1.97
Nonmetro	0.84	0.85	0.73	0.69	0.85	0.72	1.57	1.28
Urbanized	1.31	1.33	1.13	1.16	1.31	1.00	2.40	1.96
Less Urbanized	1.15	1.21	1.08	0.91	1.15	1.07	2.21	1.74
Completely Rural	2.99	2.74	1.73	1.73	2.84	2.49	3.97	3.93

\*Low precision; no estimate reported.

NOTE: Daily Cigarette Use in Lifetime is defined as ever smoking every day for at least 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 2.82P Daily Cigarette Use in Lifetime and Past Month Smoking Status among Persons Aged 12 or Older, by Geographic Characteristics: *P***  
**Values from Tests of Differences of Percentages, 2005 Versus 2004**

Geographic Characteristic	Daily Cigarette Use in Lifetime		Daily Cigarette Use in Lifetime and Cigarette Use in Past Month		Daily Cigarette Use in Lifetime but No Cigarette Use in Past Month		Percentage Who Did Not Smoke Cigarettes in the Past Month among Lifetime Daily Smokers	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>TOTAL</b>	0.4565		0.9369		0.3323		0.4688	
<b>GEOGRAPHIC DIVISION</b>								
Northeast	0.5997		0.8474		0.6669		0.8514	
New England	0.9708		0.4725		0.6046		0.4595	
Middle Atlantic	0.5268		0.8887		0.3698		0.4868	
Midwest	0.6844		0.5444		0.8983		0.6873	
East North Central	0.3190		0.8897		0.1995		0.3268	
West North Central	0.0411		0.3932		0.1347		0.5564	
South	0.1189		0.1562		0.6506		0.6443	
South Atlantic	0.0208		0.1031		0.2981		0.7906	
East South Central	0.0272		0.5059		0.0708		0.3627	
West South Central	0.2192		0.3844		0.4642		0.8709	
West	0.7673		0.1302		0.0920		0.0312	
Mountain	0.4494		0.9195		0.3091		0.4609	
Pacific	0.9868		0.1033		0.1617		0.0400	
<b>COUNTY TYPE</b>								
Large Metro	0.8172		0.8969		0.6848		0.7195	
Small Metro	0.1266		0.7580		0.1392		0.3842	
250K - 1 Mil. Pop.	0.7116		0.9083		0.6008		0.6745	
< 250K Pop.	0.0557		0.5426		0.0840		0.3311	
Nonmetro	0.4753		0.6245		0.7488		0.9927	
Urbanized	0.7546		0.7024		0.4663		0.4755	
Less Urbanized	0.1106		0.6327		0.2062		0.5062	
Completely Rural	0.5836		0.7163		0.4105		0.4221	

\*Low precision; no estimate reported.

NOTE: Daily Cigarette Use in Lifetime is defined as ever smoking every day for at least 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.