

Table 3.18A Whether Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics (I), and Selected Substance Use, by Whether Approached by Someone Selling Drugs (II), among Persons Aged 12 to 17: Numbers in Thousands, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Approached in Past Month by Someone Selling Drugs ¹			
	Yes		No	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	4,103	3,926	21,088 ^b	21,404
AGE				
12-13	518	483	7,838	7,737
14-15	1,551	1,438	7,108	7,251
16-17	2,034	2,005	6,143	6,416
GENDER				
Male	2,426	2,304	10,438 ^a	10,626
Female	1,678	1,622	10,650	10,777
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	3,322	3,184	17,646	17,758
White	2,413	2,252	13,087	13,135
Black or African American	669	731	3,129	3,128
American Indian or Alaska Native	*	30	*	132
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	106	76	894	978
Two or More Races	86	78	354	321
Hispanic or Latino	781	742	3,443 ^b	3,646
COUNTY TYPE				
Large Metro	2,326	2,313	11,004	11,339
Small Metro	1,162	1,114	6,478	6,340
Nonmetro	616 ^a	499	3,607	3,724
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	1,338	1,278	1,332	1,231
Marijuana	1,113	1,044	792 ^a	685
Illicit Drugs Other Than Marijuana ²	598	580	729	672
Cigarettes	1,331	1,243	1,665 ^a	1,487
Alcohol	1,761	1,601	2,671	2,588
Binge Alcohol ³	1,279	1,145	1,510	1,366
PAST YEAR				
Illicit Drugs ²	2,161	2,012	3,132	3,025
Marijuana	1,767	1,637	1,883	1,746
Illicit Drugs Other Than Marijuana ²	1,337	1,246	1,928	1,878
Cigarettes	1,784	1,708	2,855	2,671
Alcohol	2,728	2,547	5,800	5,899
LIFETIME				
Illicit Drugs ²	2,629 ^a	2,407	4,927 ^a	4,608
Marijuana	2,092	1,921	2,689 ^a	2,480
Illicit Drugs Other Than Marijuana ²	1,863 ^a	1,690	3,485 ^a	3,247
Cigarettes	2,432	2,250	4,923 ^b	4,521
Alcohol	3,081	2,903	7,506	7,390

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.18B Whether Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics (I), and Selected Substance Use, by Whether Approached by Someone Selling Drugs (II), among Persons Aged 12 to 17: Percentages, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Approached in Past Month by Someone Selling Drugs ¹			
	Yes		No	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	16.3	15.5	83.7	84.5
AGE				
12-13	6.2	5.9	93.8	94.1
14-15	17.9	16.6	82.1	83.4
16-17	24.9	23.8	75.1	76.2
GENDER				
Male	18.9	17.8	81.1	82.2
Female	13.6	13.1	86.4	86.9
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	15.8	15.2	84.2	84.8
White	15.6	14.6	84.4	85.4
Black or African American	17.6	19.0	82.4	81.0
American Indian or Alaska Native	*	18.7	*	81.3
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	10.6	7.2	89.4	92.8
Two or More Races	19.6	19.6	80.4	80.4
Hispanic or Latino	18.5	16.9	81.5	83.1
COUNTY TYPE				
Large Metro	17.4	16.9	82.6	83.1
Small Metro	15.2	14.9	84.8	85.1
Nonmetro	14.6 ^b	11.8	85.4 ^b	88.2
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	32.6	32.6	6.3	5.8
Marijuana	27.1	26.6	3.8 ^a	3.2
Illicit Drugs Other Than Marijuana ²	14.6	14.8	3.5	3.1
Cigarettes	32.4	31.7	7.9 ^b	6.9
Alcohol	42.9	40.8	12.7	12.1
Binge Alcohol ³	31.2	29.2	7.2 ^a	6.4
PAST YEAR				
Illicit Drugs ²	52.7	51.2	14.9	14.1
Marijuana	43.1	41.7	8.9 ^a	8.2
Illicit Drugs Other Than Marijuana ²	32.6	31.7	9.1	8.8
Cigarettes	43.5	43.5	13.5 ^a	12.5
Alcohol	66.5	64.9	27.5	27.6
LIFETIME				
Illicit Drugs ²	64.1	61.3	23.4 ^b	21.5
Marijuana	51.0	48.9	12.8 ^b	11.6
Illicit Drugs Other Than Marijuana ²	45.4	43.1	16.5 ^b	15.2
Cigarettes	59.3	57.3	23.3 ^b	21.1
Alcohol	75.1	74.0	35.6	34.5

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.19A Number of Times Moved in the Past 5 Years, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Moved in the Past 5 Years (II), among Persons Aged 12 to 17: Numbers in Thousands, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Number of Times Moved in Past 5 Years ¹			
	Two or More		Less Than Two	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	6,166	6,185	18,451	18,643
AGE				
12-13	2,249	2,122	5,784	5,842
14-15	2,111	2,201	6,409	6,358
16-17	1,806	1,862	6,259	6,444
GENDER				
Male	3,144	3,089	9,418	9,571
Female	3,023	3,096	9,033	9,073
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	4,875	4,829	15,659	15,752
White	2,987	2,998	12,274	12,178
Black or African American	1,465	1,420	2,184	2,341
American Indian or Alaska Native	*	43	*	106
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	235	233	738	798
Two or More Races	120	120	309	271
Hispanic or Latino	1,292	1,356	2,792	2,891
COUNTY TYPE				
Large Metro	3,149	3,156	9,891	10,238
Small Metro	2,013	2,020	5,450	5,300
Nonmetro	1,004	1,009	3,110	3,105
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	793	817	1,829 ^a	1,641
Marijuana	571	552	1,306 ^a	1,144
Illicit Drugs Other Than Marijuana ²	385	428	906 ^a	789
Cigarettes	874	876	2,055 ^b	1,797
Alcohol	1,031	1,088	3,337 ^a	3,052
Binge Alcohol ³	654	708	2,093 ^b	1,766
PAST YEAR				
Illicit Drugs ²	1,493	1,528	3,676 ^a	3,408
Marijuana	1,039	1,015	2,539 ^a	2,313
Illicit Drugs Other Than Marijuana ²	920	969	2,268	2,082
Cigarettes	1,307	1,288	3,249 ^a	3,018
Alcohol	2,085	2,181	6,331	6,162
LIFETIME				
Illicit Drugs ²	2,165	2,042	5,195 ^a	4,801
Marijuana	1,402	1,352	3,277 ^b	2,951
Illicit Drugs Other Than Marijuana ²	1,528	1,434	3,680 ^a	3,367
Cigarettes	2,110	1,997	5,092 ^b	4,654
Alcohol	2,722	2,724	7,674	7,424

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.19B Number of Times Moved in the Past 5 Years, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Moved in the Past 5 Years (II), among Persons Aged 12 to 17: Percentages, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Number of Times Moved in Past 5 Years ¹			
	Two or More		Less Than Two	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	25.0	24.9	75.0	75.1
AGE				
12-13	28.0	26.7	72.0	73.3
14-15	24.8	25.7	75.2	74.3
16-17	22.4	22.4	77.6	77.6
GENDER				
Male	25.0	24.4	75.0	75.6
Female	25.1	25.4	74.9	74.6
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	23.7	23.5	76.3	76.5
White	19.6	19.8	80.4	80.2
Black or African American	40.2	37.8	59.8	62.2
American Indian or Alaska Native	*	28.7	*	71.3
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	24.2	22.6	75.8	77.4
Two or More Races	28.0	30.7	72.0	69.3
Hispanic or Latino	31.6	31.9	68.4	68.1
COUNTY TYPE				
Large Metro	24.1	23.6	75.9	76.4
Small Metro	27.0	27.6	73.0	72.4
Nonmetro	24.4	24.5	75.6	75.5
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	12.9	13.2	9.9 ^b	8.8
Marijuana	9.3	8.9	7.1 ^b	6.1
Illicit Drugs Other Than Marijuana ²	6.2	6.9	4.9 ^a	4.2
Cigarettes	14.2	14.2	11.1 ^b	9.6
Alcohol	16.7	17.6	18.1 ^b	16.4
Binge Alcohol ³	10.6	11.4	11.3 ^b	9.5
PAST YEAR				
Illicit Drugs ²	24.2	24.7	19.9 ^b	18.3
Marijuana	16.8	16.4	13.8 ^b	12.4
Illicit Drugs Other Than Marijuana ²	14.9	15.7	12.3 ^a	11.2
Cigarettes	21.2	20.8	17.6 ^a	16.2
Alcohol	33.8	35.3	34.3	33.1
LIFETIME				
Illicit Drugs ²	35.1	33.0	28.2 ^b	25.8
Marijuana	22.7	21.9	17.8 ^b	15.8
Illicit Drugs Other Than Marijuana ²	24.8	23.2	19.9 ^b	18.1
Cigarettes	34.2	32.3	27.6 ^b	25.0
Alcohol	44.1	44.0	41.6 ^a	39.8

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.