

**Table 3.24A Number of Times Gotten into a Serious Fight at School or Work in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Gotten into a Serious Fight at School or Work (II), among Persons Aged 12 to 17: Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Gotten into Serious Fight at School/Work <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	5,815	5,914	19,311	19,347
<b>AGE</b>				
12-13	2,025	2,061	6,307	6,119
14-15	2,146	2,094	6,485	6,588
16-17	1,644	1,759	6,518	6,640
<b>GENDER</b>				
Male	3,515	3,590	9,303	9,316
Female	2,300	2,324	10,008	10,031
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	4,757	4,708	16,156	16,184
White	3,319	3,175	12,136	12,179
Black or African American	1,150	1,207	2,638	2,637
American Indian or Alaska Native	37	42	128	120
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	114	154	887	899
Two or More Races	119	104	321	295
Hispanic or Latino	1,058 <sup>a</sup>	1,206	3,155	3,163
<b>COUNTY TYPE</b>				
Large Metro	3,064	3,281	10,232	10,325
Small Metro	1,828 <sup>a</sup>	1,644	5,796	5,799
Nonmetro	923	989	3,283	3,223
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	1,099	1,024	1,560	1,468
Marijuana	779	714	1,120	999
Illicit Drugs Other Than Marijuana <sup>2</sup>	588	548	729	699
Cigarettes	1,172	1,118	1,804 <sup>a</sup>	1,594
Alcohol	1,470	1,476	2,953 <sup>a</sup>	2,703
Binge Alcohol <sup>3</sup>	1,055	989	1,731 <sup>b</sup>	1,513
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	2,030	1,914	3,246	3,102
Marijuana	1,398	1,297	2,239	2,065
Illicit Drugs Other Than Marijuana <sup>2</sup>	1,347	1,269	1,906	1,850
Cigarettes	1,709	1,676	2,906	2,689
Alcohol	2,669	2,656	5,844	5,763
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	2,727	2,577	4,805 <sup>b</sup>	4,403
Marijuana	1,757	1,640	3,008 <sup>a</sup>	2,734
Illicit Drugs Other Than Marijuana <sup>2</sup>	2,035	1,922	3,294 <sup>b</sup>	2,997
Cigarettes	2,467	2,377	4,859 <sup>b</sup>	4,377
Alcohol	3,265	3,228	7,286	7,039

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.24B Number of Times Gotten into a Serious Fight at School or Work in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Gotten into a Serious Fight at School or Work (II), among Persons Aged 12 to 17: Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Gotten into Serious Fight at School/Work <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	23.1	23.4	76.9	76.6
<b>AGE</b>				
12-13	24.3	25.2	75.7	74.8
14-15	24.9	24.1	75.1	75.9
16-17	20.1	20.9	79.9	79.1
<b>GENDER</b>				
Male	27.4	27.8	72.6	72.2
Female	18.7	18.8	81.3	81.2
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	22.7	22.5	77.3	77.5
White	21.5	20.7	78.5	79.3
Black or African American	30.4	31.4	69.6	68.6
American Indian or Alaska Native	22.4	25.9	77.6	74.1
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	11.4	14.6	88.6	85.4
Two or More Races	27.0	26.1	73.0	73.9
Hispanic or Latino	25.1	27.6	74.9	72.4
<b>COUNTY TYPE</b>				
Large Metro	23.0	24.1	77.0	75.9
Small Metro	24.0	22.1	76.0	77.9
Nonmetro	22.0	23.5	78.0	76.5
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	18.9	17.3	8.1	7.6
Marijuana	13.4	12.1	5.8	5.2
Illicit Drugs Other Than Marijuana <sup>2</sup>	10.1	9.3	3.8	3.6
Cigarettes	20.2	18.9	9.3 <sup>b</sup>	8.2
Alcohol	25.3	25.0	15.3 <sup>b</sup>	14.0
Binge Alcohol <sup>3</sup>	18.1	16.7	9.0 <sup>b</sup>	7.8
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	34.9 <sup>a</sup>	32.4	16.8	16.0
Marijuana	24.0 <sup>a</sup>	21.9	11.6 <sup>a</sup>	10.7
Illicit Drugs Other Than Marijuana <sup>2</sup>	23.2	21.5	9.9	9.6
Cigarettes	29.4	28.3	15.0 <sup>a</sup>	13.9
Alcohol	45.9	44.9	30.3	29.8
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	46.9 <sup>b</sup>	43.6	24.9 <sup>b</sup>	22.8
Marijuana	30.2 <sup>a</sup>	27.7	15.6 <sup>b</sup>	14.1
Illicit Drugs Other Than Marijuana <sup>2</sup>	35.0 <sup>a</sup>	32.5	17.1 <sup>b</sup>	15.5
Cigarettes	42.4	40.2	25.2 <sup>b</sup>	22.6
Alcohol	56.1	54.6	37.7	36.4

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.25A Number of Times Taken Part in a Group-Against-Group Fight in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Taken Part in a Group-Against-Group Fight (II), among Persons Aged 12 to 17: Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Taken Part in Group-Against-Group Fight <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	4,281	4,247	20,859	21,011
<b>AGE</b>				
12-13	1,348	1,424	6,992	6,757
14-15	1,584	1,467	7,053	7,205
16-17	1,349	1,355	6,814	7,049
<b>GENDER</b>				
Male	2,458	2,430	10,371	10,470
Female	1,822	1,817	10,488	10,541
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	3,447	3,333	17,474	17,562
White	2,415	2,246	13,050	13,114
Black or African American	758	835	3,030	3,011
American Indian or Alaska Native	*	37	*	125
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	121	129	878	922
Two or More Races	92	65	349	333
Hispanic or Latino	834	914	3,385	3,449
<b>COUNTY TYPE</b>				
Large Metro	2,230	2,325	11,079	11,281
Small Metro	1,304	1,220	6,316	6,222
Nonmetro	747	702	3,465	3,508
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	962	879	1,696	1,612
Marijuana	712	630	1,183	1,082
Illicit Drugs Other Than Marijuana <sup>2</sup>	487	446	830	800
Cigarettes	1,016	906	1,956	1,809
Alcohol	1,238	1,186	3,182	2,988
Binge Alcohol <sup>3</sup>	911	839	1,873 <sup>a</sup>	1,660
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	1,684	1,556	3,587	3,456
Marijuana	1,200	1,078	2,430	2,281
Illicit Drugs Other Than Marijuana <sup>2</sup>	1,104	993	2,147	2,123
Cigarettes	1,395	1,328	3,219	3,039
Alcohol	2,111	2,088	6,399	6,333
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	2,227	2,065	5,305 <sup>b</sup>	4,912
Marijuana	1,501 <sup>a</sup>	1,338	3,259 <sup>a</sup>	3,033
Illicit Drugs Other Than Marijuana <sup>2</sup>	1,652	1,494	3,679 <sup>a</sup>	3,426
Cigarettes	1,957	1,844	5,369 <sup>b</sup>	4,907
Alcohol	2,486	2,482	8,068	7,788

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.25B Number of Times Taken Part in a Group-Against-Group Fight in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Taken Part in a Group-Against-Group Fight (II), among Persons Aged 12 to 17: Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Taken Part in Group-Against-Group Fight <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	17.0	16.8	83.0	83.2
<b>AGE</b>				
12-13	16.2	17.4	83.8	82.6
14-15	18.3	16.9	81.7	83.1
16-17	16.5	16.1	83.5	83.9
<b>GENDER</b>				
Male	19.2	18.8	80.8	81.2
Female	14.8	14.7	85.2	85.3
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	16.5	16.0	83.5	84.0
White	15.6	14.6	84.4	85.4
Black or African American	20.0	21.7	80.0	78.3
American Indian or Alaska Native	*	22.6	*	77.4
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	12.1	12.3	87.9	87.7
Two or More Races	20.8	16.3	79.2	83.7
Hispanic or Latino	19.8	20.9	80.2	79.1
<b>COUNTY TYPE</b>				
Large Metro	16.8	17.1	83.2	82.9
Small Metro	17.1	16.4	82.9	83.6
Nonmetro	17.7	16.7	82.3	83.3
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	22.5	20.7	8.1	7.7
Marijuana	16.6	14.8	5.7	5.1
Illicit Drugs Other Than Marijuana <sup>2</sup>	11.4	10.5	4.0	3.8
Cigarettes	23.7	21.3	9.4 <sup>a</sup>	8.6
Alcohol	28.9	27.9	15.3 <sup>a</sup>	14.2
Binge Alcohol <sup>3</sup>	21.3	19.8	9.0 <sup>b</sup>	7.9
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	39.3	36.6	17.2	16.4
Marijuana	28.0 <sup>a</sup>	25.4	11.6	10.9
Illicit Drugs Other Than Marijuana <sup>2</sup>	25.8	23.4	10.3	10.1
Cigarettes	32.6	31.3	15.4	14.5
Alcohol	49.3	49.2	30.7	30.1
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	52.0 <sup>a</sup>	48.6	25.4 <sup>b</sup>	23.4
Marijuana	35.1 <sup>a</sup>	31.5	15.6 <sup>a</sup>	14.4
Illicit Drugs Other Than Marijuana <sup>2</sup>	38.6 <sup>a</sup>	35.2	17.6 <sup>b</sup>	16.3
Cigarettes	45.7	43.4	25.7 <sup>b</sup>	23.4
Alcohol	58.1	58.4	38.7 <sup>a</sup>	37.1

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.26A Number of Times Carried a Handgun in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Carried a Handgun (II), among Persons Aged 12 to 17: Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Carried a Handgun <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	818	807	24,335 <sup>b</sup>	24,483
<b>AGE</b>				
12-13	173	167	8,179	8,039
14-15	285	276	8,350	8,404
16-17	360	364	7,806	8,041
<b>GENDER</b>				
Male	695	689	12,139	12,220
Female	123	119	12,196 <sup>b</sup>	12,263
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	667	672	20,264	20,241
White	469	457	15,003	14,914
Black or African American	163	162	3,627	3,687
American Indian or Alaska Native	7	15	158	147
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	13	*	987	*
Two or More Races	12	13	426	386
Hispanic or Latino	152	135	4,071 <sup>b</sup>	4,243
<b>COUNTY TYPE</b>				
Large Metro	365	393	12,948	13,232
Small Metro	274	231	7,350	7,220
Nonmetro	179	184	4,037	4,031
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	275	239	2,387	2,254
Marijuana	222	190	1,678	1,525
Illicit Drugs Other Than Marijuana <sup>2</sup>	133	120	1,185	1,125
Cigarettes	275 <sup>a</sup>	194	2,705	2,520
Alcohol	313	256	4,109	3,919
Binge Alcohol <sup>3</sup>	267 <sup>b</sup>	186	2,520 <sup>a</sup>	2,316
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	375	357	4,893	4,659
Marijuana	314	269	3,316	3,094
Illicit Drugs Other Than Marijuana <sup>2</sup>	235	241	3,014	2,877
Cigarettes	339	272	4,281	4,094
Alcohol	470	441	8,040	7,986
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	483	435	7,048 <sup>b</sup>	6,551
Marijuana	382	324	4,379 <sup>a</sup>	4,053
Illicit Drugs Other Than Marijuana <sup>2</sup>	361	318	4,966 <sup>a</sup>	4,603
Cigarettes	477 <sup>a</sup>	374	6,850 <sup>b</sup>	6,384
Alcohol	545	498	10,015	9,777

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.26B Number of Times Carried a Handgun in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Carried a Handgun (II), among Persons Aged 12 to 17: Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Carried a Handgun <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	3.3	3.2	96.7	96.8
<b>AGE</b>				
12-13	2.1	2.0	97.9	98.0
14-15	3.3	3.2	96.7	96.8
16-17	4.4	4.3	95.6	95.7
<b>GENDER</b>				
Male	5.4	5.3	94.6	94.7
Female	1.0	1.0	99.0	99.0
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	3.2	3.2	96.8	96.8
White	3.0	3.0	97.0	97.0
Black or African American	4.3	4.2	95.7	95.8
American Indian or Alaska Native	4.3	9.3	95.7	90.7
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.3	*	98.7	*
Two or More Races	2.8	3.3	97.2	96.7
Hispanic or Latino	3.6	3.1	96.4	96.9
<b>COUNTY TYPE</b>				
Large Metro	2.7	2.9	97.3	97.1
Small Metro	3.6	3.1	96.4	96.9
Nonmetro	4.2	4.4	95.8	95.6
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	33.6	29.7	9.8	9.2
Marijuana	27.2	23.6	6.9 <sup>a</sup>	6.2
Illicit Drugs Other Than Marijuana <sup>2</sup>	16.3	14.9	4.9	4.6
Cigarettes	33.6 <sup>b</sup>	24.0	11.1 <sup>a</sup>	10.3
Alcohol	38.3 <sup>a</sup>	31.7	16.9	16.0
Binge Alcohol <sup>3</sup>	32.7 <sup>b</sup>	23.0	10.4 <sup>a</sup>	9.5
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	45.8	44.3	20.1 <sup>a</sup>	19.0
Marijuana	38.3	33.3	13.6 <sup>a</sup>	12.6
Illicit Drugs Other Than Marijuana <sup>2</sup>	28.8	29.9	12.4	11.7
Cigarettes	41.4 <sup>a</sup>	33.7	17.6	16.7
Alcohol	57.4	54.6	33.0	32.6
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	59.1	53.9	29.0 <sup>b</sup>	26.8
Marijuana	46.6	40.1	18.0 <sup>b</sup>	16.6
Illicit Drugs Other Than Marijuana <sup>2</sup>	44.1	39.4	20.4 <sup>b</sup>	18.8
Cigarettes	58.3 <sup>b</sup>	46.3	28.1 <sup>b</sup>	26.1
Alcohol	66.7	61.7	41.2	39.9

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.27A Number of Times Sold Illegal Drugs in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Sold Illegal Drugs (II), among Persons Aged 12 to 17: Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Sold Illegal Drugs <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	967 <sup>a</sup>	835	24,179 <sup>b</sup>	24,465
<b>AGE</b>				
12-13	72	68	8,279	8,143
14-15	317 <sup>b</sup>	225	8,323	8,454
16-17	578	542	7,576	7,868
<b>GENDER</b>				
Male	662	578	12,162 <sup>b</sup>	12,339
Female	305	257	12,017 <sup>b</sup>	12,126
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	805 <sup>a</sup>	685	20,125 <sup>a</sup>	20,234
White	606	522	14,862	14,850
Black or African American	148	131	3,644	3,723
American Indian or Alaska Native	7	7	158	155
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	11	1	989	1,052
Two or More Races	30	23	411	376
Hispanic or Latino	161	150	4,054 <sup>b</sup>	4,231
<b>COUNTY TYPE</b>				
Large Metro	491	451	12,824	13,181
Small Metro	305	253	7,315	7,199
Nonmetro	171	131	4,040	4,085
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	673 <sup>a</sup>	568	1,981	1,924
Marijuana	616 <sup>a</sup>	512	1,275	1,203
Illicit Drugs Other Than Marijuana <sup>2</sup>	327	272	987	972
Cigarettes	589 <sup>a</sup>	489	2,378	2,224
Alcohol	672 <sup>b</sup>	537	3,743	3,637
Binge Alcohol <sup>3</sup>	575 <sup>b</sup>	433	2,204	2,064
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	842 <sup>a</sup>	720	4,422	4,298
Marijuana	801 <sup>b</sup>	664	2,821	2,699
Illicit Drugs Other Than Marijuana <sup>2</sup>	576	515	2,671	2,601
Cigarettes	703 <sup>a</sup>	597	3,903	3,769
Alcohol	861 <sup>b</sup>	710	7,641	7,720
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	899 <sup>a</sup>	772	6,622 <sup>a</sup>	6,220
Marijuana	859 <sup>a</sup>	727	3,888	3,651
Illicit Drugs Other Than Marijuana <sup>2</sup>	701 <sup>a</sup>	592	4,616 <sup>a</sup>	4,333
Cigarettes	823 <sup>a</sup>	684	6,489 <sup>a</sup>	6,071
Alcohol	905 <sup>a</sup>	762	9,640	9,517

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.27B Number of Times Sold Illegal Drugs in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Sold Illegal Drugs (II), among Persons Aged 12 to 17: Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Sold Illegal Drugs <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	3.8 <sup>a</sup>	3.3	96.2 <sup>a</sup>	96.7
<b>AGE</b>				
12-13	0.9	0.8	99.1	99.2
14-15	3.7 <sup>b</sup>	2.6	96.3 <sup>b</sup>	97.4
16-17	7.1	6.4	92.9	93.6
<b>GENDER</b>				
Male	5.2	4.5	94.8	95.5
Female	2.5	2.1	97.5	97.9
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	3.8 <sup>a</sup>	3.3	96.2 <sup>a</sup>	96.7
White	3.9	3.4	96.1	96.6
Black or African American	3.9	3.4	96.1	96.6
American Indian or Alaska Native	4.5	4.2	95.5	95.8
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.1	0.1	98.9	99.9
Two or More Races	6.7	5.7	93.3	94.3
Hispanic or Latino	3.8	3.4	96.2	96.6
<b>COUNTY TYPE</b>				
Large Metro	3.7	3.3	96.3	96.7
Small Metro	4.0	3.4	96.0	96.6
Nonmetro	4.1	3.1	95.9	96.9
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	69.6	68.1	8.2	7.9
Marijuana	63.8	61.3	5.3	4.9
Illicit Drugs Other Than Marijuana <sup>2</sup>	33.8	32.6	4.1	4.0
Cigarettes	60.9	58.6	9.8	9.1
Alcohol	69.6	64.3	15.5	14.9
Binge Alcohol <sup>3</sup>	59.5 <sup>a</sup>	51.9	9.1	8.4
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	87.1	86.3	18.3	17.6
Marijuana	82.8	79.6	11.7	11.0
Illicit Drugs Other Than Marijuana <sup>2</sup>	59.6	61.7	11.0	10.6
Cigarettes	72.7	71.5	16.1	15.4
Alcohol	89.1	85.0	31.6	31.6
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	93.0	92.4	27.4 <sup>b</sup>	25.4
Marijuana	88.8	87.1	16.1 <sup>a</sup>	14.9
Illicit Drugs Other Than Marijuana <sup>2</sup>	72.5	70.9	19.1 <sup>b</sup>	17.7
Cigarettes	85.2	82.0	26.8 <sup>b</sup>	24.8
Alcohol	93.6	91.2	39.9	38.9

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 3.28A Number of Times Stole or Tried to Steal Anything Worth More Than \$50 in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Stole or Tried to Steal Anything Worth More Than \$50 (II), among Persons Aged 12 to 17: Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Stole or Tried to Steal Anything Worth More Than \$50 <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	1,127	1,074	24,023 <sup>b</sup>	24,208
<b>AGE</b>				
12-13	197	197	8,153	8,004
14-15	433 <sup>a</sup>	348	8,200	8,330
16-17	498	529	7,669	7,874
<b>GENDER</b>				
Male	725	692	12,116 <sup>a</sup>	12,220
Female	402	381	11,907 <sup>a</sup>	11,988
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	918	867	20,019	20,047
White	657	570	14,826	14,799
Black or African American	170	204	3,617	3,649
American Indian or Alaska Native	*	13	*	148
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	34	52	964	1,002
Two or More Races	34	23	406	375
Hispanic or Latino	210	206	4,004 <sup>b</sup>	4,161
<b>COUNTY TYPE</b>				
Large Metro	579	616	12,733	13,010
Small Metro	358	312	7,266	7,125
Nonmetro	191	145	4,023	4,073
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	462	417	2,198	2,065
Marijuana	373	341	1,524 <sup>a</sup>	1,364
Illicit Drugs Other Than Marijuana <sup>2</sup>	244	233	1,074	1,011
Cigarettes	450	404	2,529 <sup>a</sup>	2,312
Alcohol	556 <sup>a</sup>	462	3,872	3,706
Binge Alcohol <sup>3</sup>	443 <sup>b</sup>	332	2,347	2,162
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	710	642	4,562	4,365
Marijuana	561	531	3,073 <sup>a</sup>	2,821
Illicit Drugs Other Than Marijuana <sup>2</sup>	500	440	2,751	2,673
Cigarettes	627	535	3,988	3,827
Alcohol	816	770	7,698	7,643
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	857	756	6,678 <sup>b</sup>	6,223
Marijuana	669	611	4,096 <sup>a</sup>	3,757
Illicit Drugs Other Than Marijuana <sup>2</sup>	680 <sup>a</sup>	566	4,650 <sup>a</sup>	4,354
Cigarettes	790	692	6,541 <sup>b</sup>	6,059
Alcohol	899	855	9,658	9,408

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.28B Number of Times Stole or Tried to Steal Anything Worth More Than \$50 in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Stole or Tried to Steal Anything Worth More Than \$50 (II), among Persons Aged 12 to 17: Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Stole or Tried to Steal Anything Worth More Than \$50 <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	4.5	4.2	95.5	95.8
<b>AGE</b>				
12-13	2.4	2.4	97.6	97.6
14-15	5.0 <sup>a</sup>	4.0	95.0 <sup>a</sup>	96.0
16-17	6.1	6.3	93.9	93.7
<b>GENDER</b>				
Male	5.6	5.4	94.4	94.6
Female	3.3	3.1	96.7	96.9
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	4.4	4.1	95.6	95.9
White	4.2	3.7	95.8	96.3
Black or African American	4.5	5.3	95.5	94.7
American Indian or Alaska Native	*	8.3	*	91.7
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	3.4	4.9	96.6	95.1
Two or More Races	7.8	5.9	92.2	94.1
Hispanic or Latino	5.0	4.7	95.0	95.3
<b>COUNTY TYPE</b>				
Large Metro	4.3	4.5	95.7	95.5
Small Metro	4.7	4.2	95.3	95.8
Nonmetro	4.5 <sup>a</sup>	3.4	95.5 <sup>a</sup>	96.6
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	40.9	38.9	9.1	8.5
Marijuana	33.1	31.7	6.3 <sup>a</sup>	5.6
Illicit Drugs Other Than Marijuana <sup>2</sup>	21.6	21.7	4.5	4.2
Cigarettes	39.9	37.6	10.5 <sup>a</sup>	9.6
Alcohol	49.3 <sup>a</sup>	43.1	16.1	15.3
Binge Alcohol <sup>3</sup>	39.3 <sup>b</sup>	31.0	9.8 <sup>a</sup>	8.9
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	63.0	59.8	19.0 <sup>a</sup>	18.0
Marijuana	49.7	49.5	12.8 <sup>b</sup>	11.7
Illicit Drugs Other Than Marijuana <sup>2</sup>	44.4	41.0	11.5	11.0
Cigarettes	55.6	49.9	16.6	15.8
Alcohol	72.4	71.7	32.0	31.6
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	76.0 <sup>a</sup>	70.4	27.8 <sup>b</sup>	25.7
Marijuana	59.4	56.9	17.0 <sup>b</sup>	15.5
Illicit Drugs Other Than Marijuana <sup>2</sup>	60.3 <sup>a</sup>	52.7	19.4 <sup>b</sup>	18.0
Cigarettes	70.0 <sup>a</sup>	64.4	27.2 <sup>b</sup>	25.0
Alcohol	79.8	79.6	40.2 <sup>a</sup>	38.9

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.29A Number of Times Attacked Others with the Intent to Seriously Hurt Them in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Attacked Others with the Intent to Seriously Hurt Them (II), among Persons Aged 12 to 17: Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Attacked Others with Intent to Seriously Hurt Them <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	2,068 <sup>a</sup>	1,882	23,092 <sup>b</sup>	23,394
<b>AGE</b>				
12-13	574	513	7,772	7,676
14-15	742	671	7,902	8,013
16-17	752	698	7,418	7,705
<b>GENDER</b>				
Male	1,345 <sup>a</sup>	1,208	11,499 <sup>b</sup>	11,692
Female	724	674	11,593 <sup>a</sup>	11,702
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	1,756 <sup>b</sup>	1,547	19,185 <sup>a</sup>	19,349
White	1,130 <sup>b</sup>	930	14,355	14,428
Black or African American	505	499	3,284	3,347
American Indian or Alaska Native	16	13	150	149
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	59	54	939	1,000
Two or More Races	45	42	395	356
Hispanic or Latino	312	335	3,907 <sup>b</sup>	4,045
<b>COUNTY TYPE</b>				
Large Metro	1,011	1,000	12,303	12,617
Small Metro	681 <sup>a</sup>	551	6,952	6,894
Nonmetro	377	331	3,836	3,884
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	606 <sup>a</sup>	515	2,055	1,974
Marijuana	461 <sup>a</sup>	378	1,437	1,336
Illicit Drugs Other Than Marijuana <sup>2</sup>	324	266	995	975
Cigarettes	605 <sup>b</sup>	482	2,373	2,231
Alcohol	723 <sup>b</sup>	569	3,702	3,604
Binge Alcohol <sup>3</sup>	577 <sup>b</sup>	415	2,212	2,085
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	994 <sup>a</sup>	856	4,283	4,159
Marijuana	737 <sup>a</sup>	620	2,902	2,743
Illicit Drugs Other Than Marijuana <sup>2</sup>	667 <sup>a</sup>	574	2,586	2,541
Cigarettes	805 <sup>a</sup>	675	3,817	3,689
Alcohol	1,146	1,034	7,374	7,391
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	1,270 <sup>b</sup>	1,087	6,271 <sup>a</sup>	5,899
Marijuana	889 <sup>a</sup>	751	3,881 <sup>a</sup>	3,627
Illicit Drugs Other Than Marijuana <sup>2</sup>	984 <sup>b</sup>	817	4,351	4,103
Cigarettes	1,121 <sup>b</sup>	937	6,217 <sup>a</sup>	5,819
Alcohol	1,366	1,230	9,201	9,044

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.29B Number of Times Attacked Others with the Intent to Seriously Hurt Them in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Attacked Others with the Intent to Seriously Hurt Them (II), among Persons Aged 12 to 17: Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Attacked Others with Intent to Seriously Hurt Them <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	8.2 <sup>a</sup>	7.4	91.8 <sup>a</sup>	92.6
<b>AGE</b>				
12-13	6.9	6.3	93.1	93.7
14-15	8.6	7.7	91.4	92.3
16-17	9.2	8.3	90.8	91.7
<b>GENDER</b>				
Male	10.5 <sup>a</sup>	9.4	89.5 <sup>a</sup>	90.6
Female	5.9	5.4	94.1	94.6
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	8.4 <sup>b</sup>	7.4	91.6 <sup>b</sup>	92.6
White	7.3 <sup>b</sup>	6.1	92.7 <sup>b</sup>	93.9
Black or African American	13.3	13.0	86.7	87.0
American Indian or Alaska Native	9.4	8.1	90.6	91.9
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	5.9	5.2	94.1	94.8
Two or More Races	10.1	10.5	89.9	89.5
Hispanic or Latino	7.4	7.6	92.6	92.4
<b>COUNTY TYPE</b>				
Large Metro	7.6	7.3	92.4	92.7
Small Metro	8.9 <sup>a</sup>	7.4	91.1 <sup>a</sup>	92.6
Nonmetro	8.9	7.9	91.1	92.1
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	29.3	27.3	8.9	8.4
Marijuana	22.3	20.1	6.2	5.7
Illicit Drugs Other Than Marijuana <sup>2</sup>	15.7	14.2	4.3	4.2
Cigarettes	29.3	25.6	10.3	9.5
Alcohol	35.0 <sup>a</sup>	30.3	16.0	15.4
Binge Alcohol <sup>3</sup>	27.9 <sup>b</sup>	22.0	9.6	8.9
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	48.1	45.5	18.5	17.8
Marijuana	35.6	32.9	12.6 <sup>a</sup>	11.7
Illicit Drugs Other Than Marijuana <sup>2</sup>	32.2	30.5	11.2	10.9
Cigarettes	38.9	35.8	16.5	15.8
Alcohol	55.4	54.9	31.9	31.6
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	61.4	57.8	27.2 <sup>b</sup>	25.2
Marijuana	43.0	39.9	16.8 <sup>b</sup>	15.5
Illicit Drugs Other Than Marijuana <sup>2</sup>	47.6	43.4	18.8 <sup>b</sup>	17.5
Cigarettes	54.2	49.8	26.9 <sup>b</sup>	24.9
Alcohol	66.1	65.4	39.8	38.7

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.