

Table 3.30A Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day (II), among Persons Aged 12 to 17: Numbers in Thousands, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Smoking Cigarettes ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	21,967	22,054	2,962	2,946
AGE				
12-13	7,619	7,461	593	580
14-15	7,532	7,602	1,041	994
16-17	6,815	6,991	1,327	1,372
GENDER				
Male	11,010	11,100	1,693	1,638
Female	10,957	10,954	1,269	1,307
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	18,344	18,349	2,448	2,363
White	13,585	13,529	1,835	1,750
Black or African American	3,264	3,307	453	458
American Indian or Alaska Native	140	131	22	22
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	922	956	72	87
Two or More Races	374	356	62	38
Hispanic or Latino	3,622	3,705	513	583
COUNTY TYPE				
Large Metro	11,746	11,934	1,442	1,507
Small Metro	6,610	6,527	950	851
Nonmetro	3,610	3,594	570	588
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	1,860	1,758	776	702
Marijuana	1,272	1,161	615	543
Illicit Drugs Other Than Marijuana ²	929	869	370	351
Cigarettes	1,820 ^a	1,627	1,141	1,061
Alcohol	3,379 ^a	3,148	1,021	1,004
Binge Alcohol ³	1,994 ^a	1,772	772	716
PAST YEAR				
Illicit Drugs ²	3,928	3,715	1,309	1,246
Marijuana	2,594 ^a	2,373	1,019	970
Illicit Drugs Other Than Marijuana ²	2,370	2,276	858	797
Cigarettes	3,193 ^a	2,967	1,405	1,364
Alcohol	6,798	6,698	1,679	1,683
LIFETIME				
Illicit Drugs ²	5,805 ^b	5,368	1,675	1,542
Marijuana	3,485 ^b	3,170	1,256	1,183
Illicit Drugs Other Than Marijuana ²	4,052 ^a	3,765	1,236 ^a	1,093
Cigarettes	5,560 ^b	5,020	1,745	1,693
Alcohol	8,562	8,309	1,951	1,904

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.30B Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day (II), among Persons Aged 12 to 17: Percentages, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Smoking Cigarettes ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	88.1	88.2	11.9	11.8
AGE				
12-13	92.8	92.8	7.2	7.2
14-15	87.9	88.4	12.1	11.6
16-17	83.7	83.6	16.3	16.4
GENDER				
Male	86.7	87.1	13.3	12.9
Female	89.6	89.3	10.4	10.7
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	88.2	88.6	11.8	11.4
White	88.1	88.5	11.9	11.5
Black or African American	87.8	87.8	12.2	12.2
American Indian or Alaska Native	86.7	85.4	13.3	14.6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	92.8	91.7	7.2	8.3
Two or More Races	85.8	90.3	14.2	9.7
Hispanic or Latino	87.6	86.4	12.4	13.6
COUNTY TYPE				
Large Metro	89.1	88.8	10.9	11.2
Small Metro	87.4	88.5	12.6	11.5
Nonmetro	86.4	85.9	13.6	14.1
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	8.5	8.0	26.2	23.8
Marijuana	5.8	5.3	20.8	18.4
Illicit Drugs Other Than Marijuana ²	4.2	3.9	12.5	11.9
Cigarettes	8.3 ^a	7.4	38.5	36.0
Alcohol	15.4 ^a	14.3	34.5	34.1
Binge Alcohol ³	9.1 ^b	8.0	26.1	24.3
PAST YEAR				
Illicit Drugs ²	17.9 ^a	16.8	44.2	42.3
Marijuana	11.8 ^a	10.8	34.4	32.9
Illicit Drugs Other Than Marijuana ²	10.8	10.3	29.0	27.1
Cigarettes	14.5 ^a	13.5	47.4	46.3
Alcohol	30.9	30.4	56.7	57.1
LIFETIME				
Illicit Drugs ²	26.4 ^b	24.3	56.6 ^a	52.3
Marijuana	15.9 ^b	14.4	42.4	40.2
Illicit Drugs Other Than Marijuana ²	18.4 ^b	17.1	41.8 ^b	37.1
Cigarettes	25.3 ^b	22.8	58.9	57.5
Alcohol	39.0 ^a	37.7	65.9	64.6

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.31A Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice (II), among Persons Aged 12 to 17: Numbers in Thousands, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Trying Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	20,079	20,225	4,843	4,798
AGE				
12-13	7,571	7,425	641	636
14-15	6,845	6,975	1,741	1,629
16-17	5,662	5,825	2,460	2,533
GENDER				
Male	10,050	10,198	2,658	2,563
Female	10,029	10,026	2,185	2,235
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	16,709	16,734	4,085	3,997
White	12,204	12,252	3,211	3,037
Black or African American	3,115	3,049	614 ^a	724
American Indian or Alaska Native	131	121	32	34
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	880	930	111	111
Two or More Races	320	319	112 ^a	76
Hispanic or Latino	3,370 ^a	3,491	757	800
COUNTY TYPE				
Large Metro	10,652	10,758	2,535	2,698
Small Metro	6,026	6,049	1,527 ^a	1,337
Nonmetro	3,401	3,418	782	763
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	1,082	1,000	1,561	1,461
Marijuana	564	513	1,324	1,191
Illicit Drugs Other Than Marijuana ²	651	599	660	619
Cigarettes	1,345 ^a	1,189	1,610	1,503
Alcohol	2,342	2,184	2,058	1,972
Binge Alcohol ³	1,298 ^a	1,166	1,470	1,325
PAST YEAR				
Illicit Drugs ²	2,623	2,449	2,623	2,520
Marijuana	1,391 ^a	1,238	2,230	2,106
Illicit Drugs Other Than Marijuana ²	1,696	1,609	1,536	1,467
Cigarettes	2,397	2,216	2,196	2,116
Alcohol	5,231	5,143	3,241	3,251
LIFETIME				
Illicit Drugs ²	4,297 ^b	3,908	3,194	3,010
Marijuana	2,118 ^b	1,854	2,630	2,502
Illicit Drugs Other Than Marijuana ²	3,130 ^a	2,887	2,161	1,976
Cigarettes	4,410 ^b	3,938	2,887	2,775
Alcohol	6,896	6,628	3,605	3,599

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.31B Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice (II), among Persons Aged 12 to 17: Percentages, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Trying Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	80.6	80.8	19.4	19.2
AGE				
12-13	92.2	92.1	7.8	7.9
14-15	79.7	81.1	20.3	18.9
16-17	69.7	69.7	30.3	30.3
GENDER				
Male	79.1	79.9	20.9	20.1
Female	82.1	81.8	17.9	18.2
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	80.4	80.7	19.6	19.3
White	79.2	80.1	20.8	19.9
Black or African American	83.5 ^a	80.8	16.5 ^a	19.2
American Indian or Alaska Native	80.3	78.0	19.7	22.0
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	88.8	89.4	11.2	10.6
Two or More Races	74.0 ^a	80.7	26.0 ^a	19.3
Hispanic or Latino	81.7	81.4	18.3	18.6
COUNTY TYPE				
Large Metro	80.8	80.0	19.2	20.0
Small Metro	79.8 ^a	81.9	20.2 ^a	18.1
Nonmetro	81.3	81.8	18.7	18.2
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	5.4	4.9	32.2	30.4
Marijuana	2.8	2.5	27.3 ^a	24.8
Illicit Drugs Other Than Marijuana ²	3.2	3.0	13.6	12.9
Cigarettes	6.7 ^a	5.9	33.2	31.3
Alcohol	11.7 ^a	10.8	42.5	41.1
Binge Alcohol ³	6.5 ^a	5.8	30.4 ^a	27.6
PAST YEAR				
Illicit Drugs ²	13.1 ^a	12.1	54.2	52.5
Marijuana	6.9 ^a	6.1	46.0	43.9
Illicit Drugs Other Than Marijuana ²	8.4	8.0	31.7	30.6
Cigarettes	11.9 ^a	11.0	45.3	44.1
Alcohol	26.1	25.4	66.9	67.8
LIFETIME				
Illicit Drugs ²	21.4 ^b	19.3	65.9 ^a	62.7
Marijuana	10.5 ^b	9.2	54.3	52.2
Illicit Drugs Other Than Marijuana ²	15.6 ^b	14.3	44.6 ^a	41.2
Cigarettes	22.0 ^b	19.5	59.6	57.8
Alcohol	34.3 ^a	32.8	74.4	75.0

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.32A Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More (II), among Persons Aged 12 to 17: Numbers in Thousands, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Using Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	20,350	20,386	4,596	4,657
AGE				
12-13	7,569	7,417	653	643
14-15	6,982	7,032	1,609	1,582
16-17	5,799	5,937	2,334	2,432
GENDER				
Male	10,124	10,212	2,600	2,558
Female	10,226	10,174	1,997	2,099
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	16,974	16,914	3,834	3,826
White	12,479	12,468	2,942	2,825
Black or African American	3,103	3,007	626 ^b	771
American Indian or Alaska Native	132	123	31	31
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	876	940	118	101
Two or More Races	325	312	111	84
Hispanic or Latino	3,376	3,472	762	832
COUNTY TYPE				
Large Metro	10,828	10,851	2,374 ^a	2,623
Small Metro	6,092	6,091	1,473 ^a	1,298
Nonmetro	3,430	3,444	749	736
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	1,069	987	1,576	1,480
Marijuana	548	496	1,343	1,212
Illicit Drugs Other Than Marijuana ²	650	592	659	633
Cigarettes	1,339	1,202	1,621	1,495
Alcohol	2,403	2,237	1,999	1,921
Binge Alcohol ³	1,296 ^a	1,157	1,476	1,337
PAST YEAR				
Illicit Drugs ²	2,692	2,501	2,562	2,475
Marijuana	1,421 ^a	1,273	2,204	2,076
Illicit Drugs Other Than Marijuana ²	1,716	1,637	1,519	1,447
Cigarettes	2,429	2,268	2,172	2,078
Alcohol	5,401	5,308	3,076	3,091
LIFETIME				
Illicit Drugs ²	4,422 ^b	3,990	3,075	2,938
Marijuana	2,190 ^b	1,923	2,564	2,441
Illicit Drugs Other Than Marijuana ²	3,180 ^a	2,916	2,115	1,953
Cigarettes	4,529 ^b	4,030	2,782	2,694
Alcohol	7,104	6,795	3,410	3,436

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.32B Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More (II), among Persons Aged 12 to 17: Percentages, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Using Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	81.6	81.4	18.4	18.6
AGE				
12-13	92.1	92.0	7.9	8.0
14-15	81.3	81.6	18.7	18.4
16-17	71.3	70.9	28.7	29.1
GENDER				
Male	79.6	80.0	20.4	20.0
Female	83.7	82.9	16.3	17.1
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	81.6	81.6	18.4	18.4
White	80.9	81.5	19.1	18.5
Black or African American	83.2 ^b	79.6	16.8 ^b	20.4
American Indian or Alaska Native	81.0	80.0	19.0	20.0
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	88.2	90.3	11.8	9.7
Two or More Races	74.5	78.7	25.5	21.3
Hispanic or Latino	81.6	80.7	18.4	19.3
COUNTY TYPE				
Large Metro	82.0 ^a	80.5	18.0 ^a	19.5
Small Metro	80.5 ^a	82.4	19.5 ^a	17.6
Nonmetro	82.1	82.4	17.9	17.6
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	5.3	4.8	34.3	31.8
Marijuana	2.7	2.4	29.2 ^a	26.0
Illicit Drugs Other Than Marijuana ²	3.2	2.9	14.3	13.6
Cigarettes	6.6 ^a	5.9	35.3 ^a	32.1
Alcohol	11.8 ^a	11.0	43.5	41.2
Binge Alcohol ³	6.4 ^a	5.7	32.1 ^a	28.7
PAST YEAR				
Illicit Drugs ²	13.2 ^a	12.3	55.7	53.1
Marijuana	7.0 ^a	6.2	48.0 ^a	44.6
Illicit Drugs Other Than Marijuana ²	8.4	8.0	33.0	31.1
Cigarettes	11.9	11.1	47.3	44.6
Alcohol	26.5	26.0	66.9	66.4
LIFETIME				
Illicit Drugs ²	21.7 ^b	19.6	66.9 ^b	63.1
Marijuana	10.8 ^b	9.4	55.8 ^a	52.4
Illicit Drugs Other Than Marijuana ²	15.6 ^b	14.3	46.0 ^b	41.9
Cigarettes	22.3 ^b	19.8	60.5	57.9
Alcohol	34.9 ^a	33.3	74.2	73.8

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.33A Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II), among Persons Aged 12 to 17: Numbers in Thousands, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Drinking Alcoholic Beverages ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	21,215 ^a	21,447	3,738	3,602
AGE				
12-13	7,568	7,449	671	627
14-15	7,200	7,348	1,379	1,258
16-17	6,446	6,650	1,688	1,717
GENDER				
Male	10,459 ^b	10,739	2,257 ^b	2,027
Female	10,755	10,708	1,481	1,575
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	17,708	17,816	3,098	2,915
White	13,060	13,123	2,363 ^a	2,176
Black or African American	3,213	3,180	513	584
American Indian or Alaska Native	145	132	18	26
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	877	972	119 ^a	62
Two or More Races	356	339	77	58
Hispanic or Latino	3,507 ^a	3,631	640	688
COUNTY TYPE				
Large Metro	11,414	11,614	1,788	1,864
Small Metro	6,316	6,372	1,248 ^b	1,016
Nonmetro	3,485	3,461	701	722
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	1,605	1,504	1,036	965
Marijuana	1,042	986	843 ^a	720
Illicit Drugs Other Than Marijuana ²	832	748	475	481
Cigarettes	1,789 ^a	1,589	1,168	1,100
Alcohol	2,885	2,781	1,515 ^a	1,371
Binge Alcohol ³	1,647	1,535	1,122 ^a	959
PAST YEAR				
Illicit Drugs ²	3,544	3,375	1,706	1,604
Marijuana	2,251	2,138	1,369 ^a	1,211
Illicit Drugs Other Than Marijuana ²	2,139	2,071	1,095	1,019
Cigarettes	3,048 ^a	2,822	1,550	1,515
Alcohol	6,134	6,129	2,346	2,257
LIFETIME				
Illicit Drugs ²	5,320 ^a	4,976	2,172 ^a	1,959
Marijuana	3,102 ^a	2,869	1,646	1,492
Illicit Drugs Other Than Marijuana ²	3,722	3,517	1,569 ^b	1,366
Cigarettes	5,210 ^b	4,727	2,097	1,981
Alcohol	7,885	7,730	2,630	2,492

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.33B Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II), among Persons Aged 12 to 17: Percentages, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Drinking Alcoholic Beverages ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	85.0	85.6	15.0	14.4
AGE				
12-13	91.9	92.2	8.1	7.8
14-15	83.9	85.4	16.1	14.6
16-17	79.3	79.5	20.7	20.5
GENDER				
Male	82.3 ^b	84.1	17.7 ^b	15.9
Female	87.9	87.2	12.1	12.8
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	85.1	85.9	14.9	14.1
White	84.7 ^a	85.8	15.3 ^a	14.2
Black or African American	86.2	84.5	13.8	15.5
American Indian or Alaska Native	88.7	83.6	11.3	16.4
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	88.0 ^b	94.0	12.0 ^b	6.0
Two or More Races	82.2	85.4	17.8	14.6
Hispanic or Latino	84.6	84.1	15.4	15.9
COUNTY TYPE				
Large Metro	86.5	86.2	13.5	13.8
Small Metro	83.5 ^b	86.2	16.5 ^b	13.8
Nonmetro	83.2	82.7	16.8	17.3
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	7.6	7.0	27.7	26.8
Marijuana	4.9	4.6	22.5 ^a	20.0
Illicit Drugs Other Than Marijuana ²	3.9	3.5	12.7	13.4
Cigarettes	8.4 ^b	7.4	31.2	30.5
Alcohol	13.6	13.0	40.5	38.1
Binge Alcohol ³	7.8	7.2	30.0 ^a	26.6
PAST YEAR				
Illicit Drugs ²	16.7 ^a	15.7	45.6	44.5
Marijuana	10.6	10.0	36.6	33.6
Illicit Drugs Other Than Marijuana ²	10.1	9.7	29.3	28.3
Cigarettes	14.4 ^a	13.2	41.5	42.1
Alcohol	28.9	28.6	62.8	62.7
LIFETIME				
Illicit Drugs ²	25.1 ^b	23.2	58.1 ^a	54.4
Marijuana	14.6 ^b	13.4	44.0	41.4
Illicit Drugs Other Than Marijuana ²	17.5 ^a	16.4	42.0 ^b	37.9
Cigarettes	24.6 ^b	22.0	56.1	55.0
Alcohol	37.2	36.0	70.4	69.2

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.