

Table 3.54A How Many Students in Youths' Grade Smoke Cigarettes, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Smoke Cigarettes (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Smoke Cigarettes ¹			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	7,295 ^a	6,891	14,860 ^b	15,799
AGE				
12-13	766	683	6,146	6,250
14-15	2,782	2,591	5,004 ^a	5,333
16-17	3,747	3,616	3,710 ^b	4,216
GENDER				
Male	3,065	2,949	8,219 ^a	8,622
Female	4,229 ^a	3,941	6,640 ^b	7,176
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	6,206 ^a	5,837	12,565 ^a	13,167
White	4,623 ^a	4,292	9,611	9,974
Black or African American	1,145	1,205	1,919	2,107
American Indian or Alaska Native	*	33	*	93
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	215	195	667	694
Two or More Races	136 ^a	94	256	254
Hispanic or Latino	1,089	1,054	2,295 ^a	2,632
COUNTY TYPE				
Large Metro	3,631	3,575	8,063 ^a	8,630
Small Metro	2,309 ^b	2,023	4,477	4,688
Nonmetro	1,355	1,293	2,320	2,481
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	1,355	1,292	1,071	1,018
Marijuana	1,042	947	715	668
Illicit Drugs Other Than Marijuana ²	646	637	544	495
Cigarettes	1,793 ^a	1,590	965	957
Alcohol	2,190	2,022	1,923	1,956
Binge Alcohol ³	1,442	1,300	1,120	1,075
PAST YEAR				
Illicit Drugs ²	2,595 ^a	2,356	2,244	2,279
Marijuana	1,983 ^a	1,761	1,409	1,417
Illicit Drugs Other Than Marijuana ²	1,570	1,449	1,404	1,399
Cigarettes	2,586 ^a	2,342	1,682	1,759
Alcohol	3,963 ^a	3,676	3,956 ^a	4,291
LIFETIME				
Illicit Drugs ²	3,533 ^b	3,062	3,349	3,378
Marijuana	2,597 ^b	2,256	1,829	1,881
Illicit Drugs Other Than Marijuana ²	2,401 ^b	2,136	2,444	2,364
Cigarettes	3,816 ^b	3,430	2,944	2,883
Alcohol	4,747 ^b	4,370	4,972	5,266

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.54B How Many Students in Youths' Grade Smoke Cigarettes, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Smoke Cigarettes (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Smoke Cigarettes ¹			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	32.9 ^b	30.4	67.1 ^b	69.6
AGE				
12-13	11.1	9.9	88.9	90.1
14-15	35.7 ^b	32.7	64.3 ^b	67.3
16-17	50.3 ^b	46.2	49.7 ^b	53.8
GENDER				
Male	27.2 ^a	25.5	72.8 ^a	74.5
Female	38.9 ^b	35.5	61.1 ^b	64.5
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	33.1 ^b	30.7	66.9 ^b	69.3
White	32.5 ^b	30.1	67.5 ^b	69.9
Black or African American	37.4	36.4	62.6	63.6
American Indian or Alaska Native	*	26.4	*	73.6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	24.3	21.9	75.7	78.1
Two or More Races	34.6 ^a	27.1	65.4 ^a	72.9
Hispanic or Latino	32.2 ^a	28.6	67.8 ^a	71.4
COUNTY TYPE				
Large Metro	31.0	29.3	69.0	70.7
Small Metro	34.0 ^b	30.1	66.0 ^b	69.9
Nonmetro	36.9	34.3	63.1	65.7
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	18.6	18.8	7.2 ^a	6.4
Marijuana	14.3	13.7	4.8	4.2
Illicit Drugs Other Than Marijuana ²	8.9	9.2	3.7	3.1
Cigarettes	24.6	23.1	6.5	6.1
Alcohol	30.0	29.3	12.9	12.4
Binge Alcohol ³	19.8	18.9	7.5	6.8
PAST YEAR				
Illicit Drugs ²	35.6	34.2	15.1	14.4
Marijuana	27.2	25.6	9.5	9.0
Illicit Drugs Other Than Marijuana ²	21.5	21.0	9.4	8.9
Cigarettes	35.4	34.0	11.3	11.1
Alcohol	54.3	53.3	26.6	27.2
LIFETIME				
Illicit Drugs ²	48.4 ^b	44.4	22.5	21.4
Marijuana	35.6 ^b	32.7	12.3	11.9
Illicit Drugs Other Than Marijuana ²	32.9	31.0	16.4 ^b	15.0
Cigarettes	52.3 ^a	49.8	19.8 ^a	18.2
Alcohol	65.1	63.4	33.5	33.3

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.55A How Many Students in Youths' Grade Use Marijuana or Hashish, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Use Marijuana or Hashish (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Use Marijuana/Hashish ¹			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	5,444	5,353	16,338	16,959
AGE				
12-13	314	283	6,455	6,522
14-15	1,975	1,900	5,644	5,858
16-17	3,155	3,169	4,239 ^a	4,579
GENDER				
Male	2,429	2,397	8,701	8,995
Female	3,015	2,955	7,636	7,964
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	4,522	4,432	13,967	14,232
White	3,186	3,008	10,829	11,012
Black or African American	992 ^a	1,154	2,016	2,087
American Indian or Alaska Native	44 ^a	27	96	98
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	144	120	737	751
Two or More Races	133	102	254	243
Hispanic or Latino	922	921	2,371 ^b	2,727
COUNTY TYPE				
Large Metro	2,979	3,046	8,512	8,998
Small Metro	1,660	1,581	5,023	5,010
Nonmetro	805	726	2,803	2,951
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	1,408	1,343	1,011	969
Marijuana	1,165	1,101	591	521
Illicit Drugs Other Than Marijuana ²	604	555	579	571
Cigarettes	1,478	1,348	1,256	1,186
Alcohol	2,034 ^a	1,841	2,062	2,116
Binge Alcohol ³	1,393 ^a	1,225	1,168	1,142
PAST YEAR				
Illicit Drugs ²	2,458	2,338	2,357	2,286
Marijuana	2,058	1,958	1,326	1,226
Illicit Drugs Other Than Marijuana ²	1,381	1,303	1,571	1,529
Cigarettes	2,078	1,922	2,162	2,148
Alcohol	3,424	3,244	4,436	4,677
LIFETIME				
Illicit Drugs ²	3,244 ^b	2,896	3,595	3,512
Marijuana	2,628 ^a	2,396	1,778	1,740
Illicit Drugs Other Than Marijuana ²	2,111 ^b	1,861	2,697	2,604
Cigarettes	3,060 ^b	2,731	3,645	3,525
Alcohol	3,984	3,782	5,645	5,792

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.55B How Many Students in Youths' Grade Use Marijuana or Hashish, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Use Marijuana or Hashish (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Use Marijuana/Hashish ¹			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	25.0	24.0	75.0	76.0
AGE				
12-13	4.6	4.2	95.4	95.8
14-15	25.9	24.5	74.1	75.5
16-17	42.7	40.9	57.3	59.1
GENDER				
Male	21.8	21.0	78.2	79.0
Female	28.3	27.1	71.7	72.9
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	24.5	23.7	75.5	76.3
White	22.7	21.5	77.3	78.5
Black or African American	33.0	35.6	67.0	64.4
American Indian or Alaska Native	31.6	21.3	68.4	78.7
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	16.4	13.8	83.6	86.2
Two or More Races	34.3	29.6	65.7	70.4
Hispanic or Latino	28.0	25.2	72.0	74.8
COUNTY TYPE				
Large Metro	25.9	25.3	74.1	74.7
Small Metro	24.8	24.0	75.2	76.0
Nonmetro	22.3	19.7	77.7	80.3
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	25.9	25.1	6.2	5.7
Marijuana	21.4	20.6	3.6 ^a	3.1
Illicit Drugs Other Than Marijuana ²	11.1	10.4	3.5	3.4
Cigarettes	27.2	25.2	7.7	7.0
Alcohol	37.4 ^a	34.4	12.6	12.5
Binge Alcohol ³	25.6 ^a	22.9	7.1	6.7
PAST YEAR				
Illicit Drugs ²	45.2	43.7	14.4	13.5
Marijuana	37.8	36.6	8.1 ^a	7.2
Illicit Drugs Other Than Marijuana ²	25.4	24.3	9.6	9.0
Cigarettes	38.2	35.9	13.2	12.7
Alcohol	62.9	60.6	27.2	27.6
LIFETIME				
Illicit Drugs ²	59.6 ^b	54.1	22.0 ^a	20.7
Marijuana	48.3 ^b	44.8	10.9	10.3
Illicit Drugs Other Than Marijuana ²	38.8 ^b	34.8	16.5 ^a	15.4
Cigarettes	56.2 ^b	51.0	22.3 ^a	20.8
Alcohol	73.2 ^a	70.7	34.5	34.2

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.56A How Many Students in Youths' Grade Drink Alcoholic Beverages, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Drink Alcoholic Beverages (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Drink Alcoholic Beverages ¹			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	10,135	10,090	11,916	12,424
AGE				
12-13	857	859	5,990	5,978
14-15	3,797	3,710	3,949	4,178
16-17	5,480	5,521	1,976 ^b	2,268
GENDER				
Male	4,567	4,522	6,672	6,933
Female	5,568	5,568	5,243	5,491
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	8,649	8,528	10,045	10,322
White	6,785	6,544	7,404	7,627
Black or African American	1,277	1,386	1,753	1,869
American Indian or Alaska Native	67	47	73	77
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	297	359	593	536
Two or More Races	197	162	192	180
Hispanic or Latino	1,486	1,562	1,870 ^a	2,102
COUNTY TYPE				
Large Metro	5,180	5,438	6,444	6,688
Small Metro	3,137	2,960	3,638	3,693
Nonmetro	1,819	1,691	1,834 ^a	2,044
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	1,796	1,641	628	679
Marijuana	1,393 ^a	1,234	365	396
Illicit Drugs Other Than Marijuana ²	843	769	344	360
Cigarettes	2,070 ^b	1,820	683	714
Alcohol	3,281 ^a	3,045	838	920
Binge Alcohol ³	2,141 ^b	1,894	431	475
PAST YEAR				
Illicit Drugs ²	3,427 ^a	3,142	1,407	1,483
Marijuana	2,609 ^a	2,349	786	838
Illicit Drugs Other Than Marijuana ²	2,050	1,926	915	908
Cigarettes	3,061 ^a	2,818	1,199	1,259
Alcohol	5,859	5,690	2,059 ^a	2,259
LIFETIME				
Illicit Drugs ²	4,637 ^b	4,122	2,225	2,271
Marijuana	3,350 ^b	2,982	1,073	1,148
Illicit Drugs Other Than Marijuana ²	3,169 ^b	2,851	1,657	1,610
Cigarettes	4,632 ^b	4,165	2,122	2,105
Alcohol	6,833	6,636	2,882	2,967

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.56B How Many Students in Youths' Grade Drink Alcoholic Beverages, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Drink Alcoholic Beverages (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Drink Alcoholic Beverages ¹			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	46.0	44.8	54.0	55.2
AGE				
12-13	12.5	12.6	87.5	87.4
14-15	49.0	47.0	51.0	53.0
16-17	73.5 ^a	70.9	26.5 ^a	29.1
GENDER				
Male	40.6	39.5	59.4	60.5
Female	51.5	50.3	48.5	49.7
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	46.3	45.2	53.7	54.8
White	47.8 ^a	46.2	52.2 ^a	53.8
Black or African American	42.1	42.6	57.9	57.4
American Indian or Alaska Native	47.9	37.8	52.1	62.2
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	33.3	40.1	66.7	59.9
Two or More Races	50.6	47.5	49.4	52.5
Hispanic or Latino	44.3	42.6	55.7	57.4
COUNTY TYPE				
Large Metro	44.6	44.8	55.4	55.2
Small Metro	46.3	44.5	53.7	55.5
Nonmetro	49.8 ^b	45.3	50.2 ^b	54.7
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	17.7 ^a	16.3	5.3	5.5
Marijuana	13.7 ^a	12.2	3.1	3.2
Illicit Drugs Other Than Marijuana ²	8.3	7.6	2.9	2.9
Cigarettes	20.4 ^b	18.0	5.7	5.7
Alcohol	32.4 ^a	30.2	7.0	7.4
Binge Alcohol ³	21.1 ^b	18.8	3.6	3.8
PAST YEAR				
Illicit Drugs ²	33.8 ^b	31.1	11.8	11.9
Marijuana	25.7 ^b	23.3	6.6	6.7
Illicit Drugs Other Than Marijuana ²	20.2	19.1	7.7	7.3
Cigarettes	30.2 ^a	27.9	10.1	10.1
Alcohol	57.8	56.4	17.3	18.2
LIFETIME				
Illicit Drugs ²	45.8 ^b	40.9	18.7	18.3
Marijuana	33.1 ^b	29.6	9.0	9.2
Illicit Drugs Other Than Marijuana ²	31.3 ^b	28.3	13.9	13.0
Cigarettes	45.7 ^b	41.3	17.8	16.9
Alcohol	67.4	65.8	24.2	23.9

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.57A How Many Students in Youths' Grade Get Drunk at Least Once a Week, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Get Drunk at Least Once a Week (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Get Drunk at Least Once a Week ¹			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	4,105	4,099	17,671	18,182
AGE				
12-13	213	223	6,547	6,566
14-15	1,348	1,262	6,285	6,514
16-17	2,544	2,614	4,840	5,103
GENDER				
Male	1,766	1,687	9,322	9,662
Female	2,340	2,412	8,350	8,520
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	3,406	3,391	15,055	15,268
White	2,603	2,529	11,439	11,523
Black or African American	552	651	2,421	2,543
American Indian or Alaska Native	28	22	107	102
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	126	120	745	762
Two or More Races	80	60	304	284
Hispanic or Latino	699	708	2,616 ^a	2,914
COUNTY TYPE				
Large Metro	2,095	2,251	9,370	9,772
Small Metro	1,268	1,180	5,430	5,403
Nonmetro	742	669	2,871	3,008
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	925	847	1,491	1,467
Marijuana	731	661	1,024	963
Illicit Drugs Other Than Marijuana ²	453	376	728	753
Cigarettes	1,063	954	1,666	1,574
Alcohol	1,487	1,418	2,608	2,533
Binge Alcohol ³	1,085	992	1,477	1,377
PAST YEAR				
Illicit Drugs ²	1,621	1,545	3,187	3,067
Marijuana	1,289	1,215	2,091	1,962
Illicit Drugs Other Than Marijuana ²	1,016	921	1,932	1,913
Cigarettes	1,452	1,368	2,779	2,695
Alcohol	2,443	2,398	5,414	5,494
LIFETIME				
Illicit Drugs ²	2,146	1,975	4,662	4,396
Marijuana	1,632	1,537	2,756	2,569
Illicit Drugs Other Than Marijuana ²	1,509	1,364	3,278	3,100
Cigarettes	2,124 ^a	1,939	4,568	4,297
Alcohol	2,867	2,820	6,748	6,716

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.57B How Many Students in Youths' Grade Get Drunk at Least Once a Week, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Get Drunk at Least Once a Week (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Get Drunk at Least Once a Week ¹			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	18.9	18.4	81.1	81.6
AGE				
12-13	3.2	3.3	96.8	96.7
14-15	17.7	16.2	82.3	83.8
16-17	34.5	33.9	65.5	66.1
GENDER				
Male	15.9	14.9	84.1	85.1
Female	21.9	22.1	78.1	77.9
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	18.4	18.2	81.6	81.8
White	18.5	18.0	81.5	82.0
Black or African American	18.6	20.4	81.4	79.6
American Indian or Alaska Native	20.8	17.8	79.2	82.2
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	14.4	13.6	85.6	86.4
Two or More Races	20.8	17.5	79.2	82.5
Hispanic or Latino	21.1	19.5	78.9	80.5
COUNTY TYPE				
Large Metro	18.3	18.7	81.7	81.3
Small Metro	18.9	17.9	81.1	82.1
Nonmetro	20.5 ^a	18.2	79.5 ^a	81.8
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	22.5	20.7	8.4	8.1
Marijuana	17.8	16.1	5.8	5.3
Illicit Drugs Other Than Marijuana ²	11.0 ^a	9.2	4.1	4.1
Cigarettes	25.9	23.3	9.4	8.7
Alcohol	36.2	34.6	14.8	13.9
Binge Alcohol ³	26.4	24.2	8.4	7.6
PAST YEAR				
Illicit Drugs ²	39.5	37.7	18.0 ^a	16.9
Marijuana	31.4	29.6	11.8 ^a	10.8
Illicit Drugs Other Than Marijuana ²	24.8	22.5	10.9	10.5
Cigarettes	35.4	33.4	15.7	14.8
Alcohol	59.5	58.5	30.6	30.2
LIFETIME				
Illicit Drugs ²	52.3 ^b	48.2	26.4 ^b	24.2
Marijuana	39.8	37.5	15.6 ^b	14.1
Illicit Drugs Other Than Marijuana ²	36.8 ^a	33.3	18.5 ^b	17.0
Cigarettes	51.7 ^b	47.3	25.8 ^b	23.6
Alcohol	69.8	68.8	38.2	36.9

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.