

Table 3.13C Ease of Obtaining Marijuana, by Demographic Characteristics (I), and Selected Substance Use, by Ease of Obtaining Marijuana (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Ease of Obtaining Marijuana ¹			
	Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	108	110	108	110
AGE				
12-13	59	57	114	120
14-15	106	102	93	96
16-17	117	120	64	67
GENDER				
Male	76	80	76	80
Female	76	76	76	76
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	94	96	94	96
White	143	146	127	138
Black or African American	74	84	74	72
American Indian or Alaska Native	10	13	14	10
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	41	50	43	57
Two or More Races	22	18	17	16
Hispanic or Latino	49	56	49	56
COUNTY TYPE				
Large Metro	152	154	136	153
Small Metro	112	101	107	97
Nonmetro	83	72	74	76
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	70	64	27	27
Marijuana	60	57	16	15
Illicit Drugs Other Than Marijuana ²	46	40	25	22
Cigarettes	74	68	29	25
Alcohol	87	84	37	36
Binge Alcohol ³	73	65	27	23
PAST YEAR				
Illicit Drugs ²	98	93	45	45
Marijuana	85	81	24	24
Illicit Drugs Other Than Marijuana ²	72	67	40	38
Cigarettes	91	91	40	40
Alcohol	129	126	60	58
LIFETIME				
Illicit Drugs ²	115	110	60	59
Marijuana	97	93	30	30
Illicit Drugs Other Than Marijuana ²	91	86	54	52
Cigarettes	113	115	57	54
Alcohol	142	139	73	69

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.13D Ease of Obtaining Marijuana, by Demographic Characteristics (I), and Selected Substance Use, by Ease of Obtaining Marijuana (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Ease of Obtaining Marijuana ¹			
	Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	0.44	0.44	0.44	0.44
AGE				
12-13	0.61	0.63	0.61	0.63
14-15	0.76	0.78	0.76	0.78
16-17	0.68	0.67	0.68	0.67
GENDER				
Male	0.61	0.64	0.61	0.64
Female	0.63	0.63	0.63	0.63
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.46	0.47	0.46	0.47
White	0.52	0.55	0.52	0.55
Black or African American	1.16	1.16	1.16	1.16
American Indian or Alaska Native	5.57	3.75	5.57	3.75
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.98	3.52	2.98	3.52
Two or More Races	2.99	3.01	2.99	3.01
Hispanic or Latino	1.18	1.30	1.18	1.30
COUNTY TYPE				
Large Metro	0.65	0.66	0.65	0.66
Small Metro	0.74	0.78	0.74	0.78
Nonmetro	1.13	0.97	1.13	0.97
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	0.47	0.45	0.22	0.22
Marijuana	0.41	0.42	0.13	0.12
Illicit Drugs Other Than Marijuana ²	0.34	0.30	0.20	0.18
Cigarettes	0.50	0.50	0.25	0.21
Alcohol	0.53	0.55	0.31	0.29
Binge Alcohol ³	0.49	0.47	0.23	0.19
PAST YEAR				
Illicit Drugs ²	0.59	0.59	0.36	0.34
Marijuana	0.54	0.54	0.20	0.19
Illicit Drugs Other Than Marijuana ²	0.48	0.48	0.32	0.30
Cigarettes	0.57	0.62	0.33	0.32
Alcohol	0.64	0.64	0.47	0.44
LIFETIME				
Illicit Drugs ²	0.62	0.62	0.45	0.44
Marijuana	0.60	0.59	0.25	0.25
Illicit Drugs Other Than Marijuana ²	0.56	0.56	0.41	0.40
Cigarettes	0.62	0.68	0.45	0.42
Alcohol	0.62	0.63	0.55	0.51

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.13P Ease of Obtaining Marijuana, by Demographic Characteristics (I), and Selected Substance Use, by Ease of Obtaining Marijuana (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

(I) Demographic Characteristic and (II) Substance Use	Ease of Obtaining Marijuana ¹			
	Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	0.0391		0.0391	
AGE				
12-13	0.6724		0.6724	
14-15	0.0019		0.0019	
16-17	0.1916		0.1916	
GENDER				
Male	0.1220		0.1220	
Female	0.1742		0.1742	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0119		0.0119	
White	0.0039		0.0039	
Black or African American	0.3849		0.3849	
American Indian or Alaska Native	0.1171		0.1171	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.5291		0.5291	
Two or More Races	0.1112		0.1112	
Hispanic or Latino	0.7138		0.7138	
COUNTY TYPE				
Large Metro	0.4862		0.4862	
Small Metro	0.0430		0.0430	
Nonmetro	0.2286		0.2286	
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	0.1195		0.8226	
Marijuana	0.0760		0.4760	
Illicit Drugs Other Than Marijuana ²	0.2926		0.7333	
Cigarettes	0.0607		0.1179	
Alcohol	0.0317		0.6484	
Binge Alcohol ³	0.0060		0.9482	
PAST YEAR				
Illicit Drugs ²	0.0467		0.8367	
Marijuana	0.0326		0.7823	
Illicit Drugs Other Than Marijuana ²	0.1385		0.9100	
Cigarettes	0.1526		0.2826	
Alcohol	0.7065		0.4414	
LIFETIME				
Illicit Drugs ²	0.0010		0.0814	
Marijuana	0.0132		0.2241	
Illicit Drugs Other Than Marijuana ²	0.0038		0.1229	
Cigarettes	0.0011		0.1211	
Alcohol	0.3519		0.4549	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.14C Ease of Obtaining Cocaine, by Demographic Characteristics (I), and Selected Substance Use, by Ease of Obtaining Cocaine (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Ease of Obtaining Cocaine ¹			
	Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	102	99	102	99
AGE				
12-13	46	45	126	131
14-15	70	70	121	121
16-17	82	76	106	114
GENDER				
Male	64	66	64	66
Female	70	69	70	69
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	86	85	86	85
White	88	92	174	187
Black or African American	51	51	96	101
American Indian or Alaska Native	6	7	14	15
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	28	20	55	73
Two or More Races	17	9	20	22
Hispanic or Latino	45	48	45	48
COUNTY TYPE				
Large Metro	98	92	188	208
Small Metro	71	68	154	130
Nonmetro	51	45	96	102
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	49	50	56	47
Marijuana	42	44	45	37
Illicit Drugs Other Than Marijuana ²	34	33	37	31
Cigarettes	52	51	57	51
Alcohol	62	60	72	69
Binge Alcohol ³	53	48	55	51
PAST YEAR				
Illicit Drugs ²	70	67	83	78
Marijuana	57	58	66	58
Illicit Drugs Other Than Marijuana ²	55	53	62	58
Cigarettes	61	63	77	72
Alcohol	86	82	108	112
LIFETIME				
Illicit Drugs ²	82	76	102	97
Marijuana	65	62	77	69
Illicit Drugs Other Than Marijuana ²	69	63	81	78
Cigarettes	76	75	105	95
Alcohol	95	90	126	124

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.14D Ease of Obtaining Cocaine, by Demographic Characteristics (I), and Selected Substance Use, by Ease of Obtaining Cocaine (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Ease of Obtaining Cocaine ¹			
	Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	0.42	0.41	0.42	0.41
AGE				
12-13	0.54	0.55	0.54	0.55
14-15	0.67	0.69	0.67	0.69
16-17	0.81	0.75	0.81	0.75
GENDER				
Male	0.52	0.53	0.52	0.53
Female	0.59	0.58	0.59	0.58
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.43	0.42	0.43	0.42
White	0.46	0.49	0.46	0.49
Black or African American	1.10	1.03	1.10	1.03
American Indian or Alaska Native	3.52	3.87	3.52	3.87
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.56	1.82	2.56	1.82
Two or More Races	2.93	2.25	2.93	2.25
Hispanic or Latino	1.09	1.14	1.09	1.14
COUNTY TYPE				
Large Metro	0.61	0.57	0.61	0.57
Small Metro	0.76	0.73	0.76	0.73
Nonmetro	0.90	0.87	0.90	0.87
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	0.71	0.72	0.28	0.24
Marijuana	0.63	0.66	0.23	0.19
Illicit Drugs Other Than Marijuana ²	0.54	0.50	0.19	0.17
Cigarettes	0.77	0.74	0.29	0.28
Alcohol	0.80	0.82	0.34	0.35
Binge Alcohol ³	0.74	0.71	0.28	0.27
PAST YEAR				
Illicit Drugs ²	0.90	0.88	0.39	0.37
Marijuana	0.78	0.80	0.33	0.29
Illicit Drugs Other Than Marijuana ²	0.81	0.76	0.31	0.29
Cigarettes	0.82	0.85	0.37	0.38
Alcohol	0.94	0.90	0.46	0.48
LIFETIME				
Illicit Drugs ²	0.92	0.89	0.45	0.44
Marijuana	0.84	0.83	0.37	0.34
Illicit Drugs Other Than Marijuana ²	0.89	0.82	0.39	0.37
Cigarettes	0.87	0.91	0.48	0.45
Alcohol	0.89	0.89	0.51	0.51

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.14P Ease of Obtaining Cocaine, by Demographic Characteristics (I), and Selected Substance Use, by Ease of Obtaining Cocaine (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

(I) Demographic Characteristic and (II) Substance Use	Ease of Obtaining Cocaine ¹			
	Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	0.3547		0.3547	
AGE				
12-13	0.2627		0.2627	
14-15	0.9726		0.9726	
16-17	0.7243		0.7243	
GENDER				
Male	0.2314		0.2314	
Female	0.8193		0.8193	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.5637		0.5637	
White	0.0221		0.0221	
Black or African American	0.3847		0.3847	
American Indian or Alaska Native	0.8162		0.8162	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.0224		0.0224	
Two or More Races	0.0041		0.0041	
Hispanic or Latino	0.3788		0.3788	
COUNTY TYPE				
Large Metro	0.2797		0.2797	
Small Metro	0.5705		0.5705	
Nonmetro	0.5477		0.5477	
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	0.9095		0.0050	
Marijuana	0.8010		0.0007	
Illicit Drugs Other Than Marijuana ²	0.7363		0.0453	
Cigarettes	0.4764		0.0010	
Alcohol	0.4266		0.0205	
Binge Alcohol ³	0.0858		0.0095	
PAST YEAR				
Illicit Drugs ²	0.9618		0.0018	
Marijuana	0.7046		0.0005	
Illicit Drugs Other Than Marijuana ²	0.9234		0.0123	
Cigarettes	0.5071		0.0049	
Alcohol	0.7563		0.2862	
LIFETIME				
Illicit Drugs ²	0.2974		0.0000	
Marijuana	0.3673		0.0001	
Illicit Drugs Other Than Marijuana ²	0.2727		0.0001	
Cigarettes	0.0447		0.0000	
Alcohol	0.4210		0.0274	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.15C Ease of Obtaining Crack, by Demographic Characteristics (I), and Selected Substance Use, by Ease of Obtaining Crack (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Ease of Obtaining Crack ¹			
	Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	100	96	100	96
AGE				
12-13	50	48	124	128
14-15	71	72	123	119
16-17	78	68	103	118
GENDER				
Male	66	64	66	64
Female	69	69	69	69
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	85	84	85	84
White	86	89	174	187
Black or African American	55	55	92	101
American Indian or Alaska Native	7	7	14	17
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	28	23	53	72
Two or More Races	17	11	20	22
Hispanic or Latino	42	46	42	46
COUNTY TYPE				
Large Metro	97	89	187	209
Small Metro	72	66	149	133
Nonmetro	52	47	94	99
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	46	42	59	55
Marijuana	37	36	50	45
Illicit Drugs Other Than Marijuana ²	32	29	40	35
Cigarettes	48	45	63	56
Alcohol	59	53	77	71
Binge Alcohol ³	47	41	62	52
PAST YEAR				
Illicit Drugs ²	66	59	84	84
Marijuana	52	49	71	65
Illicit Drugs Other Than Marijuana ²	50	46	64	62
Cigarettes	58	54	83	77
Alcohol	82	75	112	114
LIFETIME				
Illicit Drugs ²	76	69	106	102
Marijuana	59	55	79	76
Illicit Drugs Other Than Marijuana ²	63	57	88	82
Cigarettes	72	68	107	99
Alcohol	89	84	130	126

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.15D Ease of Obtaining Crack, by Demographic Characteristics (I), and Selected Substance Use, by Ease of Obtaining Crack (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Ease of Obtaining Crack ¹			
	Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	0.41	0.39	0.41	0.39
AGE				
12-13	0.57	0.57	0.57	0.57
14-15	0.69	0.70	0.69	0.70
16-17	0.75	0.70	0.75	0.70
GENDER				
Male	0.53	0.51	0.53	0.51
Female	0.58	0.58	0.58	0.58
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.42	0.42	0.42	0.42
White	0.45	0.47	0.45	0.47
Black or African American	1.14	1.13	1.14	1.13
American Indian or Alaska Native	4.18	3.75	4.18	3.75
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.52	2.06	2.52	2.06
Two or More Races	3.06	2.63	3.06	2.63
Hispanic or Latino	1.04	1.08	1.04	1.08
COUNTY TYPE				
Large Metro	0.59	0.55	0.59	0.55
Small Metro	0.73	0.73	0.73	0.73
Nonmetro	0.87	0.88	0.87	0.88
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	0.69	0.63	0.29	0.28
Marijuana	0.56	0.55	0.26	0.23
Illicit Drugs Other Than Marijuana ²	0.50	0.45	0.20	0.19
Cigarettes	0.69	0.68	0.32	0.30
Alcohol	0.79	0.75	0.37	0.36
Binge Alcohol ³	0.69	0.64	0.32	0.27
PAST YEAR				
Illicit Drugs ²	0.87	0.81	0.40	0.39
Marijuana	0.73	0.71	0.35	0.32
Illicit Drugs Other Than Marijuana ²	0.72	0.68	0.32	0.31
Cigarettes	0.79	0.77	0.40	0.39
Alcohol	0.87	0.86	0.47	0.49
LIFETIME				
Illicit Drugs ²	0.90	0.88	0.46	0.45
Marijuana	0.81	0.79	0.38	0.37
Illicit Drugs Other Than Marijuana ²	0.82	0.78	0.40	0.39
Cigarettes	0.88	0.87	0.49	0.46
Alcohol	0.84	0.89	0.52	0.51

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.15P Ease of Obtaining Crack, by Demographic Characteristics (I), and Selected Substance Use, by Ease of Obtaining Crack (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

(I) Demographic Characteristic and (II) Substance Use	Ease of Obtaining Crack ¹			
	Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	0.6622		0.6622	
AGE				
12-13	0.3369		0.3369	
14-15	0.7446		0.7446	
16-17	0.9962		0.9962	
GENDER				
Male	0.9232		0.9232	
Female	0.4644		0.4644	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.7037		0.7037	
White	0.3901		0.3901	
Black or African American	0.3130		0.3130	
American Indian or Alaska Native	0.7861		0.7861	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.1409		0.1409	
Two or More Races	0.0889		0.0889	
Hispanic or Latino	0.0881		0.0881	
COUNTY TYPE				
Large Metro	0.2098		0.2098	
Small Metro	0.5099		0.5099	
Nonmetro	0.6668		0.6668	
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	0.0985		0.2239	
Marijuana	0.1701		0.0433	
Illicit Drugs Other Than Marijuana ²	0.2248		0.3740	
Cigarettes	0.0144		0.0980	
Alcohol	0.1595		0.0592	
Binge Alcohol ³	0.0241		0.0291	
PAST YEAR				
Illicit Drugs ²	0.2278		0.0409	
Marijuana	0.0966		0.0286	
Illicit Drugs Other Than Marijuana ²	0.5004		0.1057	
Cigarettes	0.0115		0.1840	
Alcohol	0.1782		0.6729	
LIFETIME				
Illicit Drugs ²	0.0690		0.0002	
Marijuana	0.0706		0.0037	
Illicit Drugs Other Than Marijuana ²	0.1250		0.0008	
Cigarettes	0.0038		0.0005	
Alcohol	0.1031		0.0994	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.16C Ease of Obtaining Heroin, by Demographic Characteristics (I), and Selected Substance Use, by Ease of Obtaining Heroin (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Ease of Obtaining Heroin ¹			
	Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	80	74	80	74
AGE				
12-13	35	35	127	132
14-15	52	47	136	130
16-17	64	54	119	128
GENDER				
Male	50	49	50	49
Female	58	57	58	57
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	67	64	67	64
White	61	62	195	202
Black or African American	41	38	105	112
American Indian or Alaska Native	4	6	15	17
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	22	16	56	68
Two or More Races	12	8	26	23
Hispanic or Latino	37	38	37	38
COUNTY TYPE				
Large Metro	71	64	211	219
Small Metro	48	47	167	142
Nonmetro	34	33	108	108
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	36	30	64	62
Marijuana	29	26	55	51
Illicit Drugs Other Than Marijuana ²	26	22	43	39
Cigarettes	37	32	72	63
Alcohol	43	39	85	80
Binge Alcohol ³	36	29	67	60
PAST YEAR				
Illicit Drugs ²	51	44	90	92
Marijuana	40	36	77	73
Illicit Drugs Other Than Marijuana ²	40	35	69	70
Cigarettes	43	39	92	84
Alcohol	62	57	126	125
LIFETIME				
Illicit Drugs ²	56	52	115	111
Marijuana	44	41	88	84
Illicit Drugs Other Than Marijuana ²	47	44	93	90
Cigarettes	54	49	117	109
Alcohol	69	63	145	138

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.16D Ease of Obtaining Heroin, by Demographic Characteristics (I), and Selected Substance Use, by Ease of Obtaining Heroin (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Ease of Obtaining Heroin ¹			
	Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	0.33	0.31	0.33	0.31
AGE				
12-13	0.41	0.42	0.41	0.42
14-15	0.55	0.50	0.55	0.50
16-17	0.70	0.61	0.70	0.61
GENDER				
Male	0.40	0.39	0.40	0.39
Female	0.49	0.48	0.49	0.48
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.33	0.32	0.33	0.32
White	0.36	0.36	0.36	0.36
Black or African American	0.97	0.87	0.97	0.87
American Indian or Alaska Native	2.94	3.64	2.94	3.64
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.18	1.54	2.18	1.54
Two or More Races	2.64	1.96	2.64	1.96
Hispanic or Latino	0.91	0.90	0.91	0.90
COUNTY TYPE				
Large Metro	0.49	0.43	0.49	0.43
Small Metro	0.56	0.55	0.56	0.55
Nonmetro	0.68	0.70	0.68	0.70
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	0.93	0.83	0.28	0.28
Marijuana	0.78	0.73	0.25	0.23
Illicit Drugs Other Than Marijuana ²	0.70	0.63	0.20	0.18
Cigarettes	0.96	0.89	0.32	0.29
Alcohol	1.04	0.99	0.35	0.35
Binge Alcohol ³	0.94	0.81	0.30	0.27
PAST YEAR				
Illicit Drugs ²	1.15	1.09	0.37	0.37
Marijuana	0.99	0.95	0.33	0.31
Illicit Drugs Other Than Marijuana ²	0.99	0.91	0.30	0.30
Cigarettes	1.04	0.99	0.38	0.38
Alcohol	1.21	1.19	0.45	0.46
LIFETIME				
Illicit Drugs ²	1.17	1.19	0.42	0.43
Marijuana	1.09	1.03	0.37	0.36
Illicit Drugs Other Than Marijuana ²	1.09	1.09	0.37	0.37
Cigarettes	1.11	1.12	0.46	0.45
Alcohol	1.20	1.21	0.48	0.47

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.16P Ease of Obtaining Heroin, by Demographic Characteristics (I), and Selected Substance Use, by Ease of Obtaining Heroin (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2005 Versus 2004

(I) Demographic Characteristic and (II) Substance Use	Ease of Obtaining Heroin ¹			
	Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	0.9539		0.9539	
AGE				
12-13	0.5164		0.5164	
14-15	0.7695		0.7695	
16-17	0.7743		0.7743	
GENDER				
Male	0.7716		0.7716	
Female	0.7591		0.7591	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.9014		0.9014	
White	0.3332		0.3332	
Black or African American	0.7788		0.7788	
American Indian or Alaska Native	0.4132		0.4132	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.0501		0.0501	
Two or More Races	0.0677		0.0677	
Hispanic or Latino	0.7370		0.7370	
COUNTY TYPE				
Large Metro	0.3644		0.3644	
Small Metro	0.3000		0.3000	
Nonmetro	0.5744		0.5744	
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	0.2762		0.0885	
Marijuana	0.4856		0.0187	
Illicit Drugs Other Than Marijuana ²	0.3722		0.2112	
Cigarettes	0.0422		0.0468	
Alcohol	0.1956		0.0728	
Binge Alcohol ³	0.0784		0.0101	
PAST YEAR				
Illicit Drugs ²	0.3398		0.0298	
Marijuana	0.4977		0.0069	
Illicit Drugs Other Than Marijuana ²	0.3147		0.1873	
Cigarettes	0.0339		0.0761	
Alcohol	0.4272		0.5020	
LIFETIME				
Illicit Drugs ²	0.2601		0.0000	
Marijuana	0.5278		0.0006	
Illicit Drugs Other Than Marijuana ²	0.2352		0.0004	
Cigarettes	0.0038		0.0003	
Alcohol	0.2255		0.0689	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.17C Ease of Obtaining LSD, by Demographic Characteristics (I), and Selected Substance Use, by Ease of Obtaining LSD (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Ease of Obtaining LSD ¹			
	Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	84	79	84	79
AGE				
12-13	35	32	125	132
14-15	58	56	131	128
16-17	66	60	112	121
GENDER				
Male	53	53	53	53
Female	63	56	63	56
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	74	70	74	70
White	73	70	182	196
Black or African American	36	32	107	111
American Indian or Alaska Native	5	4	14	18
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	24	26	58	67
Two or More Races	14	8	23	23
Hispanic or Latino	37	39	37	39
COUNTY TYPE				
Large Metro	80	73	193	209
Small Metro	55	51	163	141
Nonmetro	37	32	105	107
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	43	38	60	59
Marijuana	37	34	50	48
Illicit Drugs Other Than Marijuana ²	29	25	42	38
Cigarettes	45	40	64	59
Alcohol	57	48	78	74
Binge Alcohol ³	46	39	61	54
PAST YEAR				
Illicit Drugs ²	60	53	85	88
Marijuana	50	45	71	68
Illicit Drugs Other Than Marijuana ²	46	41	67	66
Cigarettes	52	48	83	79
Alcohol	76	64	117	117
LIFETIME				
Illicit Drugs ²	66	61	108	106
Marijuana	56	51	81	77
Illicit Drugs Other Than Marijuana ²	56	51	88	86
Cigarettes	64	59	109	103
Alcohol	78	69	136	133

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.17D Ease of Obtaining LSD, by Demographic Characteristics (I), and Selected Substance Use, by Ease of Obtaining LSD (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Ease of Obtaining LSD ¹			
	Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	0.35	0.33	0.35	0.33
AGE				
12-13	0.42	0.40	0.42	0.40
14-15	0.61	0.61	0.61	0.61
16-17	0.70	0.66	0.70	0.66
GENDER				
Male	0.44	0.44	0.44	0.44
Female	0.54	0.49	0.54	0.49
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.37	0.36	0.37	0.36
White	0.41	0.41	0.41	0.41
Black or African American	0.88	0.78	0.88	0.78
American Indian or Alaska Native	2.99	2.44	2.99	2.44
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.40	2.20	2.40	2.20
Two or More Races	2.74	2.08	2.74	2.08
Hispanic or Latino	0.92	0.96	0.92	0.96
COUNTY TYPE				
Large Metro	0.52	0.47	0.52	0.47
Small Metro	0.65	0.62	0.65	0.62
Nonmetro	0.74	0.69	0.74	0.69
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	0.92	0.92	0.27	0.28
Marijuana	0.81	0.84	0.24	0.23
Illicit Drugs Other Than Marijuana ²	0.67	0.64	0.20	0.18
Cigarettes	0.94	0.96	0.30	0.29
Alcohol	1.10	1.06	0.35	0.34
Binge Alcohol ³	0.94	0.96	0.29	0.26
PAST YEAR				
Illicit Drugs ²	1.11	1.14	0.37	0.38
Marijuana	1.00	1.03	0.32	0.31
Illicit Drugs Other Than Marijuana ²	0.96	0.97	0.31	0.30
Cigarettes	1.00	1.08	0.37	0.37
Alcohol	1.21	1.15	0.45	0.45
LIFETIME				
Illicit Drugs ²	1.11	1.21	0.43	0.43
Marijuana	1.09	1.11	0.36	0.34
Illicit Drugs Other Than Marijuana ²	1.07	1.12	0.38	0.38
Cigarettes	1.08	1.20	0.45	0.44
Alcohol	1.10	1.12	0.48	0.48

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.17P Ease of Obtaining LSD, by Demographic Characteristics (I), and Selected Substance Use, by Ease of Obtaining LSD (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

(I) Demographic Characteristic and (II) Substance Use	Ease of Obtaining LSD ¹			
	Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	0.0120		0.0120	
AGE				
12-13	0.4245		0.4245	
14-15	0.0743		0.0743	
16-17	0.0385		0.0385	
GENDER				
Male	0.3773		0.3773	
Female	0.0080		0.0080	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0024		0.0024	
White	0.0568		0.0568	
Black or African American	0.0520		0.0520	
American Indian or Alaska Native	0.6335		0.6335	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.3196		0.3196	
Two or More Races	0.1892		0.1892	
Hispanic or Latino	0.7220		0.7220	
COUNTY TYPE				
Large Metro	0.1807		0.1807	
Small Metro	0.1277		0.1277	
Nonmetro	0.0657		0.0657	
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	0.1858		0.2039	
Marijuana	0.5474		0.0221	
Illicit Drugs Other Than Marijuana ²	0.3110		0.3981	
Cigarettes	0.4450		0.0245	
Alcohol	0.1142		0.3604	
Binge Alcohol ³	0.1910		0.0236	
PAST YEAR				
Illicit Drugs ²	0.2217		0.1105	
Marijuana	0.6512		0.0119	
Illicit Drugs Other Than Marijuana ²	0.3851		0.3201	
Cigarettes	0.1211		0.1130	
Alcohol	0.4255		0.8889	
LIFETIME				
Illicit Drugs ²	0.1615		0.0002	
Marijuana	0.2854		0.0046	
Illicit Drugs Other Than Marijuana ²	0.4955		0.0004	
Cigarettes	0.0425		0.0004	
Alcohol	0.6189		0.1004	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.