

Table 3.18C Whether Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics (I), and Selected Substance Use, by Whether Approached by Someone Selling Drugs (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Approached in Past Month by Someone Selling Drugs ¹			
	Yes		No	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	85	86	85	86
AGE				
12-13	32	31	133	136
14-15	58	58	131	136
16-17	69	65	116	124
GENDER				
Male	59	64	59	64
Female	54	54	54	54
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	75	75	75	75
White	68	73	196	208
Black or African American	38	42	107	116
American Indian or Alaska Native	*	7	*	16
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	21	18	59	75
Two or More Races	13	11	26	22
Hispanic or Latino	38	41	38	41
COUNTY TYPE				
Large Metro	83	81	204	220
Small Metro	51	51	168	147
Nonmetro	34	33	114	113
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	52	51	51	48
Marijuana	45	47	40	36
Illicit Drugs Other Than Marijuana ²	36	31	37	35
Cigarettes	53	51	59	54
Alcohol	59	56	74	71
Binge Alcohol ³	50	47	56	49
PAST YEAR				
Illicit Drugs ²	68	65	77	79
Marijuana	59	59	62	59
Illicit Drugs Other Than Marijuana ²	52	50	62	60
Cigarettes	62	62	77	76
Alcohol	79	74	113	114
LIFETIME				
Illicit Drugs ²	75	73	103	101
Marijuana	63	64	74	71
Illicit Drugs Other Than Marijuana ²	62	60	86	82
Cigarettes	70	72	106	102
Alcohol	85	80	134	130

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.18D Whether Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics (I), and Selected Substance Use, by Whether Approached by Someone Selling Drugs (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Approached in Past Month by Someone Selling Drugs ¹			
	Yes		No	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	0.34	0.34	0.34	0.34
AGE				
12-13	0.36	0.37	0.36	0.37
14-15	0.57	0.61	0.57	0.61
16-17	0.71	0.67	0.71	0.67
GENDER				
Male	0.46	0.50	0.46	0.50
Female	0.44	0.43	0.44	0.43
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.36	0.36	0.36	0.36
White	0.39	0.41	0.39	0.41
Black or African American	0.83	0.93	0.83	0.93
American Indian or Alaska Native	*	3.35	*	3.35
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.93	1.56	1.93	1.56
Two or More Races	2.51	2.46	2.51	2.46
Hispanic or Latino	0.90	0.93	0.90	0.93
COUNTY TYPE				
Large Metro	0.52	0.50	0.52	0.50
Small Metro	0.54	0.59	0.54	0.59
Nonmetro	0.67	0.68	0.67	0.68
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	1.02	1.08	0.22	0.21
Marijuana	0.92	1.04	0.18	0.16
Illicit Drugs Other Than Marijuana ²	0.79	0.74	0.17	0.16
Cigarettes	1.04	1.08	0.26	0.25
Alcohol	1.07	1.06	0.31	0.31
Binge Alcohol ³	0.98	1.05	0.26	0.22
PAST YEAR				
Illicit Drugs ²	1.09	1.12	0.32	0.32
Marijuana	1.07	1.11	0.27	0.26
Illicit Drugs Other Than Marijuana ²	1.00	1.04	0.27	0.26
Cigarettes	1.10	1.18	0.33	0.33
Alcohol	1.02	1.04	0.42	0.42
LIFETIME				
Illicit Drugs ²	1.02	1.08	0.40	0.39
Marijuana	1.08	1.13	0.32	0.30
Illicit Drugs Other Than Marijuana ²	1.03	1.12	0.35	0.34
Cigarettes	1.04	1.17	0.43	0.42
Alcohol	0.91	0.97	0.46	0.46

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.18P Whether Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics (I), and Selected Substance Use, by Whether Approached by Someone Selling Drugs (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

(I) Demographic Characteristic and (II) Substance Use	Approached in Past Month by Someone Selling Drugs ¹			
	Yes		No	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	0.0999		0.0999	
AGE				
12-13	0.5194		0.5194	
14-15	0.1026		0.1026	
16-17	0.2757		0.2757	
GENDER				
Male	0.1270		0.1270	
Female	0.3912		0.3912	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.2076		0.2076	
White	0.1018		0.1018	
Black or African American	0.2892		0.2892	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.1703		0.1703	
Two or More Races	0.9808		0.9808	
Hispanic or Latino	0.2206		0.2206	
COUNTY TYPE				
Large Metro	0.4831		0.4831	
Small Metro	0.7355		0.7355	
Nonmetro	0.0041		0.0041	
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	0.9792		0.0657	
Marijuana	0.7094		0.0234	
Illicit Drugs Other Than Marijuana ²	0.8585		0.1651	
Cigarettes	0.6091		0.0087	
Alcohol	0.1599		0.1878	
Binge Alcohol ³	0.1624		0.0218	
PAST YEAR				
Illicit Drugs ²	0.3667		0.1160	
Marijuana	0.3721		0.0378	
Illicit Drugs Other Than Marijuana ²	0.5652		0.3293	
Cigarettes	0.9881		0.0235	
Alcohol	0.2672		0.9214	
LIFETIME				
Illicit Drugs ²	0.0616		0.0010	
Marijuana	0.1884		0.0083	
Illicit Drugs Other Than Marijuana ²	0.1206		0.0056	
Cigarettes	0.2112		0.0002	
Alcohol	0.3970		0.1017	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.19C Number of Times Moved in the Past 5 Years, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Moved in the Past 5 Years (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Number of Times Moved in Past 5 Years ¹			
	Two or More		Less Than Two	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	106	117	106	117
AGE				
12-13	77	73	111	116
14-15	73	72	121	122
16-17	61	65	116	128
GENDER				
Male	75	74	75	74
Female	70	75	70	75
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	91	98	91	98
White	82	81	189	207
Black or African American	66	71	79	92
American Indian or Alaska Native	*	7	*	14
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	28	31	54	68
Two or More Races	12	12	28	20
Hispanic or Latino	47	55	47	55
COUNTY TYPE				
Large Metro	98	106	195	212
Small Metro	85	76	143	137
Nonmetro	51	52	98	101
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	38	42	63	56
Marijuana	31	34	54	47
Illicit Drugs Other Than Marijuana ²	28	29	44	36
Cigarettes	42	42	65	59
Alcohol	42	47	86	79
Binge Alcohol ³	32	37	70	55
PAST YEAR				
Illicit Drugs ²	53	56	90	89
Marijuana	43	45	74	70
Illicit Drugs Other Than Marijuana ²	41	42	70	67
Cigarettes	52	52	82	81
Alcohol	65	71	123	123
LIFETIME				
Illicit Drugs ²	67	67	108	109
Marijuana	52	54	84	81
Illicit Drugs Other Than Marijuana ²	54	52	88	88
Cigarettes	66	66	107	106
Alcohol	75	82	136	137

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.19D Number of Times Moved in the Past 5 Years, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Moved in the Past 5 Years (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005

(I) Demographic Characteristic and (II) Substance Use	Number of Times Moved in Past 5 Years ¹			
	Two or More		Less Than Two	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	0.43	0.47	0.43	0.47
AGE				
12-13	0.78	0.77	0.78	0.77
14-15	0.68	0.70	0.68	0.70
16-17	0.64	0.70	0.64	0.70
GENDER				
Male	0.59	0.58	0.59	0.58
Female	0.58	0.62	0.58	0.62
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.45	0.48	0.45	0.48
White	0.46	0.47	0.46	0.47
Black or African American	1.15	1.28	1.15	1.28
American Indian or Alaska Native	*	3.90	*	3.90
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.48	2.61	2.48	2.61
Two or More Races	2.76	2.66	2.76	2.66
Hispanic or Latino	1.15	1.30	1.15	1.30
COUNTY TYPE				
Large Metro	0.61	0.66	0.61	0.66
Small Metro	0.81	0.85	0.81	0.85
Nonmetro	0.92	1.00	0.92	1.00
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	0.57	0.61	0.32	0.28
Marijuana	0.47	0.52	0.27	0.24
Illicit Drugs Other Than Marijuana ²	0.44	0.43	0.23	0.19
Cigarettes	0.64	0.63	0.32	0.31
Alcohol	0.63	0.69	0.40	0.37
Binge Alcohol ³	0.50	0.56	0.35	0.28
PAST YEAR				
Illicit Drugs ²	0.74	0.76	0.41	0.40
Marijuana	0.64	0.67	0.36	0.34
Illicit Drugs Other Than Marijuana ²	0.60	0.61	0.34	0.32
Cigarettes	0.77	0.73	0.39	0.40
Alcohol	0.81	0.86	0.49	0.49
LIFETIME				
Illicit Drugs ²	0.86	0.86	0.45	0.47
Marijuana	0.74	0.76	0.40	0.38
Illicit Drugs Other Than Marijuana ²	0.74	0.73	0.39	0.40
Cigarettes	0.87	0.88	0.48	0.48
Alcohol	0.87	0.92	0.50	0.52

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 3.19P Number of Times Moved in the Past 5 Years, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Moved in the Past 5 Years (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2005 Versus 2004

(I) Demographic Characteristic and (II) Substance Use	Number of Times Moved in Past 5 Years ¹			
	Two or More		Less Than Two	
	2004	2005	2004	2005
(I) Demographic Characteristic				
TOTAL	0.8305		0.8305	
AGE				
12-13	0.2182		0.2182	
14-15	0.3359		0.3359	
16-17	0.9811		0.9811	
GENDER				
Male	0.4526		0.4526	
Female	0.6628		0.6628	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.6717		0.6717	
White	0.7837		0.7837	
Black or African American	0.1662		0.1662	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.6584		0.6584	
Two or More Races	0.4921		0.4921	
Hispanic or Latino	0.8616		0.8616	
COUNTY TYPE				
Large Metro	0.5181		0.5181	
Small Metro	0.5982		0.5982	
Nonmetro	0.9340		0.9340	
(II) Substance Use				
PAST MONTH				
Illicit Drugs ²	0.6763		0.0085	
Marijuana	0.6351		0.0100	
Illicit Drugs Other Than Marijuana ²	0.2657		0.0213	
Cigarettes	0.9951		0.0008	
Alcohol	0.3495		0.0019	
Binge Alcohol ³	0.2694		0.0000	
PAST YEAR				
Illicit Drugs ²	0.6400		0.0044	
Marijuana	0.6359		0.0062	
Illicit Drugs Other Than Marijuana ²	0.3794		0.0159	
Cigarettes	0.7232		0.0108	
Alcohol	0.2192		0.0693	
LIFETIME				
Illicit Drugs ²	0.0834		0.0002	
Marijuana	0.4087		0.0005	
Illicit Drugs Other Than Marijuana ²	0.1278		0.0008	
Cigarettes	0.1183		0.0001	
Alcohol	0.9348		0.0145	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.