

**Table 3.24C Number of Times Gotten into a Serious Fight at School or Work in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Gotten into a Serious Fight at School or Work (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Gotten into Serious Fight at School/Work <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	96	102	96	102
<b>AGE</b>				
12-13	63	66	118	122
14-15	66	68	126	125
16-17	58	61	123	129
<b>GENDER</b>				
Male	71	72	71	72
Female	60	64	60	64
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	83	90	83	90
White	81	85	187	200
Black or African American	54	61	93	98
American Indian or Alaska Native	6	7	14	16
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	19	21	60	72
Two or More Races	14	10	25	22
Hispanic or Latino	43	49	43	49
<b>COUNTY TYPE</b>				
Large Metro	91	99	199	212
Small Metro	69	60	155	144
Nonmetro	41	50	108	99
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	47	45	59	53
Marijuana	38	38	49	45
Illicit Drugs Other Than Marijuana <sup>2</sup>	36	31	41	36
Cigarettes	49	48	63	54
Alcohol	54	56	79	73
Binge Alcohol <sup>3</sup>	47	45	64	51
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	63	65	82	81
Marijuana	52	53	69	65
Illicit Drugs Other Than Marijuana <sup>2</sup>	51	51	64	61
Cigarettes	60	60	81	77
Alcohol	75	77	122	117
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	74	79	99	96
Marijuana	58	60	78	73
Illicit Drugs Other Than Marijuana <sup>2</sup>	64	66	82	79
Cigarettes	69	73	108	101
Alcohol	84	86	132	130

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.24D Number of Times Gotten into a Serious Fight at School or Work in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Gotten into a Serious Fight at School or Work (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Gotten into Serious Fight at School/Work <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.38	0.40	0.38	0.40
<b>AGE</b>				
12-13	0.63	0.70	0.63	0.70
14-15	0.62	0.66	0.62	0.66
16-17	0.64	0.65	0.64	0.65
<b>GENDER</b>				
Male	0.56	0.56	0.56	0.56
Female	0.49	0.52	0.49	0.52
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.40	0.43	0.40	0.43
White	0.44	0.46	0.44	0.46
Black or African American	1.02	1.12	1.02	1.12
American Indian or Alaska Native	3.61	3.20	3.61	3.20
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.76	1.81	1.76	1.81
Two or More Races	2.54	2.41	2.54	2.41
Hispanic or Latino	1.03	1.13	1.03	1.13
<b>COUNTY TYPE</b>				
Large Metro	0.56	0.60	0.56	0.60
Small Metro	0.67	0.69	0.67	0.69
Nonmetro	0.77	0.85	0.77	0.85
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.69	0.66	0.28	0.26
Marijuana	0.60	0.58	0.24	0.23
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.55	0.49	0.21	0.18
Cigarettes	0.75	0.71	0.30	0.28
Alcohol	0.78	0.80	0.36	0.34
Binge Alcohol <sup>3</sup>	0.71	0.70	0.32	0.26
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.81	0.85	0.38	0.37
Marijuana	0.73	0.74	0.33	0.31
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.74	0.75	0.31	0.29
Cigarettes	0.89	0.82	0.37	0.37
Alcohol	0.92	0.93	0.48	0.47
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.84	0.94	0.41	0.41
Marijuana	0.78	0.81	0.37	0.35
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.83	0.90	0.36	0.35
Cigarettes	0.91	0.90	0.47	0.46
Alcohol	0.89	0.93	0.49	0.49

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.24P Number of Times Gotten into a Serious Fight at School or Work in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Gotten into a Serious Fight at School or Work (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2005 Versus 2004**

(I) Demographic Characteristic and (II) Substance Use	Gotten into Serious Fight at School/Work <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.6310		0.6310	
<b>AGE</b>				
12-13	0.3444		0.3444	
14-15	0.4144		0.4144	
16-17	0.3810		0.3810	
<b>GENDER</b>				
Male	0.6164		0.6164	
Female	0.8656		0.8656	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.7183		0.7183	
White	0.2114		0.2114	
Black or African American	0.4951		0.4951	
American Indian or Alaska Native	0.4656		0.4656	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.1964		0.1964	
Two or More Races	0.7821		0.7821	
Hispanic or Latino	0.1035		0.1035	
<b>COUNTY TYPE</b>				
Large Metro	0.1937		0.1937	
Small Metro	0.0501		0.0501	
Nonmetro	0.1858		0.1858	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.0978		0.2050	
Marijuana	0.1156		0.0542	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.2529		0.5573	
Cigarettes	0.2248		0.0075	
Alcohol	0.7757		0.0077	
Binge Alcohol <sup>3</sup>	0.1574		0.0050	
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.0307		0.1375	
Marijuana	0.0426		0.0428	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.1057		0.4666	
Cigarettes	0.3851		0.0299	
Alcohol	0.4556		0.4816	
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.0083		0.0002	
Marijuana	0.0266		0.0043	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.0424		0.0020	
Cigarettes	0.0820		0.0001	
Alcohol	0.2271		0.0525	

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.25C Number of Times Taken Part in a Group-Against-Group Fight in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Taken Part in a Group-Against-Group Fight (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Taken Part in Group-Against-Group Fight <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	85	86	85	86
<b>AGE</b>				
12-13	52	54	128	124
14-15	57	58	132	133
16-17	50	51	124	133
<b>GENDER</b>				
Male	60	66	60	66
Female	57	55	57	55
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	72	73	72	73
White	65	66	193	210
Black or African American	43	46	105	108
American Indian or Alaska Native	*	7	*	16
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	22	26	56	67
Two or More Races	13	8	26	23
Hispanic or Latino	47	45	47	45
<b>COUNTY TYPE</b>				
Large Metro	72	84	215	215
Small Metro	60	51	164	149
Nonmetro	41	35	109	109
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	42	43	58	54
Marijuana	37	37	47	44
Illicit Drugs Other Than Marijuana <sup>2</sup>	30	28	41	37
Cigarettes	45	47	62	57
Alcohol	47	49	78	78
Binge Alcohol <sup>3</sup>	41	43	63	55
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	55	58	86	85
Marijuana	46	48	71	68
Illicit Drugs Other Than Marijuana <sup>2</sup>	45	45	64	64
Cigarettes	54	55	81	81
Alcohol	65	68	121	123
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	65	71	107	102
Marijuana	52	55	81	78
Illicit Drugs Other Than Marijuana <sup>2</sup>	54	60	87	82
Cigarettes	62	64	109	107
Alcohol	71	76	140	138

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.25D Number of Times Taken Part in a Group-Against-Group Fight in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Taken Part in a Group-Against-Group Fight (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Taken Part in Group-Against-Group Fight <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.34	0.34	0.34	0.34
<b>AGE</b>				
12-13	0.57	0.57	0.57	0.57
14-15	0.57	0.61	0.57	0.61
16-17	0.55	0.56	0.55	0.56
<b>GENDER</b>				
Male	0.46	0.51	0.46	0.51
Female	0.46	0.44	0.46	0.44
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.34	0.35	0.34	0.35
White	0.36	0.37	0.36	0.37
Black or African American	0.96	0.93	0.96	0.93
American Indian or Alaska Native	*	3.16	*	3.16
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.94	2.03	1.94	2.03
Two or More Races	2.50	1.99	2.50	1.99
Hispanic or Latino	1.11	1.03	1.11	1.03
<b>COUNTY TYPE</b>				
Large Metro	0.48	0.50	0.48	0.50
Small Metro	0.63	0.61	0.63	0.61
Nonmetro	0.78	0.67	0.78	0.67
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.88	0.89	0.26	0.24
Marijuana	0.81	0.78	0.21	0.21
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.66	0.63	0.19	0.17
Cigarettes	0.94	0.95	0.28	0.27
Alcohol	0.91	0.97	0.33	0.34
Binge Alcohol <sup>3</sup>	0.86	0.89	0.29	0.25
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	1.01	1.02	0.36	0.35
Marijuana	0.92	0.90	0.31	0.29
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.94	0.92	0.28	0.28
Cigarettes	1.09	1.00	0.35	0.36
Alcohol	1.07	1.11	0.44	0.45
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	1.03	1.14	0.41	0.40
Marijuana	0.99	1.00	0.34	0.33
Illicit Drugs Other Than Marijuana <sup>2</sup>	1.02	1.09	0.36	0.34
Cigarettes	1.14	1.08	0.44	0.45
Alcohol	1.03	1.10	0.48	0.48

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.25P Number of Times Taken Part in a Group-Against-Group Fight in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Taken Part in a Group-Against-Group Fight (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

(I) Demographic Characteristic and (II) Substance Use	Taken Part in Group-Against-Group Fight <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.6563		0.6563	
<b>AGE</b>				
12-13	0.1217		0.1217	
14-15	0.0875		0.0875	
16-17	0.6120		0.6120	
<b>GENDER</b>				
Male	0.6393		0.6393	
Female	0.8739		0.8739	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.2847		0.2847	
White	0.0561		0.0561	
Black or African American	0.2047		0.2047	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.9463		0.9463	
Two or More Races	0.1612		0.1612	
Hispanic or Latino	0.4360		0.4360	
<b>COUNTY TYPE</b>				
Large Metro	0.6315		0.6315	
Small Metro	0.4086		0.4086	
Nonmetro	0.3046		0.3046	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.1545		0.1960	
Marijuana	0.1109		0.0782	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.3348		0.5096	
Cigarettes	0.0748		0.0490	
Alcohol	0.4596		0.0286	
Binge Alcohol <sup>3</sup>	0.2192		0.0052	
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.0607		0.1352	
Marijuana	0.0399		0.0630	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.0659		0.6331	
Cigarettes	0.3774		0.0556	
Alcohol	0.9218		0.3964	
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.0278		0.0003	
Marijuana	0.0116		0.0130	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.0232		0.0074	
Cigarettes	0.1446		0.0001	
Alcohol	0.8097		0.0178	

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.26C Number of Times Carried a Handgun in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Carried a Handgun (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Carried a Handgun <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	37	42	37	42
<b>AGE</b>				
12-13	17	16	141	141
14-15	22	30	149	144
16-17	26	26	136	141
<b>GENDER</b>				
Male	35	40	35	40
Female	14	14	14	14
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	32	37	32	37
White	28	30	213	228
Black or African American	18	19	118	127
American Indian or Alaska Native	3	5	14	18
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	7	*	63	*
Two or More Races	3	3	30	24
Hispanic or Latino	17	19	17	19
<b>COUNTY TYPE</b>				
Large Metro	28	36	234	245
Small Metro	23	19	187	163
Nonmetro	17	17	123	121
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	25	22	72	66
Marijuana	21	20	59	55
Illicit Drugs Other Than Marijuana <sup>2</sup>	16	16	51	44
Cigarettes	25	20	79	71
Alcohol	24	22	92	89
Binge Alcohol <sup>3</sup>	23	19	75	66
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	28	26	101	103
Marijuana	26	23	85	81
Illicit Drugs Other Than Marijuana <sup>2</sup>	20	21	78	76
Cigarettes	28	23	98	96
Alcohol	32	29	142	140
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	31	28	126	125
Marijuana	29	25	98	94
Illicit Drugs Other Than Marijuana <sup>2</sup>	25	24	103	99
Cigarettes	32	26	126	125
Alcohol	34	30	161	159

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.26D Number of Times Carried a Handgun in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Carried a Handgun (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Carried a Handgun <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.15	0.17	0.15	0.17
<b>AGE</b>				
12-13	0.21	0.20	0.21	0.20
14-15	0.26	0.34	0.26	0.34
16-17	0.32	0.31	0.32	0.31
<b>GENDER</b>				
Male	0.27	0.31	0.27	0.31
Female	0.11	0.11	0.11	0.11
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.16	0.18	0.16	0.18
White	0.17	0.18	0.17	0.18
Black or African American	0.44	0.47	0.44	0.47
American Indian or Alaska Native	1.63	2.61	1.63	2.61
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	0.73	*	0.73	*
Two or More Races	0.72	0.72	0.72	0.72
Hispanic or Latino	0.40	0.42	0.40	0.42
<b>COUNTY TYPE</b>				
Large Metro	0.21	0.25	0.21	0.25
Small Metro	0.28	0.25	0.28	0.25
Nonmetro	0.36	0.38	0.36	0.38
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	2.35	2.41	0.27	0.25
Marijuana	2.08	2.19	0.23	0.22
Illicit Drugs Other Than Marijuana <sup>2</sup>	1.76	1.89	0.20	0.17
Cigarettes	2.39	2.23	0.30	0.28
Alcohol	2.16	2.42	0.32	0.32
Binge Alcohol <sup>3</sup>	2.18	2.19	0.29	0.26
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	2.38	2.59	0.34	0.35
Marijuana	2.41	2.41	0.31	0.29
Illicit Drugs Other Than Marijuana <sup>2</sup>	2.03	2.28	0.28	0.28
Cigarettes	2.50	2.39	0.35	0.35
Alcohol	2.41	2.65	0.42	0.42
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	2.37	2.64	0.38	0.40
Marijuana	2.48	2.50	0.35	0.33
Illicit Drugs Other Than Marijuana <sup>2</sup>	2.19	2.48	0.34	0.34
Cigarettes	2.34	2.54	0.42	0.43
Alcohol	2.26	2.66	0.44	0.45

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 3.26P Number of Times Carried a Handgun in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Carried a Handgun (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2005 Versus 2004**

(I) Demographic Characteristic and (II) Substance Use	Carried a Handgun <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.7832		0.7832	
<b>AGE</b>				
12-13	0.9064		0.9064	
14-15	0.7719		0.7719	
16-17	0.8585		0.8585	
<b>GENDER</b>				
Male	0.8412		0.8412	
Female	0.7960		0.7960	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.9009		0.9009	
White	0.8145		0.8145	
Black or African American	0.9000		0.9000	
American Indian or Alaska Native	0.1062		0.1062	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	*		*	
Two or More Races	0.6382		0.6382	
Hispanic or Latino	0.3867		0.3867	
<b>COUNTY TYPE</b>				
Large Metro	0.6690		0.6690	
Small Metro	0.1792		0.1792	
Nonmetro	0.8134		0.8134	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.2385		0.0987	
Marijuana	0.2310		0.0332	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.5923		0.2995	
Cigarettes	0.0035		0.0435	
Alcohol	0.0426		0.0535	
Binge Alcohol <sup>3</sup>	0.0018		0.0202	
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.6639		0.0287	
Marijuana	0.1388		0.0210	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.7198		0.1107	
Cigarettes	0.0252		0.0833	
Alcohol	0.4363		0.4747	
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.1439		0.0001	
Marijuana	0.0654		0.0028	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.1562		0.0009	
Cigarettes	0.0005		0.0005	
Alcohol	0.1512		0.0513	

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.27C Number of Times Sold Illegal Drugs in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Sold Illegal Drugs (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Sold Illegal Drugs <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	40	40	40	40
<b>AGE</b>				
12-13	11	12	140	141
14-15	25	21	146	146
16-17	31	32	135	140
<b>GENDER</b>				
Male	32	33	32	33
Female	23	21	23	21
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	37	33	37	33
White	33	30	212	229
Black or African American	17	16	120	129
American Indian or Alaska Native	2	2	14	19
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	6	1	63	79
Two or More Races	9	5	26	23
Hispanic or Latino	19	21	19	21
<b>COUNTY TYPE</b>				
Large Metro	31	31	231	247
Small Metro	24	23	187	163
Nonmetro	17	16	123	123
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	35	34	66	63
Marijuana	34	33	51	50
Illicit Drugs Other Than Marijuana <sup>2</sup>	26	22	45	43
Cigarettes	34	31	72	68
Alcohol	36	34	87	87
Binge Alcohol <sup>3</sup>	34	30	68	63
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	38	38	95	101
Marijuana	38	36	77	78
Illicit Drugs Other Than Marijuana <sup>2</sup>	33	33	72	74
Cigarettes	37	35	91	93
Alcohol	39	38	136	139
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	40	40	120	123
Marijuana	39	38	92	90
Illicit Drugs Other Than Marijuana <sup>2</sup>	36	35	96	98
Cigarettes	40	36	122	123
Alcohol	40	39	158	156

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.27D Number of Times Sold Illegal Drugs in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Sold Illegal Drugs (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Sold Illegal Drugs <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.16	0.16	0.16	0.16
<b>AGE</b>				
12-13	0.13	0.15	0.13	0.15
14-15	0.28	0.24	0.28	0.24
16-17	0.37	0.36	0.37	0.36
<b>GENDER</b>				
Male	0.25	0.25	0.25	0.25
Female	0.19	0.17	0.19	0.17
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.18	0.16	0.18	0.16
White	0.20	0.19	0.20	0.19
Black or African American	0.42	0.40	0.42	0.40
American Indian or Alaska Native	1.48	1.28	1.48	1.28
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	0.55	0.09	0.55	0.09
Two or More Races	1.84	1.19	1.84	1.19
Hispanic or Latino	0.45	0.47	0.45	0.47
<b>COUNTY TYPE</b>				
Large Metro	0.22	0.22	0.22	0.22
Small Metro	0.30	0.30	0.30	0.30
Nonmetro	0.38	0.36	0.38	0.36
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	2.03	2.29	0.25	0.24
Marijuana	2.09	2.38	0.20	0.20
Illicit Drugs Other Than Marijuana <sup>2</sup>	2.06	2.23	0.18	0.17
Cigarettes	2.14	2.43	0.28	0.27
Alcohol	2.27	2.34	0.31	0.31
Binge Alcohol <sup>3</sup>	2.33	2.45	0.27	0.24
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	1.43	1.61	0.34	0.35
Marijuana	1.60	1.83	0.29	0.29
Illicit Drugs Other Than Marijuana <sup>2</sup>	2.16	2.44	0.27	0.27
Cigarettes	2.00	2.27	0.33	0.35
Alcohol	1.31	1.66	0.41	0.42
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	1.23	1.23	0.38	0.39
Marijuana	1.45	1.60	0.34	0.32
Illicit Drugs Other Than Marijuana <sup>2</sup>	2.05	2.27	0.33	0.34
Cigarettes	1.69	2.06	0.41	0.42
Alcohol	1.05	1.32	0.44	0.45

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.27P Number of Times Sold Illegal Drugs in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Sold Illegal Drugs (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2005 Versus 2004**

(I) Demographic Characteristic and (II) Substance Use	Sold Illegal Drugs <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.0165		0.0165	
<b>AGE</b>				
12-13	0.8673		0.8673	
14-15	0.0033		0.0033	
16-17	0.2143		0.2143	
<b>GENDER</b>				
Male	0.0518		0.0518	
Female	0.1208		0.1208	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.0158		0.0158	
White	0.0600		0.0600	
Black or African American	0.3840		0.3840	
American Indian or Alaska Native	0.8795		0.8795	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.0903		0.0903	
Two or More Races	0.6428		0.6428	
Hispanic or Latino	0.5294		0.5294	
<b>COUNTY TYPE</b>				
Large Metro	0.2249		0.2249	
Small Metro	0.1620		0.1620	
Nonmetro	0.0688		0.0688	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.6237		0.3510	
Marijuana	0.4319		0.2087	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.6884		0.6462	
Cigarettes	0.4717		0.0533	
Alcohol	0.1053		0.1658	
Binge Alcohol <sup>3</sup>	0.0258		0.0599	
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.6874		0.1366	
Marijuana	0.1829		0.1159	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.5138		0.2852	
Cigarettes	0.7034		0.1250	
Alcohol	0.0522		0.9378	
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.7657		0.0003	
Marijuana	0.4269		0.0134	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.6079		0.0036	
Cigarettes	0.2290		0.0007	
Alcohol	0.1605		0.1232	

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.28C Number of Times Stole or Tried to Steal Anything Worth More Than \$50 in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Stole or Tried to Steal Anything Worth More Than \$50 (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Stole or Tried to Steal Anything Worth More Than \$50 <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	47	46	47	46
<b>AGE</b>				
12-13	20	18	137	138
14-15	30	27	145	143
16-17	29	33	137	141
<b>GENDER</b>				
Male	37	38	37	38
Female	28	26	28	26
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	43	41	43	41
White	35	32	213	228
Black or African American	17	23	119	126
American Indian or Alaska Native	*	4	*	19
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	11	12	61	77
Two or More Races	9	8	27	23
Hispanic or Latino	22	23	22	23
<b>COUNTY TYPE</b>				
Large Metro	35	39	230	246
Small Metro	30	23	186	162
Nonmetro	18	16	122	123
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	31	28	69	62
Marijuana	26	25	56	51
Illicit Drugs Other Than Marijuana <sup>2</sup>	22	20	49	42
Cigarettes	29	28	76	68
Alcohol	31	30	91	87
Binge Alcohol <sup>3</sup>	28	25	73	64
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	39	34	100	99
Marijuana	34	33	83	77
Illicit Drugs Other Than Marijuana <sup>2</sup>	33	28	74	73
Cigarettes	35	34	95	91
Alcohol	39	40	139	136
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	41	37	125	123
Marijuana	35	34	98	90
Illicit Drugs Other Than Marijuana <sup>2</sup>	36	32	100	98
Cigarettes	38	38	125	120
Alcohol	41	41	159	154

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.28D Number of Times Stole or Tried to Steal Anything Worth More Than \$50 in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Stole or Tried to Steal Anything Worth More Than \$50 (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Stole or Tried to Steal Anything Worth More Than \$50 <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.19	0.18	0.19	0.18
<b>AGE</b>				
12-13	0.23	0.22	0.23	0.22
14-15	0.33	0.30	0.33	0.30
16-17	0.36	0.39	0.36	0.39
<b>GENDER</b>				
Male	0.29	0.30	0.29	0.30
Female	0.23	0.21	0.23	0.21
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.20	0.20	0.20	0.20
White	0.22	0.20	0.22	0.20
Black or African American	0.43	0.56	0.43	0.56
American Indian or Alaska Native	*	2.35	*	2.35
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.11	1.10	1.11	1.10
Two or More Races	1.83	1.88	1.83	1.88
Hispanic or Latino	0.52	0.52	0.52	0.52
<b>COUNTY TYPE</b>				
Large Metro	0.25	0.28	0.25	0.28
Small Metro	0.37	0.30	0.37	0.30
Nonmetro	0.40	0.36	0.40	0.36
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	2.14	2.16	0.26	0.24
Marijuana	1.95	2.00	0.22	0.20
Illicit Drugs Other Than Marijuana <sup>2</sup>	1.64	1.73	0.19	0.17
Cigarettes	2.03	2.12	0.29	0.27
Alcohol	2.04	2.17	0.32	0.32
Binge Alcohol <sup>3</sup>	1.96	2.01	0.28	0.25
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	2.18	2.14	0.34	0.35
Marijuana	2.15	2.18	0.30	0.29
Illicit Drugs Other Than Marijuana <sup>2</sup>	2.19	2.13	0.28	0.27
Cigarettes	2.00	2.27	0.34	0.35
Alcohol	1.79	1.99	0.42	0.42
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	1.82	2.11	0.39	0.40
Marijuana	2.14	2.20	0.35	0.33
Illicit Drugs Other Than Marijuana <sup>2</sup>	2.01	2.23	0.34	0.34
Cigarettes	1.83	2.21	0.42	0.42
Alcohol	1.64	1.81	0.44	0.45

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.28P Number of Times Stole or Tried to Steal Anything Worth More Than \$50 in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Stole or Tried to Steal Anything Worth More Than \$50 (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2005 Versus 2004**

(I) Demographic Characteristic and (II) Substance Use	Stole or Tried to Steal Anything Worth More Than \$50 <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.3630		0.3630	
<b>AGE</b>				
12-13	0.8846		0.8846	
14-15	0.0254		0.0254	
16-17	0.7126		0.7126	
<b>GENDER</b>				
Male	0.4849		0.4849	
Female	0.5598		0.5598	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.4064		0.4064	
White	0.0720		0.0720	
Black or African American	0.2480		0.2480	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.3472		0.3472	
Two or More Races	0.4582		0.4582	
Hispanic or Latino	0.7257		0.7257	
<b>COUNTY TYPE</b>				
Large Metro	0.6434		0.6434	
Small Metro	0.3060		0.3060	
Nonmetro	0.0440		0.0440	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.4969		0.0802	
Marijuana	0.6212		0.0166	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.9815		0.2444	
Cigarettes	0.4348		0.0145	
Alcohol	0.0367		0.0754	
Binge Alcohol <sup>3</sup>	0.0030		0.0269	
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.2922		0.0500	
Marijuana	0.9360		0.0062	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.2653		0.2940	
Cigarettes	0.0596		0.1067	
Alcohol	0.8150		0.4244	
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.0433		0.0002	
Marijuana	0.4212		0.0014	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.0109		0.0048	
Cigarettes	0.0500		0.0002	
Alcohol	0.9460		0.0338	

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.29C Number of Times Attacked Others with the Intent to Seriously Hurt Them in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Attacked Others with the Intent to Seriously Hurt Them (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Attacked Others with Intent to Seriously Hurt Them <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	60	56	60	56
<b>AGE</b>				
12-13	33	31	134	137
14-15	38	35	143	140
16-17	37	36	131	137
<b>GENDER</b>				
Male	47	45	47	45
Female	36	33	36	33
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	53	49	53	49
White	44	40	206	222
Black or African American	33	35	112	118
American Indian or Alaska Native	3	3	15	19
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	14	13	61	77
Two or More Races	7	6	29	24
Hispanic or Latino	27	26	27	26
<b>COUNTY TYPE</b>				
Large Metro	47	47	224	240
Small Metro	41	32	174	159
Nonmetro	27	26	116	116
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	33	31	67	63
Marijuana	30	27	55	51
Illicit Drugs Other Than Marijuana <sup>2</sup>	25	21	46	43
Cigarettes	33	30	74	66
Alcohol	37	32	88	88
Binge Alcohol <sup>3</sup>	34	29	70	62
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	42	40	95	97
Marijuana	37	35	80	75
Illicit Drugs Other Than Marijuana <sup>2</sup>	34	32	71	72
Cigarettes	39	38	94	90
Alcohol	48	46	135	134
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	49	45	117	118
Marijuana	40	39	92	87
Illicit Drugs Other Than Marijuana <sup>2</sup>	42	39	94	94
Cigarettes	47	44	120	118
Alcohol	53	50	152	150

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 3.29D Number of Times Attacked Others with the Intent to Seriously Hurt Them in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Attacked Others with the Intent to Seriously Hurt Them (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Attacked Others with Intent to Seriously Hurt Them <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.24	0.22	0.24	0.22
<b>AGE</b>				
12-13	0.37	0.37	0.37	0.37
14-15	0.42	0.38	0.42	0.38
16-17	0.43	0.40	0.43	0.40
<b>GENDER</b>				
Male	0.37	0.35	0.37	0.35
Female	0.29	0.27	0.29	0.27
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.25	0.23	0.25	0.23
White	0.26	0.24	0.26	0.24
Black or African American	0.76	0.77	0.76	0.77
American Indian or Alaska Native	1.90	1.93	1.90	1.93
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.29	1.14	1.29	1.14
Two or More Races	1.46	1.54	1.46	1.54
Hispanic or Latino	0.63	0.60	0.63	0.60
<b>COUNTY TYPE</b>				
Large Metro	0.32	0.32	0.32	0.32
Small Metro	0.46	0.41	0.46	0.41
Nonmetro	0.53	0.55	0.53	0.55
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	1.34	1.38	0.26	0.25
Marijuana	1.26	1.28	0.22	0.21
Illicit Drugs Other Than Marijuana <sup>2</sup>	1.11	1.06	0.19	0.18
Cigarettes	1.35	1.33	0.30	0.28
Alcohol	1.39	1.41	0.33	0.34
Binge Alcohol <sup>3</sup>	1.33	1.33	0.29	0.25
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	1.46	1.56	0.35	0.35
Marijuana	1.45	1.48	0.31	0.29
Illicit Drugs Other Than Marijuana <sup>2</sup>	1.36	1.45	0.28	0.28
Cigarettes	1.47	1.58	0.36	0.36
Alcohol	1.52	1.58	0.44	0.44
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	1.45	1.50	0.39	0.41
Marijuana	1.49	1.57	0.35	0.33
Illicit Drugs Other Than Marijuana <sup>2</sup>	1.47	1.56	0.34	0.34
Cigarettes	1.60	1.64	0.42	0.44
Alcohol	1.42	1.51	0.45	0.47

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.29P Number of Times Attacked Others with the Intent to Seriously Hurt Them in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Attacked Others with the Intent to Seriously Hurt Them (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2005 Versus 2004**

(I) Demographic Characteristic and (II) Substance Use	Attacked Others with Intent to Seriously Hurt Them <sup>1</sup>			
	One or More Times		None	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.0177		0.0177	
<b>AGE</b>				
12-13	0.2420		0.2420	
14-15	0.1263		0.1263	
16-17	0.1275		0.1275	
<b>GENDER</b>				
Male	0.0307		0.0307	
Female	0.2754		0.2754	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.0042		0.0042	
White	0.0005		0.0005	
Black or African American	0.7403		0.7403	
American Indian or Alaska Native	0.6441		0.6441	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.6568		0.6568	
Two or More Races	0.8632		0.8632	
Hispanic or Latino	0.7760		0.7760	
<b>COUNTY TYPE</b>				
Large Metro	0.5868		0.5868	
Small Metro	0.0135		0.0135	
Nonmetro	0.1602		0.1602	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.3124		0.2084	
Marijuana	0.2177		0.0953	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.3243		0.5762	
Cigarettes	0.0531		0.0676	
Alcohol	0.0173		0.1841	
Binge Alcohol <sup>3</sup>	0.0019		0.0816	
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.2291		0.1191	
Marijuana	0.1969		0.0488	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.3779		0.3935	
Cigarettes	0.1529		0.1335	
Alcohol	0.8252		0.5790	
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.0839		0.0006	
Marijuana	0.1627		0.0068	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.0536		0.0068	
Cigarettes	0.0549		0.0008	
Alcohol	0.7364		0.0689	

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.