

**Table 3.44C Number of Times Attended Religious Services in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Attended Religious Services in the Past Year (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Times Attended Religious Services <sup>1</sup>			
	25 or More		Fewer Than 25	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	118	124	118	124
<b>AGE</b>				
12-13	74	70	111	113
14-15	75	83	122	118
16-17	75	79	109	113
<b>GENDER</b>				
Male	79	78	79	78
Female	77	81	77	81
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	106	112	106	112
White	119	129	158	170
Black or African American	57	55	95	105
American Indian or Alaska Native	6	8	13	16
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	30	49	54	57
Two or More Races	12	14	27	20
Hispanic or Latino	45	47	45	47
<b>COUNTY TYPE</b>				
Large Metro	120	132	177	189
Small Metro	93	84	141	125
Nonmetro	57	63	96	91
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	32	31	64	62
Marijuana	26	25	53	53
Illicit Drugs Other Than Marijuana <sup>2</sup>	22	21	45	41
Cigarettes	32	32	72	66
Alcohol	46	43	83	79
Binge Alcohol <sup>3</sup>	34	28	67	62
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	47	50	89	93
Marijuana	38	39	74	74
Illicit Drugs Other Than Marijuana <sup>2</sup>	37	39	70	67
Cigarettes	42	45	89	86
Alcohol	67	72	118	117
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	60	67	105	107
Marijuana	42	45	83	85
Illicit Drugs Other Than Marijuana <sup>2</sup>	49	56	90	84
Cigarettes	58	63	111	107
Alcohol	78	81	135	131

\*Low precision; no estimate reported.

NOTE: Special occasions, such as weddings, funerals, or other special events, were not to have been considered in the number of times attended religious services.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.44D Number of Times Attended Religious Services in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Attended Religious Services in the Past Year (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Times Attended Religious Services <sup>1</sup>			
	25 or More		Fewer Than 25	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.48	0.50	0.48	0.50
<b>AGE</b>				
12-13	0.75	0.71	0.75	0.71
14-15	0.72	0.77	0.72	0.77
16-17	0.74	0.74	0.74	0.74
<b>GENDER</b>				
Male	0.62	0.62	0.62	0.62
Female	0.63	0.67	0.63	0.67
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.51	0.54	0.51	0.54
White	0.56	0.61	0.56	0.61
Black or African American	1.22	1.12	1.22	1.12
American Indian or Alaska Native	3.46	3.83	3.46	3.83
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.64	3.56	2.64	3.56
Two or More Races	2.58	2.97	2.58	2.97
Hispanic or Latino	1.09	1.10	1.09	1.10
<b>COUNTY TYPE</b>				
Large Metro	0.68	0.73	0.68	0.73
Small Metro	0.90	0.85	0.90	0.85
Nonmetro	1.02	1.05	1.02	1.05
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.39	0.36	0.34	0.34
Marijuana	0.32	0.30	0.29	0.30
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.27	0.25	0.25	0.23
Cigarettes	0.38	0.38	0.39	0.37
Alcohol	0.52	0.49	0.42	0.41
Binge Alcohol <sup>3</sup>	0.40	0.34	0.38	0.35
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.54	0.54	0.42	0.46
Marijuana	0.46	0.45	0.38	0.39
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.44	0.45	0.36	0.36
Cigarettes	0.50	0.51	0.45	0.45
Alcohol	0.67	0.71	0.51	0.52
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.62	0.69	0.45	0.49
Marijuana	0.50	0.51	0.40	0.43
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.55	0.60	0.43	0.43
Cigarettes	0.62	0.64	0.50	0.53
Alcohol	0.72	0.76	0.54	0.55

\*Low precision; no estimate reported.

NOTE: Special occasions, such as weddings, funerals, or other special events, were not to have been considered in the number of times attended religious services.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.44P Number of Times Attended Religious Services in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Attended Religious Services in the Past Year (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

(I) Demographic Characteristic and (II) Substance Use	Times Attended Religious Services <sup>1</sup>			
	25 or More		Fewer Than 25	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.2508		0.2508	
<b>AGE</b>				
12-13	0.2627		0.2627	
14-15	0.9488		0.9488	
16-17	0.2559		0.2559	
<b>GENDER</b>				
Male	0.4154		0.4154	
Female	0.3374		0.3374	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.4027		0.4027	
White	0.4444		0.4444	
Black or African American	0.1140		0.1140	
American Indian or Alaska Native	0.5496		0.5496	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.0468		0.0468	
Two or More Races	0.0107		0.0107	
Hispanic or Latino	0.2168		0.2168	
<b>COUNTY TYPE</b>				
Large Metro	0.1320		0.1320	
Small Metro	0.5798		0.5798	
Nonmetro	0.3598		0.3598	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.3147		0.1144	
Marijuana	0.2478		0.0493	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.8034		0.2442	
Cigarettes	0.0087		0.1094	
Alcohol	0.0513		0.1668	
Binge Alcohol <sup>3</sup>	0.0169		0.0316	
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.0792		0.0862	
Marijuana	0.0369		0.0653	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.5693		0.1197	
Cigarettes	0.0361		0.1910	
Alcohol	0.1971		0.8571	
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.0104		0.0008	
Marijuana	0.0482		0.0046	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.1170		0.0014	
Cigarettes	0.0014		0.0047	
Alcohol	0.0406		0.2236	

\*Low precision; no estimate reported.

NOTE: Special occasions, such as weddings, funerals, or other special events, were not to have been considered in the number of times attended religious services.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.45C Youths' Feelings That Religious Beliefs Are a Very Important Part of Youths' Life, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings That Religious Beliefs Are a Very Important Part of Their Life (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Religious Beliefs Are a Very Important Part of Life <sup>1</sup>			
	Agree/Strongly Agree		Disagree/Strongly Disagree	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	100	100	100	100
<b>AGE</b>				
12-13	126	121	55	57
14-15	129	132	65	65
16-17	117	119	66	68
<b>GENDER</b>				
Male	74	72	74	72
Female	63	62	63	62
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	90	88	90	88
White	181	189	90	98
Black or African American	99	112	39	39
American Indian or Alaska Native	16	16	7	7
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	51	72	29	25
Two or More Races	22	21	16	10
Hispanic or Latino	43	45	43	45
<b>COUNTY TYPE</b>				
Large Metro	198	207	93	99
Small Metro	157	139	69	62
Nonmetro	106	104	42	41
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	59	53	45	45
Marijuana	46	42	39	41
Illicit Drugs Other Than Marijuana <sup>2</sup>	39	38	33	28
Cigarettes	59	54	50	49
Alcohol	76	74	55	52
Binge Alcohol <sup>3</sup>	59	54	45	41
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	85	84	61	62
Marijuana	69	64	52	52
Illicit Drugs Other Than Marijuana <sup>2</sup>	64	64	47	47
Cigarettes	79	76	58	57
Alcohol	118	116	74	74
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	107	108	71	69
Marijuana	83	77	58	58
Illicit Drugs Other Than Marijuana <sup>2</sup>	87	86	60	58
Cigarettes	105	102	68	69
Alcohol	133	132	80	80

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.45D Youths' Feelings That Religious Beliefs Are a Very Important Part of Youths' Life, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings That Religious Beliefs Are a Very Important Part of Their Life (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Religious Beliefs Are a Very Important Part of Life <sup>1</sup>			
	Agree/Strongly Agree		Disagree/Strongly Disagree	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.41	0.40	0.41	0.40
<b>AGE</b>				
12-13	0.62	0.62	0.62	0.62
14-15	0.65	0.69	0.65	0.69
16-17	0.70	0.68	0.70	0.68
<b>GENDER</b>				
Male	0.59	0.57	0.59	0.57
Female	0.52	0.51	0.52	0.51
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.44	0.43	0.44	0.43
White	0.48	0.51	0.48	0.51
Black or African American	0.86	0.86	0.86	0.86
American Indian or Alaska Native	4.55	3.37	4.55	3.37
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.42	2.24	2.42	2.24
Two or More Races	2.70	2.13	2.70	2.13
Hispanic or Latino	1.04	1.07	1.04	1.07
<b>COUNTY TYPE</b>				
Large Metro	0.58	0.60	0.58	0.60
Small Metro	0.73	0.69	0.73	0.69
Nonmetro	0.84	0.75	0.84	0.75
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.29	0.26	0.67	0.70
Marijuana	0.23	0.21	0.60	0.65
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.20	0.19	0.53	0.46
Cigarettes	0.29	0.27	0.74	0.78
Alcohol	0.34	0.35	0.82	0.78
Binge Alcohol <sup>3</sup>	0.29	0.27	0.73	0.66
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.39	0.38	0.85	0.85
Marijuana	0.33	0.30	0.77	0.77
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.31	0.31	0.72	0.72
Cigarettes	0.37	0.37	0.84	0.86
Alcohol	0.47	0.47	0.89	0.96
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.44	0.46	0.85	0.88
Marijuana	0.39	0.36	0.80	0.83
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.38	0.39	0.82	0.83
Cigarettes	0.45	0.46	0.91	0.95
Alcohol	0.49	0.51	0.88	0.95

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.45P Youths' Feelings That Religious Beliefs Are a Very Important Part of Youths' Life, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings That Religious Beliefs Are a Very Important Part of Their Life (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2005 Versus 2004**

(I) Demographic Characteristic and (II) Substance Use	Religious Beliefs Are a Very Important Part of Life <sup>1</sup>			
	Agree/Strongly Agree		Disagree/Strongly Disagree	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.8349		0.8349	
<b>AGE</b>				
12-13	0.8337		0.8337	
14-15	0.7339		0.7339	
16-17	0.5025		0.5025	
<b>GENDER</b>				
Male	0.5661		0.5661	
Female	0.3236		0.3236	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.6342		0.6342	
White	0.2756		0.2756	
Black or African American	0.5695		0.5695	
American Indian or Alaska Native	0.3788		0.3788	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.1663		0.1663	
Two or More Races	0.0249		0.0249	
Hispanic or Latino	0.6638		0.6638	
<b>COUNTY TYPE</b>				
Large Metro	0.8175		0.8175	
Small Metro	0.8236		0.8236	
Nonmetro	0.6776		0.6776	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.3055		0.1684	
Marijuana	0.0434		0.2516	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.9329		0.1235	
Cigarettes	0.0033		0.3979	
Alcohol	0.0716		0.1996	
Binge Alcohol <sup>3</sup>	0.0290		0.0238	
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.0791		0.2105	
Marijuana	0.0192		0.2029	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.3853		0.2113	
Cigarettes	0.0246		0.4179	
Alcohol	0.8455		0.2159	
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.0024		0.0032	
Marijuana	0.0051		0.0450	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.0338		0.0021	
Cigarettes	0.0000		0.1851	
Alcohol	0.1451		0.1131	

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.46C Youths' Feelings That Religious Beliefs Influence How Youths Make Decisions in Life, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings That Religious Beliefs Influence How They Make Decisions in Life (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Religious Beliefs Influence How Youths Make Decisions in Life <sup>1</sup>			
	Agree/Strongly Agree		Disagree/Strongly Disagree	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	108	114	108	114
<b>AGE</b>				
12-13	118	112	63	70
14-15	119	117	76	82
16-17	109	111	75	78
<b>GENDER</b>				
Male	79	77	79	77
Female	66	74	66	74
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	96	98	96	98
White	171	177	105	115
Black or African American	96	107	50	48
American Indian or Alaska Native	14	16	6	7
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	48	65	32	38
Two or More Races	22	21	18	10
Hispanic or Latino	49	51	49	51
<b>COUNTY TYPE</b>				
Large Metro	185	183	109	128
Small Metro	144	129	78	75
Nonmetro	99	98	51	48
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	50	47	52	51
Marijuana	39	37	45	44
Illicit Drugs Other Than Marijuana <sup>2</sup>	33	33	37	33
Cigarettes	51	46	59	55
Alcohol	67	66	66	62
Binge Alcohol <sup>3</sup>	50	46	57	50
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	74	72	69	72
Marijuana	59	55	60	59
Illicit Drugs Other Than Marijuana <sup>2</sup>	56	56	53	54
Cigarettes	67	66	69	67
Alcohol	107	103	86	91
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	95	95	77	81
Marijuana	71	65	65	67
Illicit Drugs Other Than Marijuana <sup>2</sup>	77	79	65	66
Cigarettes	94	92	79	81
Alcohol	121	118	92	99

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.46D Youths' Feelings That Religious Beliefs Influence How Youths Make Decisions in Life, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings That Religious Beliefs Influence How They Make Decisions in Life (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Religious Beliefs Influence How Youths Make Decisions in Life <sup>1</sup>			
	Agree/Strongly Agree		Disagree/Strongly Disagree	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.44	0.46	0.44	0.46
<b>AGE</b>				
12-13	0.67	0.71	0.67	0.71
14-15	0.70	0.76	0.70	0.76
16-17	0.74	0.73	0.74	0.73
<b>GENDER</b>				
Male	0.63	0.61	0.63	0.61
Female	0.55	0.61	0.55	0.61
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.47	0.48	0.47	0.48
White	0.54	0.57	0.54	0.57
Black or African American	1.07	1.01	1.07	1.01
American Indian or Alaska Native	4.07	3.44	4.07	3.44
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.50	2.97	2.50	2.97
Two or More Races	3.18	2.31	3.18	2.31
Hispanic or Latino	1.20	1.20	1.20	1.20
<b>COUNTY TYPE</b>				
Large Metro	0.64	0.69	0.64	0.69
Small Metro	0.72	0.78	0.72	0.78
Nonmetro	0.92	0.83	0.92	0.83
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.27	0.27	0.57	0.57
Marijuana	0.22	0.21	0.52	0.52
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.19	0.19	0.43	0.39
Cigarettes	0.28	0.27	0.65	0.63
Alcohol	0.35	0.36	0.71	0.64
Binge Alcohol <sup>3</sup>	0.28	0.26	0.67	0.56
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.38	0.38	0.70	0.71
Marijuana	0.32	0.30	0.64	0.62
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.31	0.31	0.58	0.60
Cigarettes	0.36	0.37	0.72	0.71
Alcohol	0.49	0.49	0.76	0.78
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.45	0.47	0.71	0.74
Marijuana	0.38	0.36	0.68	0.69
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.39	0.41	0.67	0.70
Cigarettes	0.46	0.48	0.80	0.80
Alcohol	0.51	0.53	0.76	0.80

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 3.46P Youths' Feelings That Religious Beliefs Influence How Youths Make Decisions in Life, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings That Religious Beliefs Influence How They Make Decisions in Life (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2005 Versus 2004**

(I) Demographic Characteristic and (II) Substance Use	Religious Beliefs Influence How Youths Make Decisions in Life <sup>1</sup>			
	Agree/Strongly Agree		Disagree/Strongly Disagree	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.8880		0.8880	
<b>AGE</b>				
12-13	0.8066		0.8066	
14-15	0.8062		0.8062	
16-17	0.9413		0.9413	
<b>GENDER</b>				
Male	0.5871		0.5871	
Female	0.4136		0.4136	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.9469		0.9469	
White	0.7546		0.7546	
Black or African American	0.3464		0.3464	
American Indian or Alaska Native	0.9908		0.9908	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.6444		0.6444	
Two or More Races	0.0012		0.0012	
Hispanic or Latino	0.8541		0.8541	
<b>COUNTY TYPE</b>				
Large Metro	0.9381		0.9381	
Small Metro	0.6110		0.6110	
Nonmetro	0.3669		0.3669	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.7455		0.0284	
Marijuana	0.1686		0.0626	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.6527		0.0699	
Cigarettes	0.0352		0.0783	
Alcohol	0.0363		0.2926	
Binge Alcohol <sup>3</sup>	0.0121		0.0835	
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.1138		0.0837	
Marijuana	0.0181		0.1253	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.6554		0.0757	
Cigarettes	0.1032		0.1379	
Alcohol	0.4941		0.4554	
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.0021		0.0040	
Marijuana	0.0022		0.0558	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.0526		0.0023	
Cigarettes	0.0001		0.0544	
Alcohol	0.0674		0.2500	

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.47C Youths' Feelings That It Is Important for Friends to Share Youths' Religious Beliefs, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings That It Is Important for Friends to Share Their Religious Beliefs (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Important for Friends to Share Religious Beliefs <sup>1</sup>			
	Agree/Strongly Agree		Disagree/Strongly Disagree	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	112	114	112	114
<b>AGE</b>				
12-13	82	80	103	104
14-15	78	83	117	114
16-17	75	76	105	116
<b>GENDER</b>				
Male	74	77	74	77
Female	77	76	77	76
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	99	100	99	100
White	112	116	166	171
Black or African American	65	67	81	90
American Indian or Alaska Native	8	11	12	11
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	34	52	53	55
Two or More Races	11	12	28	20
Hispanic or Latino	50	51	50	51
<b>COUNTY TYPE</b>				
Large Metro	116	125	176	190
Small Metro	105	84	125	116
Nonmetro	68	67	85	82
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	34	34	64	60
Marijuana	26	28	55	51
Illicit Drugs Other Than Marijuana <sup>2</sup>	24	24	45	39
Cigarettes	36	33	70	64
Alcohol	44	43	83	81
Binge Alcohol <sup>3</sup>	35	32	67	59
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	51	49	90	92
Marijuana	41	37	76	73
Illicit Drugs Other Than Marijuana <sup>2</sup>	39	38	68	70
Cigarettes	46	48	86	82
Alcohol	67	67	119	125
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	62	67	104	102
Marijuana	47	47	86	82
Illicit Drugs Other Than Marijuana <sup>2</sup>	50	54	88	84
Cigarettes	59	67	105	104
Alcohol	76	78	134	139

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.47D Youths' Feelings That It Is Important for Friends to Share Youths' Religious Beliefs, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings That It Is Important for Friends to Share Their Religious Beliefs (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Important for Friends to Share Religious Beliefs <sup>1</sup>			
	Agree/Strongly Agree		Disagree/Strongly Disagree	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.46	0.46	0.46	0.46
<b>AGE</b>				
12-13	0.76	0.76	0.76	0.76
14-15	0.70	0.75	0.70	0.75
16-17	0.70	0.74	0.70	0.74
<b>GENDER</b>				
Male	0.59	0.61	0.59	0.61
Female	0.64	0.63	0.64	0.63
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.48	0.49	0.48	0.49
White	0.55	0.54	0.55	0.54
Black or African American	1.12	1.18	1.12	1.18
American Indian or Alaska Native	4.39	4.14	4.39	4.14
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.98	3.55	2.98	3.55
Two or More Races	2.49	2.62	2.49	2.62
Hispanic or Latino	1.21	1.19	1.21	1.19
<b>COUNTY TYPE</b>				
Large Metro	0.64	0.69	0.64	0.69
Small Metro	0.89	0.77	0.89	0.77
Nonmetro	1.02	1.00	1.02	1.00
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.38	0.38	0.36	0.34
Marijuana	0.30	0.31	0.31	0.30
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.27	0.27	0.26	0.23
Cigarettes	0.40	0.37	0.39	0.38
Alcohol	0.48	0.47	0.43	0.43
Binge Alcohol <sup>3</sup>	0.39	0.36	0.38	0.34
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.54	0.51	0.47	0.47
Marijuana	0.44	0.40	0.42	0.40
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.44	0.41	0.37	0.38
Cigarettes	0.50	0.50	0.45	0.46
Alcohol	0.65	0.64	0.54	0.54
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.59	0.65	0.49	0.49
Marijuana	0.49	0.50	0.46	0.44
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.54	0.55	0.44	0.45
Cigarettes	0.58	0.63	0.52	0.55
Alcohol	0.71	0.72	0.57	0.58

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.47P Youths' Feelings That It Is Important for Friends to Share Youths' Religious Beliefs, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings That It Is Important for Friends to Share Their Religious Beliefs (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2005 Versus 2004**

(I) Demographic Characteristic and (II) Substance Use	Important for Friends to Share Religious Beliefs <sup>1</sup>			
	Agree/Strongly Agree		Disagree/Strongly Disagree	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.2078		0.2078	
<b>AGE</b>				
12-13	0.7193		0.7193	
14-15	0.0286		0.0286	
16-17	0.4881		0.4881	
<b>GENDER</b>				
Male	0.0352		0.0352	
Female	0.8306		0.8306	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.2993		0.2993	
White	0.5128		0.5128	
Black or African American	0.6444		0.6444	
American Indian or Alaska Native	0.0866		0.0866	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.2450		0.2450	
Two or More Races	0.0189		0.0189	
Hispanic or Latino	0.4407		0.4407	
<b>COUNTY TYPE</b>				
Large Metro	0.0710		0.0710	
Small Metro	0.8476		0.8476	
Nonmetro	0.8716		0.8716	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.3503		0.2019	
Marijuana	0.1650		0.1014	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.8485		0.2647	
Cigarettes	0.0162		0.1005	
Alcohol	0.0483		0.2334	
Binge Alcohol <sup>3</sup>	0.0520		0.0337	
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.0507		0.2436	
Marijuana	0.0144		0.1684	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.3909		0.3162	
Cigarettes	0.1577		0.1113	
Alcohol	0.8848		0.5626	
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.1820		0.0001	
Marijuana	0.0895		0.0090	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.5460		0.0004	
Cigarettes	0.0278		0.0008	
Alcohol	0.5616		0.0789	

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.