

**Table 3.54C How Many Students in Youths' Grade Smoke Cigarettes, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Smoke Cigarettes (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Smoke Cigarettes <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	133	127	212	233
<b>AGE</b>				
12-13	38	36	117	123
14-15	77	75	110	115
16-17	91	86	84	99
<b>GENDER</b>				
Male	82	80	137	149
Female	95	94	133	141
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	122	117	194	211
White	104	98	161	180
Black or African American	51	61	75	86
American Indian or Alaska Native	*	6	*	13
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	31	32	51	54
Two or More Races	16	9	20	20
Hispanic or Latino	56	53	89	100
<b>COUNTY TYPE</b>				
Large Metro	98	101	172	190
Small Metro	78	70	132	125
Nonmetro	62	56	77	82
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	55	50	46	43
Marijuana	49	45	37	36
Illicit Drugs Other Than Marijuana <sup>2</sup>	37	33	33	29
Cigarettes	65	57	44	43
Alcohol	68	65	61	61
Binge Alcohol <sup>3</sup>	56	51	50	46
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	78	70	64	72
Marijuana	68	60	50	55
Illicit Drugs Other Than Marijuana <sup>2</sup>	60	54	50	54
Cigarettes	79	71	55	62
Alcohol	97	87	91	100
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	90	82	82	87
Marijuana	77	68	57	63
Illicit Drugs Other Than Marijuana <sup>2</sup>	76	68	68	71
Cigarettes	95	89	78	78
Alcohol	106	96	103	110

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.54D How Many Students in Youths' Grade Smoke Cigarettes, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Smoke Cigarettes (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Smoke Cigarettes <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.46	0.44	0.46	0.44
<b>AGE</b>				
12-13	0.52	0.48	0.52	0.48
14-15	0.79	0.79	0.79	0.79
16-17	0.77	0.77	0.77	0.77
<b>GENDER</b>				
Male	0.61	0.58	0.61	0.58
Female	0.68	0.67	0.68	0.67
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.50	0.48	0.50	0.48
White	0.56	0.53	0.56	0.53
Black or African American	1.16	1.27	1.16	1.27
American Indian or Alaska Native	*	3.76	*	3.76
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.96	2.64	2.96	2.64
Two or More Races	2.80	2.43	2.80	2.43
Hispanic or Latino	1.32	1.22	1.32	1.22
<b>COUNTY TYPE</b>				
Large Metro	0.63	0.64	0.63	0.64
Small Metro	0.80	0.82	0.80	0.82
Nonmetro	1.13	0.91	1.13	0.91
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.64	0.63	0.29	0.26
Marijuana	0.59	0.59	0.24	0.22
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.46	0.44	0.22	0.18
Cigarettes	0.72	0.72	0.28	0.26
Alcohol	0.74	0.77	0.36	0.36
Binge Alcohol <sup>3</sup>	0.67	0.65	0.31	0.28
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.78	0.79	0.38	0.40
Marijuana	0.74	0.72	0.31	0.32
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.68	0.69	0.32	0.32
Cigarettes	0.82	0.83	0.34	0.37
Alcohol	0.82	0.82	0.46	0.50
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.79	0.84	0.45	0.47
Marijuana	0.79	0.77	0.34	0.36
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.78	0.80	0.39	0.40
Cigarettes	0.82	0.84	0.44	0.45
Alcohol	0.76	0.79	0.50	0.52

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.54P How Many Students in Youths' Grade Smoke Cigarettes, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Smoke Cigarettes (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Smoke Cigarettes <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.0001		0.0001	
<b>AGE</b>				
12-13	0.0848		0.0848	
14-15	0.0068		0.0068	
16-17	0.0002		0.0002	
<b>GENDER</b>				
Male	0.0456		0.0456	
Female	0.0003		0.0003	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.0008		0.0008	
White	0.0020		0.0020	
Black or African American	0.5603		0.5603	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.5430		0.5430	
Two or More Races	0.0420		0.0420	
Hispanic or Latino	0.0461		0.0461	
<b>COUNTY TYPE</b>				
Large Metro	0.0507		0.0507	
Small Metro	0.0008		0.0008	
Nonmetro	0.0718		0.0718	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.8423		0.0494	
Marijuana	0.5140		0.0729	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.5376		0.0612	
Cigarettes	0.1438		0.2553	
Alcohol	0.5228		0.2691	
Binge Alcohol <sup>3</sup>	0.3367		0.0820	
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.2126		0.2260	
Marijuana	0.1148		0.2502	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.6103		0.1831	
Cigarettes	0.2099		0.7125	
Alcohol	0.3960		0.4276	
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.0006		0.0745	
Marijuana	0.0095		0.4240	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.0877		0.0087	
Cigarettes	0.0311		0.0130	
Alcohol	0.1311		0.8559	

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.55C How Many Students in Youths' Grade Use Marijuana or Hashish, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Use Marijuana or Hashish (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Use Marijuana/Hashish <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	117	116	223	233
<b>AGE</b>				
12-13	23	23	118	125
14-15	64	68	114	116
16-17	85	84	95	103
<b>GENDER</b>				
Male	69	76	144	149
Female	83	80	138	145
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	102	104	206	213
White	80	82	175	186
Black or African American	45	62	79	82
American Indian or Alaska Native	7	5	14	13
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	27	22	56	66
Two or More Races	16	11	20	19
Hispanic or Latino	53	53	89	99
<b>COUNTY TYPE</b>				
Large Metro	95	93	176	192
Small Metro	65	58	142	125
Nonmetro	43	43	89	93
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	52	54	48	40
Marijuana	47	49	36	29
Illicit Drugs Other Than Marijuana <sup>2</sup>	34	32	36	31
Cigarettes	57	54	52	46
Alcohol	67	62	66	62
Binge Alcohol <sup>3</sup>	55	49	52	44
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	72	73	67	68
Marijuana	66	65	51	47
Illicit Drugs Other Than Marijuana <sup>2</sup>	54	52	54	54
Cigarettes	67	66	65	66
Alcohol	89	89	98	101
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	84	82	88	88
Marijuana	74	72	60	59
Illicit Drugs Other Than Marijuana <sup>2</sup>	68	64	73	74
Cigarettes	82	81	90	88
Alcohol	99	96	114	112

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.55D How Many Students in Youths' Grade Use Marijuana or Hashish, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Use Marijuana or Hashish (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Use Marijuana/Hashish <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.43	0.41	0.43	0.41
<b>AGE</b>				
12-13	0.32	0.33	0.32	0.33
14-15	0.71	0.74	0.71	0.74
16-17	0.82	0.80	0.82	0.80
<b>GENDER</b>				
Male	0.55	0.55	0.55	0.55
Female	0.63	0.60	0.63	0.60
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.45	0.44	0.45	0.44
White	0.48	0.48	0.48	0.48
Black or African American	1.11	1.29	1.11	1.29
American Indian or Alaska Native	5.11	3.80	5.11	3.80
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.83	2.38	2.83	2.38
Two or More Races	2.90	2.82	2.90	2.82
Hispanic or Latino	1.30	1.22	1.30	1.22
<b>COUNTY TYPE</b>				
Large Metro	0.64	0.62	0.64	0.62
Small Metro	0.76	0.68	0.76	0.68
Nonmetro	0.93	0.93	0.93	0.93
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.78	0.83	0.28	0.23
Marijuana	0.74	0.80	0.21	0.17
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.56	0.54	0.21	0.18
Cigarettes	0.85	0.86	0.29	0.26
Alcohol	0.90	0.89	0.36	0.34
Binge Alcohol <sup>3</sup>	0.81	0.80	0.30	0.25
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.88	0.95	0.37	0.36
Marijuana	0.89	0.91	0.29	0.26
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.81	0.80	0.31	0.30
Cigarettes	0.93	0.96	0.36	0.36
Alcohol	0.86	0.97	0.46	0.48
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.86	0.98	0.44	0.44
Marijuana	0.91	0.94	0.33	0.32
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.87	0.92	0.38	0.39
Cigarettes	0.92	1.00	0.46	0.45
Alcohol	0.82	0.93	0.49	0.50

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.55P How Many Students in Youths' Grade Use Marijuana or Hashish, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Use Marijuana or Hashish (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Use Marijuana/Hashish <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.0930		0.0930	
<b>AGE</b>				
12-13	0.3069		0.3069	
14-15	0.1642		0.1642	
16-17	0.1225		0.1225	
<b>GENDER</b>				
Male	0.3198		0.3198	
Female	0.1517		0.1517	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.2594		0.2594	
White	0.0590		0.0590	
Black or African American	0.1238		0.1238	
American Indian or Alaska Native	0.1077		0.1077	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.4880		0.4880	
Two or More Races	0.2433		0.2433	
Hispanic or Latino	0.1232		0.1232	
<b>COUNTY TYPE</b>				
Large Metro	0.4766		0.4766	
Small Metro	0.3997		0.3997	
Nonmetro	0.0514		0.0514	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.5004		0.1854	
Marijuana	0.4484		0.0438	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.3592		0.5344	
Cigarettes	0.0999		0.0777	
Alcohol	0.0192		0.7750	
Binge Alcohol <sup>3</sup>	0.0180		0.2923	
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.2567		0.0654	
Marijuana	0.3376		0.0229	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.3707		0.1638	
Cigarettes	0.0932		0.2654	
Alcohol	0.0781		0.5234	
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.0000		0.0381	
Marijuana	0.0075		0.1775	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.0017		0.0358	
Cigarettes	0.0001		0.0175	
Alcohol	0.0420		0.5732	

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.56C How Many Students in Youths' Grade Drink Alcoholic Beverages, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Drink Alcoholic Beverages (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Drink Alcoholic Beverages <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	162	160	180	197
<b>AGE</b>				
12-13	39	41	115	118
14-15	90	93	93	98
16-17	111	109	63	75
<b>GENDER</b>				
Male	98	102	121	130
Female	113	113	111	119
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	150	145	166	177
White	126	129	135	144
Black or African American	53	67	74	78
American Indian or Alaska Native	8	7	12	11
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	33	40	49	50
Two or More Races	21	14	16	15
Hispanic or Latino	64	70	78	85
<b>COUNTY TYPE</b>				
Large Metro	130	132	144	157
Small Metro	89	89	116	99
Nonmetro	69	66	68	69
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	60	55	34	35
Marijuana	52	49	27	29
Illicit Drugs Other Than Marijuana <sup>2</sup>	42	35	25	25
Cigarettes	67	59	38	37
Alcohol	82	78	39	42
Binge Alcohol <sup>3</sup>	70	58	27	31
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	87	80	49	55
Marijuana	76	69	36	42
Illicit Drugs Other Than Marijuana <sup>2</sup>	66	61	40	42
Cigarettes	85	76	48	52
Alcohol	121	112	60	70
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	101	92	69	74
Marijuana	85	78	45	50
Illicit Drugs Other Than Marijuana <sup>2</sup>	82	75	57	60
Cigarettes	101	95	67	69
Alcohol	128	124	76	81

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.56D How Many Students in Youths' Grade Drink Alcoholic Beverages, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Drink Alcoholic Beverages (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Drink Alcoholic Beverages <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.47	0.46	0.47	0.46
<b>AGE</b>				
12-13	0.53	0.56	0.53	0.56
14-15	0.78	0.82	0.78	0.82
16-17	0.70	0.74	0.70	0.74
<b>GENDER</b>				
Male	0.64	0.64	0.64	0.64
Female	0.67	0.68	0.67	0.68
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.52	0.49	0.52	0.49
White	0.56	0.55	0.56	0.55
Black or African American	1.24	1.29	1.24	1.29
American Indian or Alaska Native	4.89	4.66	4.89	4.66
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	3.02	3.06	3.02	3.06
Two or More Races	3.11	2.86	3.11	2.86
Hispanic or Latino	1.34	1.34	1.34	1.34
<b>COUNTY TYPE</b>				
Large Metro	0.70	0.69	0.70	0.69
Small Metro	0.79	0.81	0.79	0.81
Nonmetro	1.10	0.90	1.10	0.90
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.52	0.49	0.27	0.27
Marijuana	0.46	0.46	0.22	0.22
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.38	0.33	0.20	0.20
Cigarettes	0.56	0.54	0.30	0.29
Alcohol	0.63	0.63	0.31	0.33
Binge Alcohol <sup>3</sup>	0.60	0.52	0.22	0.25
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.65	0.64	0.37	0.40
Marijuana	0.62	0.59	0.29	0.31
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.55	0.53	0.31	0.32
Cigarettes	0.66	0.65	0.37	0.39
Alcohol	0.69	0.67	0.44	0.49
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.67	0.66	0.50	0.51
Marijuana	0.66	0.62	0.35	0.37
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.62	0.61	0.42	0.44
Cigarettes	0.68	0.69	0.50	0.49
Alcohol	0.63	0.65	0.53	0.54

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 3.56P How Many Students in Youths' Grade Drink Alcoholic Beverages, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Drink Alcoholic Beverages (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Drink Alcoholic Beverages <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.0813		0.0813	
<b>AGE</b>				
12-13	0.9537		0.9537	
14-15	0.0807		0.0807	
16-17	0.0105		0.0105	
<b>GENDER</b>				
Male	0.2040		0.2040	
Female	0.2270		0.2270	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.1521		0.1521	
White	0.0374		0.0374	
Black or African American	0.8090		0.8090	
American Indian or Alaska Native	0.1369		0.1369	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.1156		0.1156	
Two or More Races	0.4635		0.4635	
Hispanic or Latino	0.3861		0.3861	
<b>COUNTY TYPE</b>				
Large Metro	0.7680		0.7680	
Small Metro	0.1106		0.1106	
Nonmetro	0.0016		0.0016	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.0420		0.6125	
Marijuana	0.0199		0.6876	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.1663		0.9532	
Cigarettes	0.0023		0.9660	
Alcohol	0.0138		0.4170	
Binge Alcohol <sup>3</sup>	0.0031		0.5377	
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.0034		0.8158	
Marijuana	0.0040		0.7261	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.1338		0.4026	
Cigarettes	0.0142		0.8937	
Alcohol	0.1414		0.1659	
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.0000		0.5776	
Marijuana	0.0001		0.6447	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.0006		0.1202	
Cigarettes	0.0000		0.2177	
Alcohol	0.0694		0.6822	

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.57C How Many Students in Youths' Grade Get Drunk at Least Once a Week, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Get Drunk at Least Once a Week (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Get Drunk at Least Once a Week <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	100	96	232	250
<b>AGE</b>				
12-13	18	22	119	127
14-15	53	52	122	130
16-17	77	72	102	109
<b>GENDER</b>				
Male	58	59	147	160
Female	71	74	143	155
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	90	86	211	226
White	73	74	177	191
Black or African American	32	43	90	97
American Indian or Alaska Native	5	6	15	12
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	22	19	55	66
Two or More Races	12	8	22	21
Hispanic or Latino	45	43	92	102
<b>COUNTY TYPE</b>				
Large Metro	78	76	185	204
Small Metro	54	49	153	132
Nonmetro	39	36	92	96
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	45	42	53	52
Marijuana	40	37	43	44
Illicit Drugs Other Than Marijuana <sup>2</sup>	32	26	39	36
Cigarettes	49	43	58	56
Alcohol	57	53	77	70
Binge Alcohol <sup>3</sup>	50	43	59	50
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	59	58	78	82
Marijuana	53	51	62	62
Illicit Drugs Other Than Marijuana <sup>2</sup>	47	42	59	62
Cigarettes	57	51	75	77
Alcohol	75	71	109	112
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	68	65	100	100
Marijuana	61	56	71	74
Illicit Drugs Other Than Marijuana <sup>2</sup>	58	54	83	80
Cigarettes	70	62	99	102
Alcohol	84	78	123	126

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.57D How Many Students in Youths' Grade Get Drunk at Least Once a Week, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Get Drunk at Least Once a Week (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2004 and 2005**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Get Drunk at Least Once a Week <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.39	0.37	0.39	0.37
<b>AGE</b>				
12-13	0.27	0.32	0.27	0.32
14-15	0.61	0.63	0.61	0.63
16-17	0.80	0.72	0.80	0.72
<b>GENDER</b>				
Male	0.47	0.46	0.47	0.46
Female	0.56	0.59	0.56	0.59
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.41	0.39	0.41	0.39
White	0.44	0.43	0.44	0.43
Black or African American	0.94	1.09	0.94	1.09
American Indian or Alaska Native	4.07	3.86	4.07	3.86
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.25	2.04	2.25	2.04
Two or More Races	2.41	2.19	2.41	2.19
Hispanic or Latino	1.12	1.03	1.12	1.03
<b>COUNTY TYPE</b>				
Large Metro	0.56	0.53	0.56	0.53
Small Metro	0.69	0.61	0.69	0.61
Nonmetro	0.86	0.78	0.86	0.78
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.94	0.89	0.28	0.27
Marijuana	0.88	0.83	0.23	0.23
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.72	0.59	0.21	0.19
Cigarettes	0.98	0.91	0.30	0.29
Alcohol	1.07	1.01	0.38	0.35
Binge Alcohol <sup>3</sup>	1.03	0.89	0.31	0.27
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	1.03	1.12	0.39	0.39
Marijuana	1.01	1.04	0.33	0.31
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.96	0.88	0.31	0.31
Cigarettes	1.09	1.00	0.38	0.39
Alcohol	1.06	1.03	0.46	0.48
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	1.05	1.12	0.44	0.45
Marijuana	1.09	1.05	0.36	0.36
Illicit Drugs Other Than Marijuana <sup>2</sup>	1.05	1.04	0.40	0.38
Cigarettes	1.13	1.09	0.46	0.48
Alcohol	1.03	0.97	0.49	0.51

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 3.57P How Many Students in Youths' Grade Get Drunk at Least Once a Week, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Get Drunk at Least Once a Week (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Get Drunk at Least Once a Week <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2004	2005	2004	2005
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.3930		0.3930	
<b>AGE</b>				
12-13	0.7532		0.7532	
14-15	0.1035		0.1035	
16-17	0.5916		0.5916	
<b>GENDER</b>				
Male	0.1103		0.1103	
Female	0.8322		0.8322	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.6266		0.6266	
White	0.3777		0.3777	
Black or African American	0.2074		0.2074	
American Indian or Alaska Native	0.5861		0.5861	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.7854		0.7854	
Two or More Races	0.3132		0.3132	
Hispanic or Latino	0.3109		0.3109	
<b>COUNTY TYPE</b>				
Large Metro	0.5648		0.5648	
Small Metro	0.2768		0.2768	
Nonmetro	0.0428		0.0428	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drugs <sup>2</sup>	0.1522		0.3432	
Marijuana	0.1661		0.1318	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.0485		0.9427	
Cigarettes	0.0516		0.0669	
Alcohol	0.2709		0.1122	
Binge Alcohol <sup>3</sup>	0.1035		0.0579	
<b>PAST YEAR</b>				
Illicit Drugs <sup>2</sup>	0.2326		0.0343	
Marijuana	0.2257		0.0218	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.0778		0.3427	
Cigarettes	0.1761		0.0981	
Alcohol	0.4947		0.5263	
<b>LIFETIME</b>				
Illicit Drugs <sup>2</sup>	0.0077		0.0005	
Marijuana	0.1333		0.0041	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.0191		0.0070	
Cigarettes	0.0049		0.0009	
Alcohol	0.4657		0.0788	

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.