

Table 5.37A Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Numbers in Thousands, 2004 and 2005

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	549	419	40	54	102	103	406	263
Rehabilitation Facility - Inpatient	540	569	60	55	141	123	339	392
Rehabilitation Facility - Outpatient	1,030	882	87	90	239	241	704	552
Mental Health Center - Outpatient	590	576	55	53	139	145	396	378
Emergency Room	253	167	20	25	49	37	185	106
Private Doctor's Office	209	244	40	35	56	69	112	141
Self-Help Group	1,175	1,214	87	87	289	285	800	841
Prison/Jail	163	219	18	17	53	60	92	142

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.37B Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Percentages, 2004 and 2005

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	25.0	19.3	14.5	21.3	18.9	18.2	29.6	19.3
Rehabilitation Facility - Inpatient	24.7	26.2	21.7	21.7	26.0	21.8	24.7	28.9
Rehabilitation Facility - Outpatient	47.0	40.6	31.7	35.6	44.0	42.7	51.3	40.7
Mental Health Center - Outpatient	26.9	26.5	20.0	21.2	25.5	25.7	28.9	27.8
Emergency Room	11.6	7.7	7.2	9.8	9.0	6.5	13.4	7.8
Private Doctor's Office	9.5	11.2	14.5	13.7	10.4	12.2	8.2	10.4
Self-Help Group	53.6	55.9	31.4	34.7	53.2	50.6	58.2	62.0
Prison/Jail	7.4	10.1	6.4	6.7	9.8	10.6	6.7	10.4

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.38A Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Numbers in Thousands, 2004 and 2005

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	505	602	40	55	66	80	400	468
Rehabilitation Facility - Inpatient	673	822	56	43	107	90	509	689
Rehabilitation Facility - Outpatient	1,074	1,164	83	64	237	207	754	893
Mental Health Center - Outpatient	682	827	52	55	107	132	522	640
Emergency Room	238	273	22	23	34	37	182	214
Private Doctor's Office	310	328	41 ^a	19	54	71	215	238
Self-Help Group	1,524	1,633	91	79	290	285	1,143	1,268
Prison/Jail	199	225	24	15	44	63	130	146

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.38B Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Percentages, 2004 and 2005

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	19.0	21.2	16.9	25.4	11.4	13.4	21.6	23.0
Rehabilitation Facility - Inpatient	25.3	28.9	23.9	19.9	18.7	15.3	27.5	33.8
Rehabilitation Facility - Outpatient	40.4	40.9	35.2	29.9	41.2	34.9	40.8	43.9
Mental Health Center - Outpatient	25.6	29.1	22.3	25.7	18.6	22.3	28.3	31.4
Emergency Room	8.9	9.6	9.5	10.5	5.8	6.2	9.8	10.5
Private Doctor's Office	11.6	11.5	17.4 ^a	8.9	9.3	12.0	11.6	11.7
Self-Help Group	57.3	57.4	38.5	36.8	50.4	48.1	61.9	62.3
Prison/Jail	7.5	7.9	10.4	7.1	7.7	10.7	7.0	7.2

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.39A Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Numbers in Thousands, 2004 and 2005

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	775	773	63	73	130	149	582	550
Rehabilitation Facility - Inpatient	947	1,109	82	71	193	174	672	864
Rehabilitation Facility - Outpatient	1,666	1,546	122	115	381	359	1,163	1,072
Mental Health Center - Outpatient	982	1,046	85	73	196	224	701	748
Emergency Room	453	399	44	46	79	76	330	277
Private Doctor's Office	490	460	67	47	90	116	333	297
Self-Help Group	2,098	2,102	138	121	459	449	1,501	1,532
Prison/Jail	310	344	35	21	70	107	206	216

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.39B Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Percentages, 2004 and 2005

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	20.4	19.7	15.4	21.0	14.9	15.5	23.2	21.0
Rehabilitation Facility - Inpatient	25.0	28.2	20.2	20.3	22.1	18.1	26.8	33.0
Rehabilitation Facility - Outpatient	43.9	39.3	30.0	33.2	43.5	37.3	46.3	40.9
Mental Health Center - Outpatient	25.9	26.6	21.0	21.1	22.4	23.3	27.9	28.5
Emergency Room	11.9	10.2	10.7	13.1	9.0	7.9	13.2	10.6
Private Doctor's Office	12.9	11.7	16.5	13.6	10.3	12.0	13.3	11.3
Self-Help Group	55.3	53.5	33.9	34.8	52.5	46.7	59.8	58.4
Prison/Jail	8.2	8.8	8.5	6.0	8.0	11.1	8.2	8.3

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.