

Table 5.43A Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Numbers in Thousands, 2004 and 2005

Age Category	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	1,427	1,280	1,535	1,626	718	748	2,327	2,308
12	1	1	3	0	1	*	3	1
13	4	2	1	3	*	2	5	3
14	17 ^a	4	11	8	6	3	23 ^a	10
15	29	25	27	19	18	13	41	32
16	38	47	34	44	26	35	47	56
17	45	62	50	44	30	30	66	78
18	81	77	41	29	27	20	97	89
19	37	32	27	35	20	11	45	60
20	28	35	37	33	8	19	65	51
21	57	32	61	41	28	13	91	62
22	33	37	50	41	18	22	69	59
23	36	51	46	37	19	21	68	68
24	50	50	33	38	20	16	68	73
25	30	35	29	39	14	15	45	61
26-29	171 ^a	60	164	82	80	39	269 ^b	109
30-34	114	153	136	192	29	95	221	271
35-39	138	145	185	209	90	112	247	265
40-44	251	221	243	252	138	160	379	313
45-49	173	167	189	218	106	114	255	291
50-54	41	38	122	114	27	4	136	159
55-59	10	5	44	93	10	2	44	109
60-64	43	*	3	*	3	*	43	35
65 or Older	*	*	*	53	*	*	*	53

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.43B Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Percentages, 2004 and 2005

Age Category	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.6	0.5	0.6	0.7	0.3	0.3	1.0	0.9
12	0.0	0.0	0.1	0.0	0.0	*	0.1	0.0
13	0.1	0.1	0.0	0.1	*	0.1	0.1	0.1
14	0.4 ^a	0.1	0.3	0.2	0.1	0.1	0.5 ^a	0.2
15	0.7	0.6	0.6	0.4	0.4	0.3	1.0	0.7
16	0.9	1.1	0.8	1.0	0.6	0.8	1.1	1.3
17	1.1	1.5	1.2	1.1	0.7	0.7	1.6	1.9
18	1.8	1.7	0.9	0.6	0.6	0.4	2.1	1.9
19	0.9	0.7	0.7	0.8	0.5	0.3	1.1	1.4
20	0.7	0.9	0.9	0.8	0.2	0.5	1.6	1.2
21	1.4	0.8	1.5	1.0	0.7	0.3	2.2	1.5
22	0.8	0.9	1.2	1.0	0.4	0.6	1.7	1.5
23	0.9	1.3	1.2	1.0	0.5	0.6	1.7	1.7
24	1.2	1.3	0.8	1.0	0.5	0.4	1.7	2.0
25	0.8	0.9	0.8	1.0	0.4	0.4	1.2	1.6
26-29	1.1 ^a	0.4	1.1	0.5	0.5	0.3	1.8 ^b	0.7
30-34	0.6	0.8	0.7	1.0	0.1 ^a	0.5	1.1	1.4
35-39	0.7	0.7	0.9	1.0	0.4	0.6	1.2	1.3
40-44	1.1	0.9	1.1	1.1	0.6	0.7	1.7	1.3
45-49	0.8	0.8	0.9	1.0	0.5	0.5	1.2	1.3
50-54	0.2	0.2	0.6	0.6	0.1	0.0	0.7	0.8
55-59	0.1	0.0	0.3	0.5	0.1	0.0	0.3	0.6
60-64	0.3	*	0.0	*	0.0	*	0.3	0.3
65 or Older	*	*	*	0.2	*	*	*	0.2

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.44A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	1,427	1,280	1,535	1,626	718	748	2,327	2,308
AGE								
12-17	134	142	126	119	81	84	185	181
18-25	352	350	323	295	154	138	548	522
26 or Older	941	789	1,086	1,213	483	527	1,594	1,605
GENDER								
Male	914	748	1,149	1,047	542	412	1,571	1,519
Female	513	532	386 ^a	579	175 ^a	337	755	789
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1,285	1,098	1,301	1,374	639	641	2,013	1,934
White	845	722	928	969	398	387	1,425	1,372
Black or African American	334	343	285	368	190	237	443	507
American Indian or Alaska Native	7	11	26	21	6	8	27	24
Native Hawaiian or Other Pacific Islander	*	1	*	0	*	*	*	2
Asian	46	2	12	4	*	1	58	5
Two or More Races	34	19	31	12	26	7	40	25
Hispanic or Latino	142	182	234	252	79	107	314	373

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.44B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.6	0.5	0.6	0.7	0.3	0.3	1.0	0.9
AGE								
12-17	0.5	0.6	0.5	0.5	0.3	0.3	0.7	0.7
18-25	1.1	1.1	1.0	0.9	0.5	0.4	1.7	1.6
26 or Older	0.5	0.4	0.6	0.7	0.3	0.3	0.9	0.9
GENDER								
Male	0.8	0.6	1.0	0.9	0.5	0.3	1.3	1.3
Female	0.4	0.4	0.3 ^a	0.5	0.1 ^a	0.3	0.6	0.6
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.6	0.5	0.6	0.7	0.3	0.3	1.0	0.9
White	0.5	0.4	0.6	0.6	0.2	0.2	0.9	0.8
Black or African American	1.2	1.2	1.0	1.3	0.7	0.8	1.6	1.8
American Indian or Alaska Native	0.5	0.9	2.0	1.7	0.5	0.6	2.1	1.9
Native Hawaiian or Other Pacific Islander	*	0.1	*	0.0	*	*	*	0.3
Asian	0.5	0.0	0.1	0.0	*	0.0	0.6	0.0
Two or More Races	1.3	0.7	1.2	0.5	1.0	0.3	1.6	1.0
Hispanic or Latino	0.5	0.6	0.8	0.8	0.3	0.3	1.0	1.2

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.45A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	134	142	126	119	81	84	185	181
GENDER								
Male	74	77	68	50	45	39	98	92
Female	61	64	58	69	36	45	87	89
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	115	122	111	101	68	70	163	158
White	100	104	99	83	57	57	146	135
Black or African American	11	15	8	14	8	11	12	18
American Indian or Alaska Native	2	1	2	2	2	1	3	2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	*	0	*	*	*	0	*
Two or More Races	1	2	1	1	1	1	2	2
Hispanic or Latino	20	20	15	17	13	14	22	23
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	50	58	47	33	25	28	73	66
Female, White, Not Hispanic	50	47	52	50	32	29	73	69
Male, Black, Not Hispanic	8	7	7	7	7	4	8	10
Female, Black, Not Hispanic	3	8	2	7	1	7	3	8
Male, Hispanic	13	13	11	9	11	7	13	15
Female, Hispanic	7	7	4	8	2	7	9	8

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.45B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.5	0.6	0.5	0.5	0.3	0.3	0.7	0.7
GENDER								
Male	0.6	0.6	0.5	0.4	0.4	0.3	0.8	0.7
Female	0.5	0.5	0.5	0.6	0.3	0.4	0.7	0.7
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.5	0.6	0.5	0.5	0.3	0.3	0.8	0.8
White	0.6	0.7	0.6	0.5	0.4	0.4	0.9	0.9
Black or African American	0.3	0.4	0.2	0.4	0.2	0.3	0.3	0.5
American Indian or Alaska Native	1.3	0.5	1.2	1.3	1.2	0.4	1.5	1.4
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	*	0.0	*	*	*	0.0	*
Two or More Races	0.3	0.5	0.3	0.3	0.2	0.3	0.5	0.6
Hispanic or Latino	0.5	0.4	0.4	0.4	0.3	0.3	0.5	0.5
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	0.6	0.7	0.6	0.4	0.3	0.4	0.9	0.8
Female, White, Not Hispanic	0.7	0.6	0.7	0.7	0.4	0.4	1.0	0.9
Male, Black, Not Hispanic	0.4	0.3	0.3	0.4	0.3	0.2	0.4	0.5
Female, Black, Not Hispanic	0.1	0.4	0.1	0.4	0.1	0.4	0.2	0.4
Male, Hispanic	0.6	0.6	0.5	0.4	0.5	0.3	0.6	0.7
Female, Hispanic	0.4	0.3	0.2	0.4	0.1	0.3	0.4	0.4

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.46A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR						
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}
	2004	2005	2004	2005	2004	2005	
TOTAL	352	350	323	295	154	138	548
GENDER							
Male	216	212	232	199	102	87	369
Female	135	138	91	96	52	51	178
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	320	315	272	259	140	119	472
White	267	268	245	225	127	104	406
Black or African American	38	34	15	26	9	10	45
American Indian or Alaska Native	*	4	6	2	*	2	6
Native Hawaiian or Other Pacific Islander	*	1	*	0	*	*	*
Asian	6	2	2	4	*	1	8
Two or More Races	5	6	3	2	2	1	7
Hispanic or Latino	32	35	52	35	14	19	76
EDUCATION							
< High School	158	126	111	104	60	52	216
High School Graduate	131	152	126	109	61	51	211
Some College	57	70	77	67	28	33	107
College Graduate	5	2	9	15	4	2	14
CURRENT EMPLOYMENT							
Full-Time	153	133	145	123	64	52	245
Part-Time	59	73	58	72	20	35	110
Unemployed	48	71	41	56	22	26	70
Other ³	91	73	78 ^a	44	48	25	123

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.46B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	1.1	1.1	1.0	0.9	0.5	0.4	1.7	1.6
GENDER								
Male	1.3	1.3	1.4	1.2	0.6	0.5	2.3	2.1
Female	0.8	0.9	0.6	0.6	0.3	0.3	1.1	1.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1.2	1.2	1.0	1.0	0.5	0.4	1.8	1.8
White	1.3	1.3	1.2	1.1	0.6	0.5	2.0	2.0
Black or African American	0.9	0.8	0.4	0.6	0.2	0.2	1.0	1.2
American Indian or Alaska Native	*	1.9	3.2	1.0	*	0.8	3.5	2.2
Native Hawaiian or Other Pacific Islander	*	0.7	*	0.1	*	*	*	0.8
Asian	0.4	0.1	0.2	0.3	*	0.1	0.6	0.3
Two or More Races	1.6	1.9	0.9	0.6	0.5	0.4	1.9	2.3
Hispanic or Latino	0.6	0.6	0.9	0.6	0.2	0.3	1.3	0.9
EDUCATION								
< High School	2.4	1.9	1.7	1.6	0.9	0.8	3.2	2.7
High School Graduate	1.2	1.4	1.1	1.0	0.6	0.5	1.9	2.0
Some College	0.6	0.7	0.7	0.6	0.3	0.3	1.0	1.0
College Graduate	0.1	0.0	0.2	0.4	0.1	0.0	0.3	0.4
CURRENT EMPLOYMENT								
Full-Time	1.0	0.9	1.0	0.8	0.4	0.3	1.6	1.4
Part-Time	0.7	0.9	0.7	0.9	0.2	0.4	1.4	1.4
Unemployed	1.9	2.8	1.6	2.2	0.8	1.0	2.7	4.0
Other ³	1.4	1.2	1.2 ^a	0.7	0.7	0.4	1.9	1.5

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.47A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	941	789	1,086	1,213	483	527	1,594	1,605
GENDER								
Male	624	459	849	799	395	286	1,104	1,090
Female	317	329	236 ^a	415	88 ^a	240	490	515
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	851	661	919	1,014	432	453	1,378	1,306
White	478	350	583	661	214	226	873	835
Black or African American	285	294	261	328	173	216	387	437
American Indian or Alaska Native	1	6	*	17	1	6	*	17
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	*	9	*	*	*	49	*
Two or More Races	27	11	27	9	24	5	31	15
Hispanic or Latino	90	128	167	199	51	74	217	300
EDUCATION								
< High School	262	248	337	321	103	168	498	439
High School Graduate	366	280	381	407	181	180	608	529
Some College	238	196	302	285	155	148	390	390
College Graduate	75	64	67	200	44	30	98	247
CURRENT EMPLOYMENT								
Full-Time	423	364	534	500	233	246	760	647
Part-Time	113	108	102	118	57	66	173	159
Unemployed	107	73	99	108	24	44	183	172
Other ³	298	244	350	487	170	171	479	627

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.47B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR						
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}
	2004	2005	2004	2005	2004	2005	
TOTAL	0.5	0.4	0.6	0.7	0.3	0.3	0.9
GENDER							
Male	0.7	0.5	1.0	0.9	0.5	0.3	1.3
Female	0.3	0.3	0.2 ^a	0.4	0.1 ^a	0.2	0.5
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.5	0.4	0.6	0.6	0.3	0.3	0.9
White	0.4	0.3	0.4	0.5	0.2	0.2	0.7
Black or African American	1.4	1.4	1.3	1.6	0.9	1.1	1.9
American Indian or Alaska Native	0.1	0.7	*	1.9	0.1	0.7	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*
Asian	*	*	0.1	*	*	*	0.7
Two or More Races	1.6	0.6	1.5	0.5	1.3	0.2	1.7
Hispanic or Latino	0.4	0.6	0.8	0.9	0.2	0.3	1.0
EDUCATION							
< High School	0.9	0.9	1.1	1.1	0.3	0.6	1.7
High School Graduate	0.6	0.5	0.7	0.7	0.3	0.3	1.1
Some College	0.5	0.4	0.7	0.6	0.3	0.3	0.9
College Graduate	0.1	0.1	0.1	0.4	0.1	0.1	0.2
CURRENT EMPLOYMENT							
Full-Time	0.4	0.3	0.5	0.5	0.2	0.2	0.7
Part-Time	0.6	0.5	0.5	0.6	0.3	0.3	0.9
Unemployed	2.2	1.4	2.1	2.2	0.5	0.9	3.8
Other ³	0.5	0.4	0.6	0.9	0.3	0.3	0.9

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.48A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	1,293	1,139	1,409	1,508	637	665	2,142	2,127
GENDER								
Male	841	671	1,082	997	497	373	1,474	1,427
Female	452	468	328 ^a	510	140 ^a	292	668	700
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1,171	976	1,190	1,273	572	571	1,850	1,777
White	745	617	829	886	341	330	1,279	1,237
Black or African American	323	329	277	353	182	226	431	489
American Indian or Alaska Native	5	10	24	19	4	7	25	21
Native Hawaiian or Other Pacific Islander	*	1	*	0	*	*	*	2
Asian	46	2	11	4	*	1	58	5
Two or More Races	33	17	30	11	25	6	38	23
Hispanic or Latino	122	163	219	235	65	93	292	350
EDUCATION								
< High School	421	374	448	425	163	220	714	622
High School Graduate	497	433	507	516	243	232	819	748
Some College	295	266	379	351	184	181	497	495
College Graduate	80	66	76	215	47	32	112	262
CURRENT EMPLOYMENT								
Full-Time	576	497	680	623	297	298	1,004	858
Part-Time	172	180	160	190	77	101	283	272
Unemployed	156	144	141	164	45	70	253	276
Other ³	390	317	428	531	217	196	602	722

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.48B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR						
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}
	2004	2005	2004	2005	2004	2005	
TOTAL	0.6	0.5	0.7	0.7	0.3	0.3	1.0
GENDER							
Male	0.8	0.6	1.0	0.9	0.5	0.4	1.4
Female	0.4	0.4	0.3 ^a	0.5	0.1 ^a	0.3	0.6
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.6	0.5	0.6	0.7	0.3	0.3	0.9
White	0.5	0.4	0.5	0.6	0.2	0.2	0.8
Black or African American	1.3	1.3	1.1	1.4	0.8	0.9	2.0
American Indian or Alaska Native	0.4	0.9	2.1	1.7	0.4	0.7	1.9
Native Hawaiian or Other Pacific Islander	*	0.1	*	0.0	*	*	0.4
Asian	0.5	0.0	0.1	0.0	*	0.0	0.1
Two or More Races	1.6	0.8	1.4	0.5	1.2	0.3	1.0
Hispanic or Latino	0.5	0.6	0.8	0.8	0.2	0.3	1.3
EDUCATION							
< High School	1.2	1.0	1.2	1.2	0.4	0.6	1.7
High School Graduate	0.7	0.6	0.7	0.8	0.4	0.3	1.1
Some College	0.5	0.5	0.7	0.6	0.3	0.3	0.9
College Graduate	0.1	0.1	0.1	0.4	0.1	0.1	0.4
CURRENT EMPLOYMENT							
Full-Time	0.5	0.4	0.6	0.5	0.2	0.2	0.7
Part-Time	0.6	0.6	0.6	0.7	0.3	0.4	1.0
Unemployed	2.1	1.9	1.9	2.2	0.6	0.9	3.6
Other ³	0.6	0.5	0.7	0.9	0.4	0.3	1.2

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.49A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	1,427	1,280	1,535	1,626	718	748	2,327	2,308
GEOGRAPHIC DIVISION								
Northeast	345	320	322	394	173	225	507	513
New England	96 ^a	42	82	74	57	28	129	89
Middle Atlantic	249	278	239	321	117	197	378	424
Midwest	307	276	363	397	142	161	537	539
East North Central	176	170	246	234	82	100	346	308
West North Central	130	106	117	163	60	61	190	231
South	527	424	487	489	243	236	813	701
South Atlantic	344	285	325	304	194	163	505	440
East South Central	62	57	64	70	22	30	105	101
West South Central	122	82	98	115	27	43	204	159
West	248	261	363	345	160	127	470	555
Mountain	68	132	74 ^a	171	34	59	118 ^a	246
Pacific	180	130	289	175	127	68	352	309
COUNTY TYPE								
Large Metro	740	714	787	881	345	421	1,219	1,273
Small Metro	447	352	488	474	259	201	695	647
250K - 1 Mil. Pop.	284	280	306	325	152	148	453	473
< 250K Pop.	163 ^a	72	183	149	107	53	243	174
Nonmetro	240	215	260	271	114	126	412	388
Urbanized	115	105	116	99	65	71	168	138
Less Urbanized	122	93	121	158	47	48	218	217
Completely Rural	4	16	22	14	2	7	26	33

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.49B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.6	0.5	0.6	0.7	0.3	0.3	1.0	0.9
GEOGRAPHIC DIVISION								
Northeast	0.8	0.7	0.7	0.9	0.4	0.5	1.1	1.1
New England	0.8 ^a	0.4	0.7	0.6	0.5	0.2	1.1	0.7
Middle Atlantic	0.7	0.8	0.7	1.0	0.3	0.6	1.1	1.3
Midwest	0.6	0.5	0.7	0.7	0.3	0.3	1.0	1.0
East North Central	0.5	0.4	0.6	0.6	0.2	0.3	0.9	0.8
West North Central	0.8	0.6	0.7	1.0	0.4	0.4	1.2	1.4
South	0.6	0.5	0.6	0.6	0.3	0.3	0.9	0.8
South Atlantic	0.8	0.6	0.7	0.7	0.4	0.4	1.1	1.0
East South Central	0.4	0.4	0.4	0.5	0.2	0.2	0.7	0.7
West South Central	0.5	0.3	0.4	0.4	0.1	0.2	0.8	0.6
West	0.5	0.5	0.7	0.6	0.3	0.2	0.9	1.0
Mountain	0.4	0.8	0.5 ^a	1.0	0.2	0.4	0.7 ^a	1.5
Pacific	0.5	0.3	0.7	0.4	0.3	0.2	0.9	0.8
COUNTY TYPE								
Large Metro	0.6	0.5	0.6	0.7	0.3	0.3	0.9	1.0
Small Metro	0.6	0.5	0.7	0.7	0.4	0.3	1.0	0.9
250K - 1 Mil. Pop.	0.6	0.6	0.6	0.7	0.3	0.3	1.0	1.0
< 250K Pop.	0.7 ^a	0.3	0.7	0.6	0.4	0.2	1.0	0.7
Nonmetro	0.6	0.5	0.6	0.7	0.3	0.3	1.0	1.0
Urbanized	0.7	0.7	0.7	0.6	0.4	0.5	1.0	0.9
Less Urbanized	0.6	0.5	0.6	0.8	0.2	0.2	1.1	1.1
Completely Rural	0.1	0.3	0.6	0.3	0.0	0.1	0.7	0.7

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.