

**Table 5.60A Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Numbers in Thousands, 2004 and 2005**

| Age Category | NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR |       |  |       |   |       | Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment |      |
|--------------|---|-------|--|-------|---|-------|--|------|
|              | Total   |       | Received Treatment at a Specialty Facility |       | Did Not Receive Treatment at a Specialty Facility |       |  |      |
|              | 2004  | 2005  | 2004                                       | 2005  | 2004  | 2005  | 2004   | 2005 |
| TOTAL        | 8,053   | 7,550 | 1,427                                      | 1,280 | 6,626   | 6,269 | 17.7   | 17.0 |
| 12           | 43  | 25    | 1  | 1     | 42  | 24    | *  | *    |
| 13           | 86  | 68    | 4  | 2     | 82  | 65    | *  | *    |
| 14           | 207 <sup>b</sup>  | 135   | 17 <sup>a</sup>                            | 4     | 190 <sup>a</sup>                                  | 131   | 8.3 <sup>a</sup>   | 3.0  |
| 15           | 267   | 242   | 29   | 25    | 238   | 217   | 10.9   | 10.4 |
| 16           | 362   | 358   | 38   | 47    | 324   | 310   | 10.6   | 13.2 |
| 17           | 430   | 426   | 45   | 62    | 385   | 364   | 10.4   | 14.5 |
| 18           | 530   | 493   | 81   | 77    | 449   | 416   | 15.2   | 15.7 |
| 19           | 419   | 437   | 37   | 32    | 381   | 405   | 8.9  | 7.4  |
| 20           | 438   | 400   | 28   | 35    | 410   | 364   | 6.5  | 8.9  |
| 21           | 440 <sup>a</sup>  | 340   | 57   | 32    | 384   | 309   | 12.8   | 9.3  |
| 22           | 351   | 362   | 33   | 37    | 318   | 325   | 9.3  | 10.2 |
| 23           | 253 <sup>a</sup>  | 335   | 36   | 51    | 217 <sup>a</sup>                                  | 283   | 14.3   | 15.4 |
| 24           | 214   | 229   | 50   | 50    | 164   | 180   | 23.5   | 21.7 |
| 25           | 212   | 258   | 30   | 35    | 182   | 223   | 14.0   | 13.6 |
| 26-29        | 855   | 661   | 171 <sup>a</sup>                           | 60    | 684   | 601   | 20.0 <sup>a</sup>  | 9.1  |
| 30-34        | 671   | 610   | 114  | 153   | 557   | 457   | *  | *    |
| 35-39        | 571   | 573   | 138  | 145   | 433   | 428   | *  | *    |
| 40-44        | 735   | 622   | 251  | 221   | 484   | 400   | 34.2   | *    |
| 45-49        | 496   | 491   | 173  | 167   | 323   | 324   | *  | *    |
| 50-54        | 259   | 340   | 41   | 38    | 218   | 302   | *  | *    |
| 55-59        | 95  | 112   | 10   | 5     | 85  | 107   | *  | *    |
| 60-64        | 105   | 24    | 43   | *     | 62  | 24    | *  | *    |
| 65 or Older  | 13  | 10    | *  | *     | 13  | 10    | *  | *    |

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.60B Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Percentages, 2004 and 2005**

| Age Category | NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR |      |  |      |   |      | Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment |      |
|--------------|---|------|--|------|---|------|--|------|
|              | Total   |      | Received Treatment at a Specialty Facility |      | Did Not Receive Treatment at a Specialty Facility |      |  |      |
|              | 2004  | 2005 | 2004                                       | 2005 | 2004  | 2005 | 2004   | 2005 |
| <b>TOTAL</b> | 3.3   | 3.1  | 0.6  | 0.5  | 2.8   | 2.6  | 17.7   | 17.0 |
| 12           | 1.1   | 0.6  | 0.0  | 0.0  | 1.1   | 0.6  | *  | *    |
| 13           | 2.0   | 1.6  | 0.1  | 0.1  | 1.9   | 1.5  | *  | *    |
| 14           | 4.7 <sup>b</sup>  | 3.1  | 0.4 <sup>a</sup>                           | 0.1  | 4.3 <sup>a</sup>                                  | 3.0  | 8.3 <sup>a</sup>   | 3.0  |
| 15           | 6.2   | 5.6  | 0.7  | 0.6  | 5.6   | 5.0  | 10.9   | 10.4 |
| 16           | 8.8   | 8.3  | 0.9  | 1.1  | 7.9   | 7.2  | 10.6   | 13.2 |
| 17           | 10.6  | 10.4 | 1.1  | 1.5  | 9.5   | 8.8  | 10.4   | 14.5 |
| 18           | 11.5  | 10.8 | 1.8  | 1.7  | 9.8   | 9.1  | 15.2   | 15.7 |
| 19           | 10.6  | 10.2 | 0.9  | 0.7  | 9.7   | 9.4  | 8.9  | 7.4  |
| 20           | 11.0  | 9.7  | 0.7  | 0.9  | 10.3  | 8.9  | 6.5  | 8.9  |
| 21           | 10.8 <sup>a</sup>   | 8.5  | 1.4  | 0.8  | 9.4   | 7.7  | 12.8   | 9.3  |
| 22           | 8.7   | 8.9  | 0.8  | 0.9  | 7.9   | 8.0  | 9.3  | 10.2 |
| 23           | 6.4 <sup>a</sup>  | 8.6  | 0.9  | 1.3  | 5.5 <sup>a</sup>                                  | 7.3  | 14.3   | 15.4 |
| 24           | 5.3   | 6.2  | 1.2  | 1.3  | 4.1   | 4.8  | 23.5   | 21.7 |
| 25           | 5.9   | 6.7  | 0.8  | 0.9  | 5.1   | 5.8  | 14.0   | 13.6 |
| 26-29        | 5.6   | 4.3  | 1.1 <sup>a</sup>                           | 0.4  | 4.5   | 3.9  | 20.0 <sup>a</sup>  | 9.1  |
| 30-34        | 3.4   | 3.2  | 0.6  | 0.8  | 2.8   | 2.4  | *  | *    |
| 35-39        | 2.7   | 2.9  | 0.7  | 0.7  | 2.1   | 2.1  | *  | *    |
| 40-44        | 3.2   | 2.7  | 1.1  | 0.9  | 2.1   | 1.7  | 34.2   | *    |
| 45-49        | 2.3   | 2.2  | 0.8  | 0.8  | 1.5   | 1.5  | *  | *    |
| 50-54        | 1.3   | 1.7  | 0.2  | 0.2  | 1.1   | 1.5  | *  | *    |
| 55-59        | 0.6   | 0.7  | 0.1  | 0.0  | 0.5   | 0.6  | *  | *    |
| 60-64        | 0.8   | 0.2  | 0.3  | *    | 0.5   | 0.2  | *  | *    |
| 65 or Older  | 0.0   | 0.0  | *  | *    | 0.0   | 0.0  | *  | *    |

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.61A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2004 and 2005**

| Demographic Characteristic                   | NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM<br>IN THE PAST YEAR |       |   |       |   |       | Percentage Who<br>Received Treatment at a<br>Specialty Facility among<br>Persons Who Needed<br>Treatment |      |
|--|--|-------|---|-------|---|-------|--|------|
|  | Total  |       | Received Treatment at a<br>Specialty Facility |       | Did Not Receive<br>Treatment at a Specialty<br>Facility |       |  |      |
|  | 2004   | 2005  | 2004  | 2005  | 2004  | 2005  | 2004   | 2005 |
| <b>TOTAL</b>                                 | 8,053  | 7,550 | 1,427   | 1,280 | 6,626   | 6,269 | 17.7   | 17.0 |
| <b>AGE</b>                                   |  |       |   |       |   |       |  |      |
| 12-17  | 1,397 <sup>a</sup>   | 1,254 | 134   | 142   | 1,262 <sup>a</sup>                                      | 1,112 | 9.6  | 11.3 |
| 18-25  | 2,856  | 2,854 | 352   | 350   | 2,505   | 2,504 | 12.3   | 12.3 |
| 26 or Older                                  | 3,801  | 3,442 | 941   | 789   | 2,860   | 2,653 | 24.8   | 22.9 |
| <b>GENDER</b>                                |  |       |   |       |   |       |  |      |
| Male   | 5,049  | 4,626 | 914   | 748   | 4,135   | 3,877 | 18.1   | 16.2 |
| Female                                       | 3,004  | 2,924 | 513   | 532   | 2,492   | 2,392 | 17.1   | 18.2 |
| <b>HISPANIC ORIGIN AND RACE</b>              |  |       |   |       |   |       |  |      |
| Not Hispanic or Latino                       | 6,938  | 6,611 | 1,285   | 1,098 | 5,652   | 5,513 | 18.5   | 16.6 |
| White  | 5,158  | 4,853 | 845   | 722   | 4,313   | 4,131 | 16.4   | 14.9 |
| Black or African American                    | 1,268  | 1,372 | 334   | 343   | 933   | 1,028 | 26.4   | 25.0 |
| American Indian or Alaska<br>Native          | 108  | 98    | 7   | 11    | 101   | 87    | *  | *    |
| Native Hawaiian or Other<br>Pacific Islander | *  | 21    | *   | 1     | 24  | 20    | *  | *    |
| Asian  | 171  | 121   | 46  | 2     | 125   | 119   | *  | *    |
| Two or More Races                            | 190  | 146   | 34  | 19    | 156   | 127   | *  | *    |
| Hispanic or Latino                           | 1,116  | 939   | 142   | 182   | 974 <sup>a</sup>  | 757   | 12.7   | 19.4 |

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.61B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2004 and 2005**

| Demographic Characteristic                   | NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM<br>IN THE PAST YEAR |      |   |      |   |      | Percentage Who<br>Received Treatment at a<br>Specialty Facility among<br>Persons Who Needed<br>Treatment |      |
|--|--|------|---|------|---|------|--|------|
|  | Total  |      | Received Treatment at a<br>Specialty Facility |      | Did Not Receive<br>Treatment at a Specialty<br>Facility |      |  |      |
|  | 2004   | 2005 | 2004  | 2005 | 2004  | 2005 | 2004   | 2005 |
| <b>TOTAL</b>                                 | 3.3  | 3.1  | 0.6   | 0.5  | 2.8   | 2.6  | 17.7   | 17.0 |
| <b>AGE</b>                                   |  |      |   |      |   |      |  |      |
| 12-17  | 5.5 <sup>a</sup>   | 4.9  | 0.5   | 0.6  | 5.0 <sup>a</sup>  | 4.4  | 9.6  | 11.3 |
| 18-25  | 8.9  | 8.8  | 1.1   | 1.1  | 7.8   | 7.7  | 12.3   | 12.3 |
| 26 or Older                                  | 2.1  | 1.9  | 0.5   | 0.4  | 1.6   | 1.4  | 24.8   | 22.9 |
| <b>GENDER</b>                                |  |      |   |      |   |      |  |      |
| Male   | 4.3  | 3.9  | 0.8   | 0.6  | 3.5   | 3.3  | 18.1   | 16.2 |
| Female                                       | 2.4  | 2.3  | 0.4   | 0.4  | 2.0   | 1.9  | 17.1   | 18.2 |
| <b>HISPANIC ORIGIN AND RACE</b>              |  |      |   |      |   |      |  |      |
| Not Hispanic or Latino                       | 3.3  | 3.1  | 0.6   | 0.5  | 2.7   | 2.6  | 18.5   | 16.6 |
| White  | 3.1  | 2.9  | 0.5   | 0.4  | 2.6   | 2.5  | 16.4   | 14.9 |
| Black or African American                    | 4.5  | 4.8  | 1.2   | 1.2  | 3.3   | 3.6  | 26.4   | 25.0 |
| American Indian or Alaska<br>Native          | 8.3  | 7.8  | 0.5   | 0.9  | 7.8   | 6.9  | *  | *    |
| Native Hawaiian or Other<br>Pacific Islander | *  | 3.0  | *   | 0.1  | 3.8   | 2.8  | *  | *    |
| Asian  | 1.7  | 1.2  | 0.5   | 0.0  | 1.3   | 1.2  | *  | *    |
| Two or More Races                            | 7.4  | 5.6  | 1.3   | 0.7  | 6.1   | 4.9  | *  | *    |
| Hispanic or Latino                           | 3.6  | 2.9  | 0.5   | 0.6  | 3.1 <sup>a</sup>  | 2.4  | 12.7   | 19.4 |

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.62A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2004 and 2005**

| Demographic Characteristic                   | NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM<br>IN THE PAST YEAR |       |   |       |   |       | Percentage Who<br>Received Treatment at a<br>Specialty Facility among<br>Persons Who Needed<br>Treatment |      |
|--|--|-------|---|-------|---|-------|--|------|
|  | Total  |       | Received Treatment at a<br>Specialty Facility |       | Did Not Receive<br>Treatment at a Specialty<br>Facility |       |  |      |
|  | 2004   | 2005  | 2004  | 2005  | 2004  | 2005  | 2004   | 2005 |
| <b>TOTAL</b>                                 | 6,657  | 6,296 | 1,293   | 1,139 | 5,364   | 5,158 | 19.4   | 18.1 |
| <b>GENDER</b>                                |  |       |   |       |   |       |  |      |
| Male   | 4,347  | 3,969 | 841   | 671   | 3,506   | 3,298 | 19.3   | 16.9 |
| Female                                       | 2,310  | 2,327 | 452   | 468   | 1,858   | 1,860 | 19.6   | 20.1 |
| <b>HISPANIC ORIGIN AND RACE</b>              |  |       |   |       |   |       |  |      |
| Not Hispanic or Latino                       | 5,812  | 5,567 | 1,171   | 976   | 4,641   | 4,591 | 20.1   | 17.5 |
| White  | 4,266  | 4,018 | 745   | 617   | 3,522   | 3,401 | 17.5   | 15.4 |
| Black or African American                    | 1,114  | 1,216 | 323   | 329   | 791   | 887   | 29.0   | 27.0 |
| American Indian or Alaska<br>Native          | 86   | 85    | 5   | 10    | 81  | 75    | *  | *    |
| Native Hawaiian or Other<br>Pacific Islander | *  | 18    | *   | 1     | 22  | 17    | *  | *    |
| Asian  | 157  | 114   | 46  | 2     | 111   | 112   | *  | *    |
| Two or More Races                            | 146  | 117   | 33  | 17    | 114   | 100   | *  | *    |
| Hispanic or Latino                           | 845  | 729   | 122   | 163   | 723   | 566   | 14.4   | *    |
| <b>EDUCATION</b>                             |  |       |   |       |   |       |  |      |
| < High School                                | 1,688  | 1,688 | 421   | 374   | 1,267   | 1,314 | 24.9   | 22.2 |
| High School Graduate                         | 2,266  | 2,249 | 497   | 433   | 1,769   | 1,816 | 21.9   | 19.2 |
| Some College                                 | 1,902  | 1,610 | 295   | 266   | 1,607   | 1,343 | 15.5   | 16.5 |
| College Graduate                             | 802  | 750   | 80  | 66    | 722   | 684   | 10.0   | 8.8  |
| <b>CURRENT EMPLOYMENT</b>                    |  |       |   |       |   |       |  |      |
| Full-Time                                    | 3,351  | 3,237 | 576   | 497   | 2,775   | 2,740 | 17.2   | 15.4 |
| Part-Time                                    | 1,124  | 1,112 | 172   | 180   | 952   | 931   | 15.3   | 16.2 |
| Unemployed                                   | 766  | 676   | 156   | 144   | 611   | 532   | *  | 21.3 |
| Other <sup>1</sup>                           | 1,416  | 1,272 | 390   | 317   | 1,026   | 955   | 27.5   | 24.9 |

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.62B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2004 and 2005**

| Demographic Characteristic                   | NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM<br>IN THE PAST YEAR |      |   |      |   |      | Percentage Who<br>Received Treatment at a<br>Specialty Facility among<br>Persons Who Needed<br>Treatment |      |
|--|--|------|---|------|---|------|--|------|
|  | Total  |      | Received Treatment at a<br>Specialty Facility |      | Did Not Receive<br>Treatment at a Specialty<br>Facility |      |  |      |
|  | 2004   | 2005 | 2004  | 2005 | 2004  | 2005 | 2004   | 2005 |
| <b>TOTAL</b>                                 | 3.1  | 2.9  | 0.6   | 0.5  | 2.5   | 2.4  | 19.4   | 18.1 |
| <b>GENDER</b>                                |  |      |   |      |   |      |  |      |
| Male   | 4.2  | 3.8  | 0.8   | 0.6  | 3.4   | 3.1  | 19.3   | 16.9 |
| Female                                       | 2.1  | 2.1  | 0.4   | 0.4  | 1.7   | 1.6  | 19.6   | 20.1 |
| <b>HISPANIC ORIGIN AND RACE</b>              |  |      |   |      |   |      |  |      |
| Not Hispanic or Latino                       | 3.1  | 2.9  | 0.6   | 0.5  | 2.5   | 2.4  | 20.1   | 17.5 |
| White  | 2.8  | 2.6  | 0.5   | 0.4  | 2.3   | 2.2  | 17.5   | 15.4 |
| Black or African American                    | 4.6  | 4.9  | 1.3   | 1.3  | 3.3   | 3.6  | 29.0   | 27.0 |
| American Indian or Alaska<br>Native          | 7.6  | 7.7  | 0.4   | 0.9  | 7.1   | 6.8  | *  | *    |
| Native Hawaiian or Other<br>Pacific Islander | *  | 2.8  | *   | 0.1  | 3.9   | 2.7  | *  | *    |
| Asian  | 1.8  | 1.3  | 0.5   | 0.0  | 1.2   | 1.2  | *  | *    |
| Two or More Races                            | 6.9  | 5.3  | 1.6   | 0.8  | 5.4   | 4.5  | *  | *    |
| Hispanic or Latino                           | 3.2  | 2.6  | 0.5   | 0.6  | 2.7   | 2.0  | 14.4   | *    |
| <b>EDUCATION</b>                             |  |      |   |      |   |      |  |      |
| < High School                                | 4.6  | 4.7  | 1.2   | 1.0  | 3.5   | 3.7  | 24.9   | 22.2 |
| High School Graduate                         | 3.3  | 3.3  | 0.7   | 0.6  | 2.6   | 2.7  | 21.9   | 19.2 |
| Some College                                 | 3.5 <sup>a</sup>   | 2.9  | 0.5   | 0.5  | 2.9 <sup>a</sup>  | 2.4  | 15.5   | 16.5 |
| College Graduate                             | 1.4  | 1.3  | 0.1   | 0.1  | 1.3   | 1.2  | 10.0   | 8.8  |
| <b>CURRENT EMPLOYMENT</b>                    |  |      |   |      |   |      |  |      |
| Full-Time                                    | 2.8  | 2.7  | 0.5   | 0.4  | 2.3   | 2.3  | 17.2   | 15.4 |
| Part-Time                                    | 4.1  | 3.9  | 0.6   | 0.6  | 3.5   | 3.3  | 15.3   | 16.2 |
| Unemployed                                   | 10.4   | 8.9  | 2.1   | 1.9  | 8.3   | 7.0  | *  | 21.3 |
| Other <sup>1</sup>                           | 2.3  | 2.1  | 0.6   | 0.5  | 1.7   | 1.6  | 27.5   | 24.9 |

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.63A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005**

| Demographic Characteristic                   | NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM<br>IN THE PAST YEAR |           |   |           |   |           | Percentage Who<br>Received Treatment at a<br>Specialty Facility among<br>Persons Who Needed<br>Treatment |           |
|--|--|-----------|---|-----------|---|-----------|--|-----------|
|  | Total  |           | Received Treatment at a<br>Specialty Facility |           | Did Not Receive<br>Treatment at a Specialty<br>Facility |           |  |           |
|  | 2002-2003  | 2004-2005 | 2002-2003                                     | 2004-2005 | 2002-2003   | 2004-2005 | 2002-2003  | 2004-2005 |
| <b>TOTAL</b>                                 | 7,540  | 7,802     | 1,257   | 1,354     | 6,283   | 6,448     | 16.7   | 17.4      |
| <b>AGE</b>                                   |  |           |   |           |   |           |  |           |
| 12-17  | 1,371  | 1,325     | 128   | 138       | 1,243   | 1,187     | 9.3  | 10.4      |
| 18-25  | 2,652 <sup>a</sup>   | 2,855     | 313   | 351       | 2,339 <sup>a</sup>                                      | 2,504     | 11.8   | 12.3      |
| 26 or Older                                  | 3,518  | 3,621     | 816   | 865       | 2,701   | 2,756     | 23.2   | 23.9      |
| <b>GENDER</b>                                |  |           |   |           |   |           |  |           |
| Male   | 4,713  | 4,837     | 779   | 831       | 3,934   | 4,006     | 16.5   | 17.2      |
| Female                                       | 2,827  | 2,964     | 479   | 522       | 2,348   | 2,442     | 16.9   | 17.6      |
| <b>HISPANIC ORIGIN AND RACE</b>              |  |           |   |           |   |           |  |           |
| Not Hispanic or Latino                       | 6,433  | 6,774     | 1,127   | 1,192     | 5,306   | 5,582     | 17.5   | 17.6      |
| White  | 4,977  | 5,005     | 825   | 783       | 4,151   | 4,222     | 16.6   | 15.6      |
| Black or African American                    | 1,099 <sup>a</sup>   | 1,320     | 244   | 339       | 855   | 981       | 22.2   | 25.7      |
| American Indian or Alaska<br>Native          | 72   | 103       | 23  | 9         | 49 <sup>a</sup>   | 94        | *  | 8.6       |
| Native Hawaiian or Other<br>Pacific Islander | 28   | 32        | 0   | *         | 28  | 22        | *  | *         |
| Asian  | 128  | 146       | 9   | 24        | 120   | 122       | 6.8  | *         |
| Two or More Races                            | 129  | 168       | 25  | 27        | 104   | 141       | *  | 15.9      |
| Hispanic or Latino                           | 1,108  | 1,027     | 131   | 162       | 977   | 865       | 11.8   | 15.8      |

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

**Table 5.63B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, Annual Averages Based on 2002-2003 and 2004-2005**

| Demographic Characteristic                   | NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM<br>IN THE PAST YEAR |           |   |           |   |           | Percentage Who<br>Received Treatment at a<br>Specialty Facility among<br>Persons Who Needed<br>Treatment |           |
|--|--|-----------|---|-----------|---|-----------|--|-----------|
|  | Total  |           | Received Treatment at a<br>Specialty Facility |           | Did Not Receive<br>Treatment at a Specialty<br>Facility |           |  |           |
|  | 2002-2003  | 2004-2005 | 2002-2003                                     | 2004-2005 | 2002-2003   | 2004-2005 | 2002-2003  | 2004-2005 |
| <b>TOTAL</b>                                 | 3.2  | 3.2       | 0.5   | 0.6       | 2.7   | 2.7       | 16.7   | 17.4      |
| <b>AGE</b>                                   |  |           |   |           |   |           |  |           |
| 12-17  | 5.5  | 5.2       | 0.5   | 0.5       | 5.0   | 4.7       | 9.3  | 10.4      |
| 18-25  | 8.5  | 8.8       | 1.0   | 1.1       | 7.5   | 7.7       | 11.8   | 12.3      |
| 26 or Older                                  | 2.0  | 2.0       | 0.5   | 0.5       | 1.5   | 1.5       | 23.2   | 23.9      |
| <b>GENDER</b>                                |  |           |   |           |   |           |  |           |
| Male   | 4.1  | 4.1       | 0.7   | 0.7       | 3.4   | 3.4       | 16.5   | 17.2      |
| Female                                       | 2.3  | 2.4       | 0.4   | 0.4       | 1.9   | 2.0       | 16.9   | 17.6      |
| <b>HISPANIC ORIGIN AND RACE</b>              |  |           |   |           |   |           |  |           |
| Not Hispanic or Latino                       | 3.1  | 3.2       | 0.5   | 0.6       | 2.6   | 2.7       | 17.5   | 17.6      |
| White  | 3.0  | 3.0       | 0.5   | 0.5       | 2.5   | 2.5       | 16.6   | 15.6      |
| Black or African American                    | 4.0  | 4.7       | 0.9   | 1.2       | 3.2   | 3.5       | 22.2   | 25.7      |
| American Indian or Alaska<br>Native          | 5.2  | 8.0       | 1.7   | 0.7       | 3.6 <sup>a</sup>  | 7.3       | *  | 8.6       |
| Native Hawaiian or Other<br>Pacific Islander | 4.3  | 4.8       | 0.1   | *         | 4.3   | 3.3       | *  | *         |
| Asian  | 1.4  | 1.5       | 0.1   | 0.2       | 1.3   | 1.2       | 6.8  | *         |
| Two or More Races                            | 5.1  | 6.5       | 1.0   | 1.0       | 4.1   | 5.5       | *  | 15.9      |
| Hispanic or Latino                           | 3.8  | 3.3       | 0.4   | 0.5       | 3.3 <sup>a</sup>  | 2.7       | 11.8   | 15.8      |

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.



**Table 5.64A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005**

| Geographic Characteristic | NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR |       |  |       |   |       | Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment |      |
|---------------------------|---|-------|--|-------|---|-------|--|------|
|                           | Total   |       | Received Treatment at a Specialty Facility |       | Did Not Receive Treatment at a Specialty Facility |       |  |      |
|                           | 2004  | 2005  | 2004                                       | 2005  | 2004  | 2005  | 2004   | 2005 |
| TOTAL                     | 8,053   | 7,550 | 1,427                                      | 1,280 | 6,626   | 6,269 | 17.7   | 17.0 |
| GEOGRAPHIC DIVISION       |   |       |  |       |   |       |  |      |
| Northeast                 | 1,536   | 1,470 | 345  | 320   | 1,191   | 1,151 | 22.5   | 21.7 |
| New England               | 448   | 462   | 96 <sup>a</sup>                            | 42    | 352   | 419   | 21.4 <sup>b</sup>  | 9.1  |
| Middle Atlantic           | 1,088   | 1,009 | 249  | 278   | 839   | 731   | 22.9   | 27.5 |
| Midwest                   | 1,714   | 1,545 | 307  | 276   | 1,407   | 1,270 | 17.9   | 17.8 |
| East North Central        | 1,242   | 1,095 | 176  | 170   | 1,065   | 925   | 14.2   | 15.5 |
| West North Central        | 473   | 450   | 130  | 106   | 342   | 344   | 27.6   | *    |
| South                     | 2,820   | 2,662 | 527  | 424   | 2,293   | 2,238 | 18.7   | 15.9 |
| South Atlantic            | 1,445   | 1,484 | 344  | 285   | 1,101   | 1,199 | 23.8   | 19.2 |
| East South Central        | 533   | 403   | 62   | 57    | 472   | 346   | 11.5   | 14.0 |
| West South Central        | 842   | 775   | 122  | 82    | 720   | 692   | 14.4   | 10.6 |
| West                      | 1,983   | 1,872 | 248  | 261   | 1,735   | 1,611 | 12.5   | 14.0 |
| Mountain                  | 508 <sup>a</sup>  | 643   | 68   | 132   | 440   | 512   | 13.3   | 20.4 |
| Pacific                   | 1,475   | 1,229 | 180  | 130   | 1,295   | 1,099 | 12.2   | 10.6 |
| COUNTY TYPE               |   |       |  |       |   |       |  |      |
| Large Metro               | 4,260   | 4,081 | 740  | 714   | 3,520   | 3,366 | 17.4   | 17.5 |
| Small Metro               | 2,562   | 2,400 | 447  | 352   | 2,115   | 2,049 | 17.5   | 14.6 |
| 250K - 1 Mil. Pop.        | 1,694   | 1,719 | 284  | 280   | 1,410   | 1,439 | 16.8   | 16.3 |
| < 250K Pop.               | 868   | 682   | 163 <sup>a</sup>                           | 72    | 705   | 610   | 18.8   | 10.6 |
| Nonmetro                  | 1,231   | 1,069 | 240  | 215   | 991   | 854   | 19.5   | 20.1 |
| Urbanized                 | 644   | 496   | 115  | 105   | 529   | 391   | 17.8   | 21.2 |
| Less Urbanized            | 526   | 466   | 122  | 93    | 405   | 373   | 23.1   | 20.0 |
| Completely Rural          | 61  | 107   | 4  | 16    | 57  | 91    | *  | *    |

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.64B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2004 and 2005**

| Geographic Characteristic | NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR |      |  |      |   |      | Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment |      |
|---------------------------|---|------|--|------|---|------|--|------|
|                           | Total   |      | Received Treatment at a Specialty Facility |      | Did Not Receive Treatment at a Specialty Facility |      |  |      |
|                           | 2004  | 2005 | 2004                                       | 2005 | 2004  | 2005 | 2004   | 2005 |
| TOTAL                     | 3.3   | 3.1  | 0.6  | 0.5  | 2.8   | 2.6  | 17.7   | 17.0 |
| GEOGRAPHIC DIVISION       |   |      |  |      |   |      |  |      |
| Northeast                 | 3.4   | 3.2  | 0.8  | 0.7  | 2.6   | 2.5  | 22.5   | 21.7 |
| New England               | 3.7   | 3.9  | 0.8 <sup>a</sup>                           | 0.4  | 2.9   | 3.5  | 21.4 <sup>b</sup>  | 9.1  |
| Middle Atlantic           | 3.2   | 3.0  | 0.7  | 0.8  | 2.5   | 2.2  | 22.9   | 27.5 |
| Midwest                   | 3.2   | 2.8  | 0.6  | 0.5  | 2.6   | 2.3  | 17.9   | 17.8 |
| East North Central        | 3.3   | 2.9  | 0.5  | 0.4  | 2.8   | 2.4  | 14.2   | 15.5 |
| West North Central        | 2.9   | 2.7  | 0.8  | 0.6  | 2.1   | 2.1  | 27.6   | *    |
| South                     | 3.3   | 3.0  | 0.6  | 0.5  | 2.7   | 2.6  | 18.7   | 15.9 |
| South Atlantic            | 3.2   | 3.2  | 0.8  | 0.6  | 2.4   | 2.6  | 23.8   | 19.2 |
| East South Central        | 3.7   | 2.8  | 0.4  | 0.4  | 3.3   | 2.4  | 11.5   | 14.0 |
| West South Central        | 3.2   | 2.9  | 0.5  | 0.3  | 2.7   | 2.6  | 14.4   | 10.6 |
| West                      | 3.6   | 3.4  | 0.5  | 0.5  | 3.2   | 2.9  | 12.5   | 14.0 |
| Mountain                  | 3.2   | 3.9  | 0.4  | 0.8  | 2.8   | 3.1  | 13.3   | 20.4 |
| Pacific                   | 3.8   | 3.1  | 0.5  | 0.3  | 3.3   | 2.8  | 12.2   | 10.6 |
| COUNTY TYPE               |   |      |  |      |   |      |  |      |
| Large Metro               | 3.3   | 3.1  | 0.6  | 0.5  | 2.7   | 2.6  | 17.4   | 17.5 |
| Small Metro               | 3.6   | 3.4  | 0.6  | 0.5  | 3.0   | 2.9  | 17.5   | 14.6 |
| 250K - 1 Mil. Pop.        | 3.6   | 3.6  | 0.6  | 0.6  | 3.0   | 3.0  | 16.8   | 16.3 |
| < 250K Pop.               | 3.5   | 2.9  | 0.7 <sup>a</sup>                           | 0.3  | 2.9   | 2.6  | 18.8   | 10.6 |
| Nonmetro                  | 3.0   | 2.6  | 0.6  | 0.5  | 2.4   | 2.1  | 19.5   | 20.1 |
| Urbanized                 | 3.9   | 3.2  | 0.7  | 0.7  | 3.2   | 2.5  | 17.8   | 21.2 |
| Less Urbanized            | 2.6   | 2.3  | 0.6  | 0.5  | 2.0   | 1.8  | 23.1   | 20.0 |
| Completely Rural          | 1.7   | 2.2  | 0.1  | 0.3  | 1.6   | 1.9  | *  | *    |

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.65A Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Numbers in Thousands, 2004 and 2005**

| Demographic Characteristic | Total Needing But Not Receiving Treatment <sup>1</sup> |       | FELT NEED FOR TREATMENT <sup>2</sup> |      |             |      |                |      | Did Not Feel Need for Treatment <sup>2</sup> |       |
|----------------------------|--|-------|--------------------------------------|------|-------------|------|----------------|------|--|-------|
|                            |  |       | Total                                |      | Made Effort |      | Made No Effort |      |  |       |
|                            | 2004   | 2005  | 2004                                 | 2005 | 2004        | 2005 | 2004           | 2005 | 2004   | 2005  |
| <b>TOTAL</b>               | 6,626  | 6,269 | 598                                  | 601  | 194         | 175  | 404            | 426  | 6,028  | 5,668 |
| <b>AGE</b>                 |  |       |                                      |      |             |      |                |      |  |       |
| 12-17                      | 1,262 <sup>a</sup>                                     | 1,112 | 50                                   | 38   | 11          | 7    | 39             | 31   | 1,212 <sup>a</sup>                           | 1,074 |
| 18-25                      | 2,505  | 2,504 | 211                                  | 156  | 63          | 52   | 148            | 103  | 2,294  | 2,349 |
| 26 or Older                | 2,860  | 2,653 | 338                                  | 408  | 121         | 116  | 217            | 292  | 2,522  | 2,246 |
| <b>GENDER</b>              |  |       |                                      |      |             |      |                |      |  |       |
| Male                       | 4,135  | 3,877 | 336                                  | 310  | 108         | 68   | 228            | 241  | 3,799  | 3,567 |
| Female                     | 2,492  | 2,392 | 262                                  | 292  | 86          | 107  | 176            | 185  | 2,229  | 2,101 |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.65B Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Percentages, 2004 and 2005**

| Demographic Characteristic | Total Needing But Not Receiving Treatment <sup>1</sup> |       | FELT NEED FOR TREATMENT <sup>2</sup> |      |             |      |                |      | Did Not Feel Need for Treatment <sup>2</sup> |      |
|----------------------------|--|-------|--------------------------------------|------|-------------|------|----------------|------|--|------|
|                            |  |       | Total                                |      | Made Effort |      | Made No Effort |      |  |      |
|                            | 2004   | 2005  | 2004                                 | 2005 | 2004        | 2005 | 2004           | 2005 | 2004   | 2005 |
| TOTAL                      | 100.0  | 100.0 | 9.0                                  | 9.6  | 2.9         | 2.8  | 6.1            | 6.8  | 91.0   | 90.4 |
| AGE                        |  |       |                                      |      |             |      |                |      |  |      |
| 12-17                      | 100.0  | 100.0 | 3.9                                  | 3.4  | 0.9         | 0.6  | 3.1            | 2.8  | 96.1   | 96.6 |
| 18-25                      | 100.0  | 100.0 | 8.4                                  | 6.2  | 2.5         | 2.1  | 5.9            | 4.1  | 91.6   | 93.8 |
| 26 or Older                | 100.0  | 100.0 | 11.8                                 | 15.4 | 4.2         | 4.4  | 7.6            | 11.0 | 88.2   | 84.6 |
| GENDER                     |  |       |                                      |      |             |      |                |      |  |      |
| Male                       | 100.0  | 100.0 | 8.1                                  | 8.0  | 2.6         | 1.8  | 5.5            | 6.2  | 91.9   | 92.0 |
| Female                     | 100.0  | 100.0 | 10.5                                 | 12.2 | 3.5         | 4.5  | 7.1            | 7.7  | 89.5   | 87.8 |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.66A Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005**

| Demographic<br>Characteristic | Total Needing But Not<br>Receiving Treatment <sup>1</sup> |           | FELT NEED FOR TREATMENT <sup>2</sup> |           |                  |           |                  |           | Did Not Feel Need for<br>Treatment <sup>2</sup> |           |
|-------------------------------|---|-----------|--------------------------------------|-----------|------------------|-----------|------------------|-----------|---|-----------|
|                               |   |           | Total                                |           | Made Effort      |           | Made No Effort   |           |   |           |
|                               | 2002-2003   | 2004-2005 | 2002-2003                            | 2004-2005 | 2002-2003        | 2004-2005 | 2002-2003        | 2004-2005 | 2002-2003                                       | 2004-2005 |
| <b>TOTAL</b>                  | 6,283   | 6,448     | 394 <sup>b</sup>                     | 600       | 106 <sup>a</sup> | 185       | 288 <sup>b</sup> | 415       | 5,889   | 5,848     |
| <b>AGE</b>                    |   |           |                                      |           |                  |           |                  |           |   |           |
| 12-17                         | 1,243   | 1,187     | 54                                   | 44        | 6                | 9         | 48               | 35        | 1,189   | 1,143     |
| 18-25                         | 2,339   | 2,504     | 115 <sup>b</sup>                     | 183       | 24 <sup>b</sup>  | 57        | 91 <sup>a</sup>  | 126       | 2,224   | 2,321     |
| 26 or Older                   | 2,701   | 2,756     | 225 <sup>b</sup>                     | 373       | 76               | 118       | 149 <sup>a</sup> | 254       | 2,476   | 2,384     |
| <b>GENDER</b>                 |   |           |                                      |           |                  |           |                  |           |   |           |
| Male                          | 3,934   | 4,006     | 231 <sup>a</sup>                     | 323       | 73               | 88        | 158 <sup>a</sup> | 235       | 3,703   | 3,683     |
| Female                        | 2,348   | 2,442     | 163 <sup>b</sup>                     | 277       | 33 <sup>b</sup>  | 96        | 130              | 181       | 2,186   | 2,165     |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

**Table 5.66B Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Percentages, Annual Averages Based on 2002-2003 and 2004-2005**

| Demographic<br>Characteristic | Total Needing But Not<br>Receiving Treatment <sup>1</sup> |           | FELT NEED FOR TREATMENT <sup>2</sup> |           |                  |           |                  |           | Did Not Feel Need for<br>Treatment <sup>2</sup> |           |
|-------------------------------|---|-----------|--------------------------------------|-----------|------------------|-----------|------------------|-----------|---|-----------|
|                               |   |           | Total                                |           | Made Effort      |           | Made No Effort   |           |   |           |
|                               | 2002-2003   | 2004-2005 | 2002-2003                            | 2004-2005 | 2002-2003        | 2004-2005 | 2002-2003        | 2004-2005 | 2002-2003                                       | 2004-2005 |
| <b>TOTAL</b>                  | 100.0   | 100.0     | 6.3 <sup>b</sup>                     | 9.3       | 1.7 <sup>a</sup> | 2.9       | 4.6 <sup>b</sup> | 6.4       | 93.7 <sup>b</sup>                               | 90.7      |
| <b>AGE</b>                    |   |           |                                      |           |                  |           |                  |           |   |           |
| 12-17                         | 100.0   | 100.0     | 4.3                                  | 3.7       | 0.5              | 0.8       | 3.9              | 2.9       | 95.7  | 96.3      |
| 18-25                         | 100.0   | 100.0     | 4.9 <sup>b</sup>                     | 7.3       | 1.0 <sup>b</sup> | 2.3       | 3.9              | 5.0       | 95.1 <sup>b</sup>                               | 92.7      |
| 26 or Older                   | 100.0   | 100.0     | 8.3 <sup>b</sup>                     | 13.5      | 2.8              | 4.3       | 5.5 <sup>a</sup> | 9.2       | 91.7 <sup>b</sup>                               | 86.5      |
| <b>GENDER</b>                 |   |           |                                      |           |                  |           |                  |           |   |           |
| Male                          | 100.0   | 100.0     | 5.9 <sup>a</sup>                     | 8.1       | 1.8              | 2.2       | 4.0 <sup>a</sup> | 5.9       | 94.1 <sup>a</sup>                               | 91.9      |
| Female                        | 100.0   | 100.0     | 6.9 <sup>b</sup>                     | 11.3      | 1.4 <sup>b</sup> | 3.9       | 5.5              | 7.4       | 93.1 <sup>b</sup>                               | 88.7      |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.