

Table 5.72A Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2004 and 2005

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	23,476	23,172	2,327	2,308	21,149	20,864	9.9	10.0
AGE								
12-17	2,288 ^a	2,096	185	181	2,103 ^a	1,915	8.1	8.6
18-25	7,047	7,220	548	522	6,499	6,699	7.8	7.2
26 or Older	14,142	13,856	1,594	1,605	12,547	12,251	11.3	11.6
GENDER								
Male	15,422	14,901	1,571	1,519	13,850	13,383	10.2	10.2
Female	8,054	8,271	755	789	7,299	7,482	9.4	9.5
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	20,252	19,982	2,013	1,934	18,240	18,048	9.9	9.7
White	16,487	16,135	1,425	1,372	15,062	14,763	8.6	8.5
Black or African American	2,563	2,755	443	507	2,120	2,248	17.3	18.4
American Indian or Alaska Native	264	272	27	24	237	249	*	8.7
Native Hawaiian or Other Pacific Islander	*	78	*	2	56	75	*	*
Asian	527	456	58	5	469	451	*	1.0
Two or More Races	336	286	40	25	297	261	11.8	8.8
Hispanic or Latino	3,224	3,190	314	373	2,910	2,817	9.7	11.7

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.72B Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2004 and 2005

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	9.8	9.5	1.0	0.9	8.8	8.6	9.9	10.0
AGE								
12-17	9.1 ^a	8.3	0.7	0.7	8.3 ^a	7.6	8.1	8.6
18-25	21.9	22.2	1.7	1.6	20.2	20.6	7.8	7.2
26 or Older	7.7	7.5	0.9	0.9	6.9	6.6	11.3	11.6
GENDER								
Male	13.2	12.6	1.3	1.3	11.9	11.3	10.2	10.2
Female	6.5	6.6	0.6	0.6	5.9	6.0	9.4	9.5
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	9.7	9.5	1.0	0.9	8.7	8.5	9.9	9.7
White	9.9	9.6	0.9	0.8	9.0	8.8	8.6	8.5
Black or African American	9.1	9.6	1.6	1.8	7.6	7.9	17.3	18.4
American Indian or Alaska Native	20.4	21.5	2.1	1.9	18.2	19.7	*	8.7
Native Hawaiian or Other Pacific Islander	*	11.0	*	0.3	8.8	10.7	*	*
Asian	5.3	4.5	0.6	0.0	4.7	4.5	*	1.0
Two or More Races	13.1	11.0	1.6	1.0	11.6	10.0	11.8	8.8
Hispanic or Latino	10.4	9.9	1.0	1.2	9.4	8.8	9.7	11.7

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.73A Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2004 and 2005

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	21,188	21,076	2,142	2,127	19,046	18,949	10.1	10.1
GENDER								
Male	14,274	13,864	1,474	1,427	12,800	12,437	10.3	10.3
Female	6,914	7,213	668	700	6,246	6,513	9.7	9.7
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	18,378	18,245	1,850	1,777	16,529	16,468	10.1	9.7
White	14,946	14,681	1,279	1,237	13,667	13,444	8.6	8.4
Black or African American	2,347	2,557	431	489	1,915	2,068	18.4	19.1
American Indian or Alaska Native	230	250	25	21	205	229	*	8.5
Native Hawaiian or Other Pacific Islander	*	68	*	2	53	66	*	*
Asian	502	438	58	5	444	434	*	1.1
Two or More Races	281	250	38	23	243	227	13.4	9.1
Hispanic or Latino	2,810	2,832	292	350	2,518	2,481	10.4	12.4
EDUCATION								
< High School	4,076	3,951	714	622	3,362	3,330	17.5	15.7
High School Graduate	6,564	6,416	819	748	5,746	5,667	12.5	11.7
Some College	5,943	5,924	497	495	5,446	5,429	8.4	8.4
College Graduate	4,605	4,786	112	262	4,493	4,524	2.4	5.5
CURRENT EMPLOYMENT								
Full-Time	12,938	12,672	1,004	858	11,934	11,814	7.8	6.8
Part-Time	3,388	3,280	283	272	3,105	3,009	8.3	8.3
Unemployed	1,567	1,445	253	276	1,315	1,170	16.1	19.1
Other ¹	3,295	3,679	602	722	2,693	2,957	18.3	19.6

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.73B Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2004 and 2005

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	9.8	9.7	1.0	1.0	8.8	8.7	10.1	10.1
GENDER								
Male	13.8	13.2	1.4	1.4	12.4	11.8	10.3	10.3
Female	6.2	6.4	0.6	0.6	5.6	5.8	9.7	9.7
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	9.7	9.6	1.0	0.9	8.8	8.7	10.1	9.7
White	9.9	9.6	0.8	0.8	9.0	8.8	8.6	8.4
Black or African American	9.7	10.3	1.8	2.0	7.9	8.4	18.4	19.1
American Indian or Alaska Native	20.3	22.7	2.2	1.9	18.1	20.8	*	8.5
Native Hawaiian or Other Pacific Islander	*	10.8	*	0.4	9.3	10.5	*	*
Asian	5.6	4.8	0.6	0.1	5.0	4.8	*	1.1
Two or More Races	13.3	11.3	1.8	1.0	11.5	10.3	13.4	9.1
Hispanic or Latino	10.5	10.2	1.1	1.3	9.4	8.9	10.4	12.4
EDUCATION								
< High School	11.2	11.1	2.0	1.7	9.2	9.3	17.5	15.7
High School Graduate	9.6	9.4	1.2	1.1	8.4	8.3	12.5	11.7
Some College	10.9	10.7	0.9	0.9	9.9	9.8	8.4	8.4
College Graduate	8.2	8.2	0.2	0.4	8.0	7.7	2.4	5.5
CURRENT EMPLOYMENT								
Full-Time	10.9	10.5	0.8	0.7	10.0	9.8	7.8	6.8
Part-Time	12.3	11.6	1.0	1.0	11.3	10.6	8.3	8.3
Unemployed	21.3	19.0	3.4	3.6	17.8	15.4	16.1	19.1
Other ¹	5.4	6.0	1.0	1.2	4.4	4.8	18.3	19.6

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.74A Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL	22,488	23,324	2,110	2,317	20,378	21,007	9.4	9.9
AGE								
12-17	2,255	2,192	177	183	2,078	2,009	7.8	8.3
18-25	6,849 ^a	7,133	461 ^a	535	6,388	6,599	6.7	7.5
26 or Older	13,384	13,999	1,473	1,600	11,912	12,399	11.0	11.4
GENDER								
Male	14,699	15,161	1,375	1,545	13,324	13,616	9.4	10.2
Female	7,789	8,163	735	772	7,054	7,390	9.4	9.5
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	19,422	20,117	1,898	1,974	17,524	18,144	9.8	9.8
White	15,788	16,311	1,450	1,399	14,338	14,912	9.2	8.6
Black or African American	2,521	2,659	360	475	2,161	2,184	14.3	17.9
American Indian or Alaska Native	224	268	40	26	183	243	18.0	9.5
Native Hawaiian or Other Pacific Islander	68	76	4	*	65	66	*	*
Asian	501	491	10	31	491	460	2.0	*
Two or More Races	320	311	34	32	287	279	10.6	10.4
Hispanic or Latino	3,066	3,207	212	344	2,854	2,863	6.9	10.7

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 5.74B Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL	9.5	9.6	0.9	1.0	8.6	8.7	9.4	9.9
AGE								
12-17	9.1	8.7	0.7	0.7	8.4	7.9	7.8	8.3
18-25	21.8	22.1	1.5	1.7	20.4	20.4	6.7	7.5
26 or Older	7.4	7.6	0.8	0.9	6.6	6.7	11.0	11.4
GENDER								
Male	12.9	12.9	1.2	1.3	11.7	11.6	9.4	10.2
Female	6.4	6.5	0.6	0.6	5.8	5.9	9.4	9.5
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	9.4	9.6	0.9	0.9	8.5	8.6	9.8	9.8
White	9.5	9.7	0.9	0.8	8.6	8.9	9.2	8.6
Black or African American	9.3	9.4	1.3	1.7	8.0	7.7	14.3	17.9
American Indian or Alaska Native	16.3	20.9	2.9	2.0	13.4 ^a	19.0	18.0	9.5
Native Hawaiian or Other Pacific Islander	10.5	11.4	0.6	*	9.9	9.8	*	*
Asian	5.3	4.9	0.1	0.3	5.2	4.6	2.0	*
Two or More Races	12.6	12.0	1.3	1.3	11.3	10.8	10.6	10.4
Hispanic or Latino	10.4	10.2	0.7	1.1	9.7	9.1	6.9	10.7

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 5.75A Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Numbers in Thousands, 2004 and 2005

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2004	2005	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	21,149	20,864	1,233	1,161	441	296	792	865	19,916	19,703
AGE										
12-17	2,103 ^a	1,915	69	67	17	13	52	54	2,034 ^a	1,848
18-25	6,499	6,699	333	276	115	81	218	195	6,166	6,423
26 or Older	12,547	12,251	831	818	309	203	522	615	11,716	11,433
GENDER										
Male	13,850	13,383	727	751	230	176	496	575	13,124	12,631
Female	7,299	7,482	506	410	210	120	296	290	6,793	7,072

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.75B Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Percentages, 2004 and 2005

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2004	2005	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	100.0	100.0	5.8	5.6	2.1	1.4	3.7	4.1	94.2	94.4
AGE										
12-17	100.0	100.0	3.3	3.5	0.8	0.7	2.5	2.8	96.7	96.5
18-25	100.0	100.0	5.1	4.1	1.8	1.2	3.4	2.9	94.9	95.9
26 or Older	100.0	100.0	6.6	6.7	2.5	1.7	4.2	5.0	93.4	93.3
GENDER										
Male	100.0	100.0	5.2	5.6	1.7	1.3	3.6	4.3	94.8	94.4
Female	100.0	100.0	6.9	5.5	2.9	1.6	4.1	3.9	93.1	94.5

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.76A Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL	20,378	21,007	1,113	1,197	359	368	754	829	19,265	19,810
AGE										
12-17	2,078	2,009	77	68	16	15	61	53	2,001	1,941
18-25	6,388	6,599	251	304	50 ^b	98	201	207	6,137	6,294
26 or Older	11,912	12,399	784	825	293	256	492	569	11,127	11,574
GENDER										
Male	13,324	13,616	703	739	254	203	449	536	12,621	12,877
Female	7,054	7,390	410	458	105	165	305	293	6,644	6,932

*Low precision; no estimate reported.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 5.76B Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL	100.0	100.0	5.5	5.7	1.8	1.8	3.7	3.9	94.5	94.3
AGE										
12-17	100.0	100.0	3.7	3.4	0.8	0.7	2.9	2.7	96.3	96.6
18-25	100.0	100.0	3.9	4.6	0.8 ^b	1.5	3.1	3.1	96.1	95.4
26 or Older	100.0	100.0	6.6	6.7	2.5	2.1	4.1	4.6	93.4	93.3
GENDER										
Male	100.0	100.0	5.3	5.4	1.9	1.5	3.4	3.9	94.7	94.6
Female	100.0	100.0	5.8	6.2	1.5	2.2	4.3	4.0	94.2	93.8

*Low precision; no estimate reported.

^a Difference between estimate and 2004-2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004-2005 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.