

Table 5.26C Received Substance Use Treatment in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2004 and 2005

Age Category	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	134	137	174	171	111	120	198	191
12	1	2	2	1	1	1	3	4
13	4	4	3	4	3	4	5	5
14	7	6	5	6	5	5	9	8
15	10	7	8	7	7	5	12	10
16	14	12	13	11	12	10	16	13
17	13	13	13	12	11	10	15	15
18	15	18	11	14	9	13	18	21
19	11	12	12	12	8	8	14	16
20	10	12	14	14	8	9	16	17
21	14	10	15	13	11	8	19	16
22	13	12	15	13	10	10	17	16
23	15	11	17	12	14	8	18	16
24	12	14	11	13	8	9	15	17
25	9	11	10	12	7	9	12	14
26-29	44	25	46	30	31	23	57	36
30-34	42	49	42	60	30	44	53	70
35-39	54	61	75	66	50	52	79	74
40-44	60	69	62	69	51	63	72	75
45-49	51	62	57	67	47	57	60	75
50-54	41	29	77	61	39	23	84	67
55-59	28	29	48	41	28	12	53	56
60-64	42	35	25	45	11	35	50	45
65 or Older	*	*	*	52	*	*	27	52

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.26D Received Substance Use Treatment in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2004 and 2005

Age Category	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.06	0.06	0.07	0.07	0.05	0.05	0.08	0.08
12	0.03	0.04	0.06	0.03	0.03	0.03	0.07	0.09
13	0.08	0.11	0.08	0.09	0.06	0.09	0.11	0.13
14	0.15	0.13	0.12	0.14	0.11	0.12	0.21	0.17
15	0.23	0.17	0.18	0.15	0.17	0.12	0.27	0.23
16	0.34	0.27	0.31	0.24	0.29	0.23	0.38	0.30
17	0.31	0.31	0.31	0.29	0.27	0.25	0.36	0.35
18	0.34	0.39	0.24	0.31	0.20	0.28	0.39	0.46
19	0.27	0.28	0.30	0.27	0.21	0.18	0.35	0.37
20	0.25	0.28	0.34	0.34	0.21	0.22	0.39	0.40
21	0.35	0.25	0.37	0.31	0.28	0.20	0.45	0.39
22	0.31	0.29	0.36	0.31	0.25	0.24	0.42	0.38
23	0.38	0.29	0.42	0.31	0.35	0.20	0.46	0.40
24	0.30	0.37	0.28	0.36	0.19	0.25	0.37	0.45
25	0.24	0.27	0.28	0.30	0.19	0.23	0.34	0.35
26-29	0.28	0.16	0.29	0.19	0.20	0.15	0.37	0.23
30-34	0.21	0.25	0.22	0.31	0.15	0.22	0.27	0.35
35-39	0.26	0.30	0.36	0.33	0.24	0.26	0.38	0.37
40-44	0.26	0.29	0.27	0.29	0.22	0.27	0.32	0.32
45-49	0.24	0.28	0.26	0.30	0.22	0.26	0.28	0.34
50-54	0.21	0.15	0.40	0.31	0.20	0.12	0.44	0.34
55-59	0.17	0.17	0.29	0.24	0.17	0.07	0.32	0.33
60-64	0.33	0.26	0.20	0.34	0.09	0.26	0.40	0.34
65 or Older	*	*	*	0.15	*	*	0.08	0.15

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.26P Received Substance Use Treatment in the Past Year, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Age Category	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.8185		0.5275		0.8171		0.7271	
12	0.5127		0.5655		0.9239		0.8949	
13	0.4836		0.5746		0.4049		0.4896	
14	0.2195		0.6467		0.8343		0.3520	
15	0.0627		0.2428		0.1192		0.0634	
16	0.5300		0.3117		0.4150		0.2354	
17	0.5504		0.9207		0.7724		0.7551	
18	0.9489		0.8433		0.4364		0.5017	
19	1.0000		0.6908		0.5667		0.2339	
20	0.2705		0.3850		0.2732		0.3713	
21	0.2433		0.4343		0.3074		0.3781	
22	0.8982		0.9028		0.8125		0.8080	
23	0.9326		0.3825		0.2683		0.8218	
24	0.6391		0.3016		0.6159		0.2867	
25	0.5478		0.9787		0.9028		0.7684	
26-29	0.0276		0.1314		0.2696		0.0502	
30-34	0.6442		0.1909		0.2225		0.3001	
35-39	0.3452		0.9835		0.5856		0.7452	
40-44	0.8612		0.9534		0.6985		0.7828	
45-49	0.9554		0.7281		0.9734		0.4265	
50-54	0.7090		0.7148		0.4704		0.7745	
55-59	0.8988		0.9615		0.4303		0.7040	
60-64	0.7548		0.5085		0.5037		0.6195	
65 or Older	*		*		*		0.1278	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.27C Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	134	137	174	171	111	120	198	191
AGE								
12-17	23	20	20	19	18	17	26	24
18-25	37	35	39	37	29	26	48	47
26 or Older	124	129	168	162	104	113	189	180
GENDER								
Male	106	111	157	143	91	97	176	161
Female	87	78	76	89	66	68	99	105
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	129	125	143	156	107	108	172	174
White	90	95	113	125	70	82	132	140
Black or African American	74	74	77	87	67	66	93	101
American Indian or Alaska Native	16	5	22	12	16	5	23	12
Native Hawaiian or Other Pacific Islander	*	4	*	2	*	2	*	4
Asian	48	17	28	7	26	5	49	18
Two or More Races	23	7	13	5	13	5	23	8
Hispanic or Latino	43	62	98	76	36	57	102	83

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.27D Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.06	0.06	0.07	0.07	0.05	0.05	0.08	0.08
AGE								
12-17	0.09	0.08	0.08	0.07	0.07	0.07	0.10	0.09
18-25	0.12	0.11	0.12	0.11	0.09	0.08	0.15	0.15
26 or Older	0.07	0.07	0.09	0.09	0.06	0.06	0.10	0.10
GENDER								
Male	0.09	0.09	0.13	0.12	0.08	0.08	0.15	0.14
Female	0.07	0.06	0.06	0.07	0.05	0.05	0.08	0.08
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.06	0.06	0.07	0.07	0.05	0.05	0.08	0.08
White	0.05	0.06	0.07	0.07	0.04	0.05	0.08	0.08
Black or African American	0.26	0.26	0.28	0.31	0.24	0.23	0.33	0.35
American Indian or Alaska Native	1.18	0.42	1.61	0.92	1.15	0.40	1.62	0.98
Native Hawaiian or Other Pacific Islander	*	0.59	*	0.22	*	0.22	*	0.60
Asian	0.48	0.17	0.28	0.07	0.26	0.05	0.49	0.18
Two or More Races	0.88	0.29	0.52	0.21	0.50	0.21	0.89	0.30
Hispanic or Latino	0.14	0.19	0.32	0.24	0.11	0.18	0.33	0.26

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.27P Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.8185		0.5275		0.8171		0.7271	
AGE								
12-17	0.4032		0.4174		0.5623		0.0912	
18-25	0.7556		0.8185		0.9474		0.2389	
26 or Older	0.8519		0.4818		0.7182		0.7652	
GENDER								
Male	0.7239		0.8080		0.8745		0.5144	
Female	0.9351		0.0805		0.5377		0.0838	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.5283		0.7193		0.8639		0.9333	
White	0.9324		0.4671		0.6849		0.5051	
Black or African American	0.8229		0.7017		0.9622		0.9248	
American Indian or Alaska Native	0.4605		0.5514		0.5631		0.6054	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.3023		0.3804		0.4745		0.2660	
Two or More Races	0.0306		0.0152		0.0262		0.0233	
Hispanic or Latino	0.3624		0.5397		0.3441		0.3864	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.28C Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	23	20	20	19	18	17	26	24
GENDER								
Male	17	16	15	14	14	13	19	18
Female	16	14	14	13	13	11	18	16
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	21	19	19	17	17	16	25	22
White	20	17	18	16	16	14	23	20
Black or African American	6	8	6	8	6	8	8	9
American Indian or Alaska Native	4	1	1	1	1	1	4	1
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0	1	2	1	0	1	3	1
Two or More Races	7	1	7	1	7	1	7	1
Hispanic or Latino	9	8	8	6	7	6	11	10
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	13	14	12	13	10	11	16	15
Female, White, Not Hispanic	15	10	14	10	12	8	16	13
Male, Black, Not Hispanic	5	4	5	4	5	3	7	6
Female, Black, Not Hispanic	3	7	3	7	3	7	4	7
Male, Hispanic	8	6	7	5	7	5	9	8
Female, Hispanic	5	6	3	4	2	4	7	7

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.28D Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.09	0.08	0.08	0.07	0.07	0.07	0.10	0.09
GENDER								
Male	0.13	0.12	0.12	0.11	0.11	0.10	0.15	0.14
Female	0.13	0.11	0.11	0.10	0.10	0.09	0.15	0.13
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.10	0.09	0.09	0.08	0.08	0.08	0.12	0.10
White	0.13	0.11	0.11	0.10	0.10	0.09	0.15	0.13
Black or African American	0.15	0.21	0.15	0.19	0.15	0.19	0.21	0.24
American Indian or Alaska Native	2.49	0.60	0.79	0.54	0.77	0.54	2.49	0.61
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.03	0.12	0.16	0.12	0.03	0.12	0.26	0.12
Two or More Races	1.59	0.32	1.48	0.24	1.48	0.24	1.59	0.32
Hispanic or Latino	0.22	0.19	0.18	0.15	0.16	0.14	0.26	0.22
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	0.16	0.17	0.15	0.16	0.13	0.15	0.20	0.19
Female, White, Not Hispanic	0.19	0.13	0.18	0.13	0.16	0.11	0.21	0.17
Male, Black, Not Hispanic	0.26	0.23	0.26	0.19	0.26	0.17	0.36	0.30
Female, Black, Not Hispanic	0.16	0.36	0.16	0.35	0.15	0.35	0.19	0.37
Male, Hispanic	0.37	0.26	0.32	0.22	0.31	0.21	0.40	0.34
Female, Hispanic	0.23	0.27	0.15	0.19	0.10	0.18	0.35	0.31

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.28P Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR					
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹	
	2004	2005	2004	2005	2004	2005
TOTAL	0.4032		0.4174		0.5623	0.0912
GENDER						
Male	0.5412		0.4943		0.6759	0.0966
Female	0.5911		0.6753		0.7040	0.5219
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.3304		0.4224		0.5291	0.0823
White	0.4675		0.5765		0.7016	0.1744
Black or African American	0.4223		0.7754		0.8263	0.7438
American Indian or Alaska Native	0.2253		0.9765		0.8263	0.2683
Native Hawaiian or Other Pacific Islander	*		*		*	*
Asian	0.2737		0.9102		0.2737	0.3748
Two or More Races	0.0761		0.1312		0.1281	0.0619
Hispanic or Latino	0.8523		0.9214		0.9455	0.8738
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.8729		0.7455		0.4184	0.2559
Female, White, Not Hispanic	0.2104		0.2636		0.1623	0.4313
Male, Black, Not Hispanic	0.9762		0.6515		0.4309	0.8499
Female, Black, Not Hispanic	0.2932		0.4474		0.3384	0.4653
Male, Hispanic	0.7360		0.7845		0.7209	0.9715
Female, Hispanic	0.4521		0.7913		0.4125	0.7804

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.29C Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	37	35	39	37	29	26	48	47
GENDER								
Male	30	29	33	30	22	22	40	39
Female	21	22	17	19	15	14	24	27
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	34	32	33	33	26	25	41	41
White	32	28	32	30	25	21	39	38
Black or African American	12	15	10	15	10	13	14	17
American Indian or Alaska Native	*	4	3	3	*	3	3	4
Native Hawaiian or Other Pacific Islander	*	*	*	0	*	*	0	*
Asian	6	1	3	5	0	1	7	5
Two or More Races	2	3	2	1	2	1	3	3
Hispanic or Latino	13	14	20	15	11	8	23	21
EDUCATION								
< High School	22	22	22	22	17	17	29	30
High School Graduate	22	22	23	21	16	15	28	29
Some College	13	17	21	20	11	12	23	25
College Graduate	9	7	7	8	6	6	10	9
CURRENT EMPLOYMENT								
Full-Time	24	23	26	25	19	17	33	33
Part-Time	16	16	18	18	12	13	23	24
Unemployed	11	18	10	16	7	14	13	21
Other ³	18	14	19	14	15	10	22	19

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.29D Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.12	0.11	0.12	0.11	0.09	0.08	0.15	0.15
GENDER								
Male	0.19	0.17	0.20	0.19	0.14	0.13	0.25	0.24
Female	0.13	0.13	0.11	0.12	0.09	0.09	0.15	0.17
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.13	0.12	0.13	0.12	0.10	0.09	0.16	0.16
White	0.16	0.14	0.16	0.15	0.12	0.10	0.19	0.18
Black or African American	0.28	0.32	0.23	0.32	0.22	0.30	0.32	0.38
American Indian or Alaska Native	*	1.59	1.91	1.44	*	1.42	1.93	1.64
Native Hawaiian or Other Pacific Islander	*	*	*	0.12	*	*	0.13	*
Asian	0.40	0.09	0.21	0.31	0.02	0.08	0.45	0.35
Two or More Races	0.70	0.97	0.65	0.40	0.53	0.39	0.80	0.98
Hispanic or Latino	0.24	0.24	0.34	0.26	0.19	0.14	0.40	0.37
EDUCATION								
< High School	0.33	0.32	0.32	0.33	0.25	0.25	0.41	0.43
High School Graduate	0.20	0.20	0.21	0.19	0.15	0.14	0.25	0.25
Some College	0.13	0.16	0.20	0.19	0.11	0.11	0.22	0.23
College Graduate	0.22	0.16	0.17	0.19	0.14	0.13	0.24	0.22
CURRENT EMPLOYMENT								
Full-Time	0.15	0.15	0.17	0.16	0.12	0.11	0.21	0.21
Part-Time	0.20	0.20	0.22	0.21	0.14	0.15	0.28	0.28
Unemployed	0.43	0.66	0.38	0.61	0.27	0.53	0.52	0.75
Other ³	0.27	0.22	0.30	0.22	0.23	0.16	0.34	0.30

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.29P Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR					
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹	
	2004	2005	2004	2005	2004	2005
TOTAL	0.7556		0.8185		0.9474	0.2389
GENDER						
Male	0.9213		0.9646		0.8812	0.6271
Female	0.5058		0.5892		0.9235	0.1547
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.8549		0.7420		0.8890	0.3114
White	0.8029		0.8064		0.5067	0.4535
Black or African American	0.9105		0.1643		0.3748	0.4747
American Indian or Alaska Native	*		0.7309		*	0.9162
Native Hawaiian or Other Pacific Islander	*		*		*	*
Asian	0.1532		0.3498		0.6366	0.8962
Two or More Races	0.8191		0.3467		0.7784	0.8760
Hispanic or Latino	0.7080		0.8931		0.8557	0.5293
EDUCATION						
< High School	0.2988		0.9181		0.4595	0.7916
High School Graduate	0.5052		0.8932		0.6279	0.3384
Some College	0.1857		0.9421		0.8124	0.5396
College Graduate	0.9629		0.3687		0.9176	0.4151
CURRENT EMPLOYMENT						
Full-Time	0.6184		0.7107		0.4213	0.9385
Part-Time	0.7838		0.4571		0.4203	0.6046
Unemployed	0.0178		0.0447		0.0356	0.0047
Other ³	0.3399		0.1965		0.1116	0.8003

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.30C Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	124	129	168	162	104	113	189	180
GENDER								
Male	100	107	153	136	86	92	171	153
Female	84	72	75	85	63	65	95	99
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	118	117	137	148	100	102	162	165
White	76	88	107	119	63	77	122	130
Black or African American	74	74	78	87	68	64	94	103
American Indian or Alaska Native	*	3	22	11	*	3	22	12
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	48	17	27	5	*	5	48	17
Two or More Races	21	7	11	5	10	5	21	7
Hispanic or Latino	43	60	96	74	33	56	100	79
EDUCATION								
< High School	73	76	97	82	58	65	113	98
High School Graduate	74	71	76	91	61	65	92	99
Some College	54	79	71	90	48	72	84	101
College Graduate	42	35	61	77	39	26	64	82
CURRENT EMPLOYMENT								
Full-Time	87	89	120	97	77	75	136	116
Part-Time	53	47	52	53	44	37	60	63
Unemployed	54	41	37	46	27	37	60	51
Other ³	61	78	84	115	53	74	98	121

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.30D Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.07	0.07	0.09	0.09	0.06	0.06	0.10	0.10
GENDER								
Male	0.11	0.12	0.18	0.15	0.10	0.10	0.20	0.17
Female	0.09	0.07	0.08	0.09	0.07	0.07	0.10	0.10
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.07	0.07	0.08	0.09	0.06	0.06	0.10	0.10
White	0.06	0.07	0.08	0.09	0.05	0.06	0.09	0.10
Black or African American	0.37	0.36	0.39	0.42	0.34	0.31	0.47	0.50
American Indian or Alaska Native	*	0.39	2.17	1.25	*	0.39	2.17	1.31
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.64	0.23	0.37	0.07	*	0.07	0.65	0.23
Two or More Races	1.20	0.35	0.62	0.28	0.60	0.27	1.21	0.36
Hispanic or Latino	0.20	0.27	0.45	0.34	0.16	0.25	0.48	0.36
EDUCATION								
< High School	0.24	0.26	0.32	0.28	0.19	0.22	0.37	0.33
High School Graduate	0.13	0.12	0.13	0.16	0.11	0.11	0.16	0.17
Some College	0.12	0.17	0.16	0.20	0.11	0.16	0.19	0.22
College Graduate	0.08	0.06	0.12	0.14	0.08	0.05	0.12	0.15
CURRENT EMPLOYMENT								
Full-Time	0.08	0.08	0.11	0.09	0.07	0.07	0.13	0.11
Part-Time	0.27	0.23	0.27	0.27	0.23	0.18	0.31	0.31
Unemployed	1.10	0.81	0.77	0.92	0.56	0.74	1.21	1.01
Other ³	0.11	0.14	0.15	0.21	0.10	0.14	0.17	0.22

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.30P Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.8519		0.4818		0.7182		0.7652	
GENDER								
Male	0.8079		0.8623		0.9488		0.5471	
Female	0.9896		0.0793		0.4858		0.1185	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.5704		0.6895		0.9662		0.9211	
White	0.9837		0.3592		0.4623		0.4667	
Black or African American	0.8677		0.8790		0.8946		0.8097	
American Indian or Alaska Native	*		0.5930		*		0.7131	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.3745		0.2821		*		0.2932	
Two or More Races	0.0771		0.0678		0.0887		0.0726	
Hispanic or Latino	0.4160		0.5057		0.3539		0.4426	
EDUCATION								
< High School	0.6213		0.7412		0.5312		0.7192	
High School Graduate	0.1678		0.7937		0.5774		0.5963	
Some College	0.3510		0.2266		0.2436		0.2986	
College Graduate	0.7735		0.5775		0.4284		0.3735	
CURRENT EMPLOYMENT								
Full-Time	0.9779		0.3287		0.8846		0.4520	
Part-Time	0.4362		0.7307		0.5075		0.7792	
Unemployed	0.6584		0.4901		0.4724		0.9499	
Other ³	0.6648		0.0361		0.4162		0.1275	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.31C Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR						
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}
	2004	2005	2004	2005	2004	2005	
TOTAL	131	134	172	168	109	117	196
GENDER							
Male	105	109	156	142	90	96	174
Female	86	76	75	87	65	66	97
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	126	122	141	153	104	106	169
White	84	93	112	123	67	80	128
Black or African American	75	74	78	89	69	66	95
American Indian or Alaska Native	16	5	22	12	*	5	22
Native Hawaiian or Other Pacific Islander	*	4	*	1	*	1	4
Asian	48	17	27	7	26	5	49
Two or More Races	21	7	11	5	11	5	21
Hispanic or Latino	42	62	98	76	35	57	102
EDUCATION							
< High School	77	78	99	86	61	68	116
High School Graduate	77	75	79	93	63	67	96
Some College	56	81	74	92	49	72	86
College Graduate	43	36	61	78	40	27	65
CURRENT EMPLOYMENT							
Full-Time	92	92	122	100	79	77	140
Part-Time	55	50	55	56	45	39	65
Unemployed	55	45	39	49	28	40	62
Other ³	62	79	86	116	55	75	100

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.31D Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.06	0.06	0.08	0.08	0.05	0.05	0.09	0.09
GENDER								
Male	0.10	0.10	0.15	0.13	0.09	0.09	0.17	0.15
Female	0.08	0.07	0.07	0.08	0.06	0.06	0.09	0.09
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.07	0.06	0.07	0.08	0.06	0.06	0.09	0.09
White	0.06	0.06	0.07	0.08	0.04	0.05	0.08	0.09
Black or African American	0.30	0.30	0.32	0.35	0.28	0.26	0.39	0.41
American Indian or Alaska Native	1.31	0.46	1.85	1.05	*	0.43	1.85	1.12
Native Hawaiian or Other Pacific Islander	*	0.65	*	0.22	*	0.21	*	0.65
Asian	0.53	0.19	0.31	0.08	0.29	0.06	0.54	0.20
Two or More Races	1.00	0.34	0.53	0.25	0.51	0.24	1.01	0.35
Hispanic or Latino	0.16	0.22	0.36	0.27	0.13	0.20	0.38	0.30
EDUCATION								
< High School	0.21	0.22	0.27	0.24	0.17	0.19	0.31	0.28
High School Graduate	0.11	0.11	0.12	0.14	0.09	0.10	0.14	0.15
Some College	0.10	0.14	0.14	0.16	0.09	0.13	0.16	0.19
College Graduate	0.08	0.06	0.11	0.13	0.07	0.05	0.12	0.14
CURRENT EMPLOYMENT								
Full-Time	0.08	0.08	0.10	0.08	0.07	0.06	0.12	0.10
Part-Time	0.20	0.17	0.20	0.20	0.16	0.14	0.23	0.24
Unemployed	0.73	0.59	0.52	0.64	0.37	0.52	0.81	0.72
Other ³	0.10	0.13	0.14	0.19	0.09	0.12	0.16	0.20

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.31P Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR					
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹	
	2004	2005	2004	2005	2004	2005
TOTAL	0.9217		0.4648		0.7429	0.5660
GENDER						
Male	0.7904		0.8567		0.9207	0.6352
Female	0.8545		0.0646		0.4838	0.0615
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.6265		0.6431		0.9413	0.8789
White	0.9461		0.4131		0.6182	0.3684
Black or African American	0.8838		0.7194		0.9806	0.9005
American Indian or Alaska Native	0.6645		0.5548		*	0.7449
Native Hawaiian or Other Pacific Islander	*		*		*	*
Asian	0.2901		0.3837		0.4412	0.2881
Two or More Races	0.0858		0.0462		0.0829	0.0701
Hispanic or Latino	0.3726		0.5328		0.3449	0.3742
EDUCATION						
< High School	0.8385		0.7419		0.6758	0.7973
High School Graduate	0.2693		0.7698		0.6774	0.8200
Some College	0.2312		0.2351		0.2329	0.2474
College Graduate	0.7645		0.5158		0.4406	0.3234
CURRENT EMPLOYMENT						
Full-Time	0.9207		0.2987		0.7495	0.4784
Part-Time	0.5081		0.9229		0.6810	0.9266
Unemployed	0.7943		0.2054		0.1791	0.4449
Other ³	0.8357		0.0631		0.6212	0.1472

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.32C Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	134	137	174	171	111	120	198	191
GEOGRAPHIC DIVISION								
Northeast	63	72	59	85	52	70	73	92
New England	23	16	22	29	19	16	31	32
Middle Atlantic	58	70	55	80	48	68	66	86
Midwest	46	47	56	62	34	42	78	73
East North Central	34	30	48	44	30	26	69	52
West North Central	30	37	29	43	17	34	37	51
South	93	74	98	88	78	58	114	105
South Atlantic	77	63	81	71	64	49	92	88
East South Central	21	21	22	19	16	17	34	23
West South Central	47	29	52	48	42	24	57	52
West	58	77	119	98	48	64	122	107
Mountain	22	46	29	44	15	38	33	52
Pacific	54	62	115	86	46	51	117	93
COUNTY TYPE								
Large Metro	108	113	149	142	89	99	167	157
Small Metro	64	66	75	84	52	57	91	97
250K - 1 Mil. Pop.	54	58	62	70	42	50	77	83
< 250K Pop.	35	32	43	46	31	25	50	51
Nonmetro	50	39	58	48	41	35	67	55
Urbanized	34	25	42	27	29	21	47	30
Less Urbanized	36	27	40	38	30	26	47	43
Completely Rural	2	11	16	11	2	10	16	13

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.32D Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.06	0.06	0.07	0.07	0.05	0.05	0.08	0.08
GEOGRAPHIC DIVISION								
Northeast	0.14	0.16	0.13	0.19	0.11	0.15	0.16	0.20
New England	0.19	0.14	0.18	0.24	0.16	0.13	0.26	0.27
Middle Atlantic	0.17	0.21	0.16	0.24	0.14	0.20	0.20	0.26
Midwest	0.08	0.09	0.10	0.11	0.06	0.08	0.14	0.13
East North Central	0.09	0.08	0.13	0.11	0.08	0.07	0.18	0.14
West North Central	0.18	0.23	0.18	0.26	0.10	0.21	0.23	0.31
South	0.11	0.08	0.11	0.10	0.09	0.07	0.13	0.12
South Atlantic	0.17	0.14	0.18	0.15	0.14	0.11	0.20	0.19
East South Central	0.14	0.14	0.15	0.13	0.11	0.12	0.23	0.16
West South Central	0.18	0.11	0.19	0.18	0.16	0.09	0.22	0.19
West	0.11	0.14	0.22	0.18	0.09	0.11	0.22	0.19
Mountain	0.14	0.28	0.18	0.27	0.09	0.23	0.21	0.32
Pacific	0.14	0.16	0.30	0.22	0.12	0.13	0.30	0.24
COUNTY TYPE								
Large Metro	0.08	0.09	0.11	0.11	0.07	0.08	0.13	0.12
Small Metro	0.09	0.09	0.10	0.12	0.07	0.08	0.13	0.13
250K - 1 Mil. Pop.	0.11	0.12	0.13	0.15	0.09	0.11	0.16	0.17
< 250K Pop.	0.14	0.13	0.16	0.19	0.12	0.10	0.19	0.21
Nonmetro	0.12	0.09	0.14	0.12	0.10	0.09	0.16	0.13
Urbanized	0.20	0.16	0.24	0.18	0.17	0.14	0.27	0.20
Less Urbanized	0.18	0.13	0.20	0.19	0.15	0.13	0.24	0.21
Completely Rural	0.07	0.24	0.45	0.23	0.05	0.22	0.46	0.29

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.32P Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ¹		Alcohol		Both Illicit Drugs and Alcohol ¹		Illicit Drugs or Alcohol ^{1,2}	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.8185		0.5275		0.8171		0.7271	
GEOGRAPHIC DIVISION								
Northeast	0.8137		0.1757		0.5834		0.6139	
New England	0.0740		0.6894		0.2348		0.8254	
Middle Atlantic	0.7597		0.1949		0.3535		0.5234	
Midwest	0.7452		0.5645		0.4700		0.5348	
East North Central	0.3428		0.8986		0.6954		0.2352	
West North Central	0.6508		0.2816		0.1467		0.5632	
South	0.2342		0.3622		0.1338		0.5098	
South Atlantic	0.5829		0.4232		0.3375		0.7778	
East South Central	0.5450		0.8418		0.7899		0.2731	
West South Central	0.2140		0.5658		0.1204		0.7756	
West	0.1440		0.5700		0.2206		0.2065	
Mountain	0.0927		0.3184		0.2119		0.1197	
Pacific	0.4972		0.8113		0.4918		0.4682	
COUNTY TYPE								
Large Metro	0.8910		0.5303		0.6657		0.7439	
Small Metro	0.3649		0.8665		0.3675		0.9302	
250K - 1 Mil. Pop.	0.4960		0.7763		0.4988		0.8486	
< 250K Pop.	0.5158		0.8918		0.5133		0.8743	
Nonmetro	0.7847		0.5533		0.3617		0.9020	
Urbanized	0.4716		0.7715		0.2445		0.9713	
Less Urbanized	0.6435		0.3626		0.9327		0.7279	
Completely Rural	0.1008		0.5009		0.2038		0.7913	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.