

**Table 5.37C Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2004 and 2005**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	78	56	8	10	15	16	75	52
Rehabilitation Facility - Inpatient	60	78	10	9	16	16	57	75
Rehabilitation Facility - Outpatient	95	88	12	12	23	23	90	84
Mental Health Center - Outpatient	69	73	11	9	18	19	64	70
Emergency Room	47	40	6	6	10	10	45	38
Private Doctor's Office	31	42	9	7	10	11	29	40
Self-Help Group	99	110	12	12	28	26	93	107
Prison/Jail	36	46	5	5	10	13	34	44

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.37D Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2004 and 2005**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	3.01	2.26	2.62	3.38	2.51	2.56	4.54	3.42
Rehabilitation Facility - Inpatient	2.42	3.05	3.09	3.34	2.70	2.62	3.66	4.67
Rehabilitation Facility - Outpatient	3.06	3.00	3.48	3.89	3.24	3.24	4.60	4.58
Mental Health Center - Outpatient	2.73	2.81	3.32	3.12	2.96	2.82	4.08	4.24
Emergency Room	2.01	1.75	1.95	2.32	1.77	1.66	3.02	2.69
Private Doctor's Office	1.42	1.90	2.96	2.61	1.75	1.92	2.09	2.89
Self-Help Group	3.06	3.14	3.84	3.93	3.29	3.18	4.68	4.74
Prison/Jail	1.57	2.02	1.71	1.79	1.75	2.07	2.37	3.14

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.37P Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	0.1272		0.1151		0.8638		0.0723	
Rehabilitation Facility - Inpatient	0.6912		0.9945		0.2698		0.4851	
Rehabilitation Facility - Outpatient	0.1372		0.4464		0.7675		0.1045	
Mental Health Center - Outpatient	0.9155		0.7910		0.9698		0.8611	
Emergency Room	0.1488		0.3939		0.3112		0.1635	
Private Doctor's Office	0.4665		0.8443		0.4910		0.5324	
Self-Help Group	0.6069		0.5519		0.5624		0.5705	
Prison/Jail	0.3064		0.8816		0.7567		0.3457	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.38C Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2004 and 2005**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	65	73	8	9	12	13	63	71
Rehabilitation Facility - Inpatient	76	103	10	8	15	14	73	102
Rehabilitation Facility - Outpatient	110	122	12	10	24	21	107	119
Mental Health Center - Outpatient	101	108	10	9	15	17	99	106
Emergency Room	45	50	6	6	8	9	43	49
Private Doctor's Office	50	54	9	4	10	13	48	52
Self-Help Group	142	130	13	11	28	25	138	126
Prison/Jail	36	42	6	4	9	12	34	40

\*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.38D Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2004 and 2005**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	2.12	2.19	2.91	3.83	1.87	2.02	2.99	2.97
Rehabilitation Facility - Inpatient	2.40	2.92	3.57	3.40	2.34	2.14	3.39	3.96
Rehabilitation Facility - Outpatient	2.83	2.99	3.97	4.06	3.10	3.07	3.97	3.97
Mental Health Center - Outpatient	2.98	3.00	3.74	3.87	2.42	2.51	4.14	4.08
Emergency Room	1.51	1.66	2.36	2.70	1.36	1.42	2.12	2.26
Private Doctor's Office	1.81	1.81	3.41	1.93	1.63	2.06	2.52	2.43
Self-Help Group	3.05	2.86	4.31	4.20	3.35	2.91	4.14	3.83
Prison/Jail	1.34	1.48	2.39	1.93	1.61	1.86	1.84	1.97

\*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.38P Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	0.4788		0.0784		0.4679		0.7505	
Rehabilitation Facility - Inpatient	0.3398		0.4173		0.2806		0.2282	
Rehabilitation Facility - Outpatient	0.8985		0.3472		0.1501		0.5895	
Mental Health Center - Outpatient	0.4141		0.5237		0.2916		0.5841	
Emergency Room	0.7658		0.7749		0.8648		0.8269	
Private Doctor's Office	0.9697		0.0292		0.3092		0.9845	
Self-Help Group	0.9795		0.7838		0.6177		0.9420	
Prison/Jail	0.8304		0.2932		0.2215		0.9606	

\*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.39C Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2004 and 2005**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	88	80	10	11	16	19	85	76
Rehabilitation Facility - Inpatient	88	111	12	10	19	20	84	108
Rehabilitation Facility - Outpatient	137	132	13	14	30	29	130	127
Mental Health Center - Outpatient	111	116	13	11	20	22	107	113
Emergency Room	63	55	8	9	12	13	60	54
Private Doctor's Office	61	58	11	8	13	16	59	56
Self-Help Group	157	144	15	14	34	32	151	140
Prison/Jail	50	54	7	5	11	16	48	52

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.39D Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2004 and 2005**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	2.04	1.73	2.17	2.86	1.71	1.83	2.96	2.48
Rehabilitation Facility - Inpatient	1.94	2.33	2.51	2.68	1.96	1.91	2.82	3.35
Rehabilitation Facility - Outpatient	2.41	2.45	2.76	3.26	2.57	2.49	3.42	3.48
Mental Health Center - Outpatient	2.34	2.44	2.71	2.78	2.13	2.00	3.36	3.53
Emergency Room	1.48	1.34	1.91	2.33	1.25	1.31	2.15	1.94
Private Doctor's Office	1.53	1.43	2.61	2.15	1.37	1.50	2.25	2.05
Self-Help Group	2.57	2.43	3.17	3.34	2.62	2.36	3.69	3.53
Prison/Jail	1.27	1.34	1.77	1.41	1.22	1.54	1.85	1.92

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.



**Table 5.39P Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	0.7701		0.1206		0.8062		0.5726	
Rehabilitation Facility - Inpatient	0.2880		0.9896		0.1399		0.1551	
Rehabilitation Facility - Outpatient	0.1809		0.4593		0.0824		0.2654	
Mental Health Center - Outpatient	0.8346		0.9708		0.7576		0.8971	
Emergency Room	0.3698		0.4280		0.5385		0.3738	
Private Doctor's Office	0.5596		0.3931		0.3989		0.5261	
Self-Help Group	0.5993		0.8457		0.1020		0.7910	
Prison/Jail	0.7578		0.2647		0.1125		0.9829	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.