

**Table 5.40C Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Past Year Dependence and/or Abuse Status: Standard Errors of Numbers in Thousands, 2004 and 2005**

Dependence and/or Abuse Status	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs		Alcohol		Both Illicit Drugs and Alcohol		Illicit Drugs or Alcohol <sup>1</sup>	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>DEPENDENCE</b>								
None	98	104	145	131	82	92	158	150
Illicit Drugs or Alcohol	96	82	101	103	80	69	125	119
Illicit Drugs	81	64	64	56	62	54	86	71
Alcohol	69	64	95	94	68	57	105	103
Both Illicit Drugs and Alcohol	47	39	49	38	46	36	51	44
<b>DEPENDENCE OR ABUSE</b>								
None	92	97	140	119	79	85	150	138
Illicit Drugs or Alcohol	100	93	108	125	82	83	136	138
Illicit Drugs	88	70	70	65	68	61	94	78
Alcohol	78	76	103	114	72	70	119	123
Both Illicit Drugs and Alcohol	62	53	58	50	56	49	68	57

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.40D Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Past Year Dependence and/or Abuse Status: Standard Errors of Percentages, 2004 and 2005**

Dependence and/or Abuse Status	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs		Alcohol		Both Illicit Drugs and Alcohol		Illicit Drugs or Alcohol <sup>1</sup>	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>DEPENDENCE</b>								
None	0.04	0.05	0.06	0.06	0.04	0.04	0.07	0.06
Illicit Drugs or Alcohol	0.80	0.70	0.81	0.85	0.66	0.60	0.98	0.95
Illicit Drugs	1.51	1.28	1.23	1.12	1.19	1.09	1.56	1.39
Alcohol	0.81	0.78	1.06	1.10	0.80	0.70	1.15	1.20
Both Illicit Drugs and Alcohol	2.79	2.59	2.88	2.52	2.78	2.45	2.93	2.80
<b>DEPENDENCE OR ABUSE</b>								
None	0.04	0.04	0.06	0.05	0.04	0.04	0.07	0.06
Illicit Drugs or Alcohol	0.44	0.41	0.46	0.54	0.36	0.37	0.57	0.59
Illicit Drugs	1.12	1.00	0.92	0.92	0.90	0.87	1.18	1.09
Alcohol	0.41	0.41	0.52	0.58	0.38	0.37	0.59	0.62
Both Illicit Drugs and Alcohol	1.61	1.51	1.54	1.45	1.48	1.42	1.70	1.60

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.40P Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Past Year Dependence and/or Abuse Status: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Dependence and/or Abuse Status	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs		Alcohol		Both Illicit Drugs and Alcohol		Illicit Drugs or Alcohol <sup>1</sup>	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>DEPENDENCE</b>								
None	0.5250		0.4752		0.2939		0.5147	
Illicit Drugs or Alcohol	0.4896		0.5937		0.5856		0.8218	
Illicit Drugs	0.2780		0.4979		0.5807		0.3667	
Alcohol	0.8221		0.6519		0.4285		0.5370	
Both Illicit Drugs and Alcohol	0.5164		0.1790		0.2994		0.4762	
<b>DEPENDENCE OR ABUSE</b>								
None	0.6073		0.9394		0.5277		0.7238	
Illicit Drugs or Alcohol	0.5250		0.2702		0.8868		0.6923	
Illicit Drugs	0.3798		0.8828		0.8473		0.4909	
Alcohol	0.8951		0.4216		0.6990		0.5988	
Both Illicit Drugs and Alcohol	0.5758		0.3185		0.5043		0.3080	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.41C Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Standard Errors of Numbers in Thousands, 2004 and 2005**

Past Year Dependence or Abuse <sup>1</sup>	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>2</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>2</sup>		Illicit Drugs or Alcohol <sup>2,3</sup>	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>ILLICIT DRUGS<sup>2</sup></b>	88	70	70	65	68	61	94	78
Marijuana and Hashish	44	42	43	38	41	37	50	46
Cocaine	63	54	51	47	51	46	67	58
Heroin	*	*	*	*	*	*	*	*
Hallucinogens	23	14	19	12	19	12	26	14
Inhalants	*	*	*	*	*	*	*	*
Nonmedical Use of Psychotherapeutics <sup>4</sup>	39	38	34	39	31	34	43	45
Pain Relievers	28	35	25	33	21	33	32	38
Tranquilizers	28	12	*	*	*	10	29	24
Stimulants	24	24	*	21	*	*	27	25
Sedatives	*	*	*	*	*	*	*	*
<b>ALCOHOL</b>	78	76	103	114	72	70	119	123
<b>ILLICIT DRUGS OR ALCOHOL<sup>2</sup></b>	100	93	108	125	82	83	136	138
<b>BOTH ILLICIT DRUGS AND ALCOHOL<sup>2</sup></b>	62	53	58	50	56	49	68	57

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>4</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.41D Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Standard Errors of Percentages, 2004 and 2005**

Past Year Dependence or Abuse <sup>1</sup>	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>2</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>2</sup>		Illicit Drugs or Alcohol <sup>2,3</sup>	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>ILLICIT DRUGS<sup>2</sup></b>	1.12	1.00	0.92	0.92	0.90	0.87	1.18	1.09
Marijuana and Hashish	0.97	0.97	0.93	0.90	0.90	0.86	1.07	1.06
Cocaine	3.33	3.10	2.91	2.78	2.89	2.71	3.36	3.29
Heroin	*	*	*	*	*	*	*	*
Hallucinogens	4.47	3.42	3.88	2.93	3.87	2.93	4.89	3.52
Inhalants	*	*	*	*	*	*	*	*
Nonmedical Use of Psychotherapeutics <sup>4</sup>	1.77	1.87	1.58	1.87	1.45	1.67	1.93	2.14
Pain Relievers	1.88	2.09	1.70	1.99	1.48	1.98	2.09	2.25
Tranquilizers	4.51	2.86	*	*	*	2.31	4.67	4.87
Stimulants	4.65	5.05	*	4.57	*	*	4.96	5.15
Sedatives	*	*	*	*	*	*	*	*
<b>ALCOHOL</b>	0.41	0.41	0.52	0.58	0.38	0.37	0.59	0.62
<b>ILLICIT DRUGS OR ALCOHOL<sup>2</sup></b>	0.44	0.41	0.46	0.54	0.36	0.37	0.57	0.59
<b>BOTH ILLICIT DRUGS AND ALCOHOL<sup>2</sup></b>	1.61	1.51	1.54	1.45	1.48	1.42	1.70	1.60

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>4</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 5.41P Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: P Values from Tests of Differences of Percentages, 2005 Versus 2004**

Past Year Dependence or Abuse <sup>1</sup>	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drugs <sup>2</sup>		Alcohol		Both Illicit Drugs and Alcohol <sup>2</sup>		Illicit Drugs or Alcohol <sup>2,3</sup>	
	2004	2005	2004	2005	2004	2005	2004	2005
<b>ILLCIT DRUGS<sup>2</sup></b>	0.3798		0.8828		0.8473		0.4909	
Marijuana and Hashish	0.9665		0.8521		0.7909		0.8342	
Cocaine	0.4176		0.9216		0.8422		0.3890	
Heroin	*		*		*		*	
Hallucinogens	0.6313		0.6293		0.6908		0.2888	
Inhalants	*		*		*		*	
Nonmedical Use of Psychotherapeutics <sup>4</sup>	0.9886		0.5592		0.5666		0.8996	
Pain Relievers	0.9419		0.7799		0.3626		0.7882	
Tranquilizers	0.4560		*		*		0.7337	
Stimulants	0.5450		*		*		0.8401	
Sedatives	*		*		*		*	
<b>ALCOHOL</b>	0.8951		0.4216		0.6990		0.5988	
<b>ILLCIT DRUGS OR ALCOHOL<sup>2</sup></b>	0.5250		0.2702		0.8868		0.6923	
<b>BOTH ILLICIT DRUGS AND ALCOHOL<sup>2</sup></b>	0.5758		0.3185		0.5043		0.3080	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>4</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.