

Table 5.42C Received Illicit Drug or Alcohol Treatment in Lifetime, Receipt of Illicit Drug or Alcohol Treatment in the Past Year, and Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	RECEIVED ILLICIT DRUG OR ALCOHOL TREATMENT IN LIFETIME							
	Total		Received Treatment in the Past Year		Did Not Receive Treatment in the Past Year			
					Dependence or Abuse in the Past Year ¹		No Dependence or Abuse in the Past Year ¹	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	412	399	198	191	157	159	296	312
AGE								
12-17	30	28	26	24	12	10	14	13
18-25	71	73	48	47	38	39	37	36
26 or Older	401	389	189	180	152	155	291	310
GENDER								
Male	361	330	176	161	135	142	259	260
Female	192	206	99	105	74	70	142	168
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	351	371	172	174	147	144	261	293
White	307	319	132	140	137	126	234	252
Black or African American	147	172	93	101	46	66	105	137
American Indian or Alaska Native	34	21	23	12	8	12	20	13
Native Hawaiian or Other Pacific Islander	*	12	*	4	3	9	*	6
Asian	54	44	49	18	6	2	22	35
Two or More Races	46	33	23	8	23	8	32	31
Hispanic or Latino	226	148	102	83	58	62	140	103

*Low precision; no estimate reported.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail. Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.42D Received Illicit Drug or Alcohol Treatment in Lifetime, Receipt of Illicit Drug or Alcohol Treatment in the Past Year, and Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	RECEIVED ILLICIT DRUG OR ALCOHOL TREATMENT IN LIFETIME							
	Total		Received Treatment in the Past Year		Did Not Receive Treatment in the Past Year			
					Dependence or Abuse in the Past Year ¹		No Dependence or Abuse in the Past Year ¹	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.17	0.16	0.08	0.08	0.07	0.07	0.12	0.13
AGE								
12-17	0.12	0.11	0.10	0.09	0.05	0.04	0.05	0.05
18-25	0.22	0.22	0.15	0.15	0.12	0.12	0.11	0.11
26 or Older	0.22	0.21	0.10	0.10	0.08	0.08	0.16	0.17
GENDER								
Male	0.31	0.28	0.15	0.14	0.12	0.12	0.22	0.22
Female	0.16	0.16	0.08	0.08	0.06	0.06	0.11	0.13
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.17	0.18	0.08	0.08	0.07	0.07	0.12	0.14
White	0.18	0.19	0.08	0.08	0.08	0.07	0.14	0.15
Black or African American	0.52	0.60	0.33	0.35	0.16	0.23	0.38	0.48
American Indian or Alaska Native	2.49	1.65	1.62	0.98	0.64	0.92	1.59	1.02
Native Hawaiian or Other Pacific Islander	*	1.68	*	0.60	0.46	1.24	*	0.92
Asian	0.54	0.43	0.49	0.18	0.06	0.02	0.22	0.34
Two or More Races	1.71	1.23	0.89	0.30	0.89	0.29	1.25	1.15
Hispanic or Latino	0.73	0.46	0.33	0.26	0.19	0.19	0.45	0.32

*Low precision; no estimate reported.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail. Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.42P Received Illicit Drug or Alcohol Treatment in Lifetime, Receipt of Illicit Drug or Alcohol Treatment in the Past Year, and Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	RECEIVED ILLICIT DRUG OR ALCOHOL TREATMENT IN LIFETIME							
	Total		Received Treatment in the Past Year		Did Not Receive Treatment in the Past Year			
					Dependence or Abuse in the Past Year ¹		No Dependence or Abuse in the Past Year ¹	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.4363		0.7271		0.6421		0.5661	
AGE								
12-17	0.0128		0.0912		0.1771		0.2488	
18-25	0.3642		0.2389		0.2691		0.3501	
26 or Older	0.4189		0.7652		0.7708		0.4649	
GENDER								
Male	0.9535		0.5144		0.7785		0.7253	
Female	0.1445		0.0838		0.6433		0.6021	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.3020		0.9333		0.5527		0.2792	
White	0.3882		0.5051		0.9785		0.4685	
Black or African American	0.1393		0.9248		0.0547		0.2594	
American Indian or Alaska Native	0.4751		0.6054		0.8839		0.5997	
Native Hawaiian or Other Pacific Islander	*		*		0.4087		*	
Asian	0.7230		0.2660		0.5217		0.3504	
Two or More Races	0.0549		0.0233		0.1449		0.7435	
Hispanic or Latino	0.7869		0.3864		0.8405		0.3286	

*Low precision; no estimate reported.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail. Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.