

Table 5.54C Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2004 and 2005

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	78	56	8	10	15	16	75	52
Rehabilitation Facility - Inpatient	60	78	10	9	16	16	57	*
Rehabilitation Facility - Outpatient	95	88	12	12	23	23	*	*
Mental Health Center - Outpatient	69	73	11	9	18	19	64	*
Emergency Room	44	40	5	6	10	9	41	*
Private Doctor's Office	29	27	5	5	8	8	28	25
Self-Help Group	84	90	9	9	22	22	78	86
Prison/Jail	30	34	4	4	8	10	29	32

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.54D Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2004 and 2005

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	4.03	3.50	4.75	5.28	3.67	3.81	5.68	5.41
Rehabilitation Facility - Inpatient	3.50	4.28	5.04	5.25	3.79	3.91	5.02	*
Rehabilitation Facility - Outpatient	3.75	3.88	5.17	5.15	3.77	4.02	*	*
Mental Health Center - Outpatient	3.87	4.18	5.65	5.05	4.11	4.06	5.57	*
Emergency Room	2.81	2.88	3.45	3.95	2.61	2.40	4.05	*
Private Doctor's Office	2.06	2.04	3.51	3.06	2.23	2.21	2.91	3.07
Self-Help Group	3.96	3.55	5.66	5.12	4.04	3.86	5.72	5.21
Prison/Jail	2.03	2.45	2.83	2.98	2.30	2.74	2.92	3.83

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.54P Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	0.2839		0.2623		0.9622		0.2091	
Rehabilitation Facility - Inpatient	0.2339		0.4069		0.3600		*	
Rehabilitation Facility - Outpatient	0.5461		0.8197		0.8963		*	
Mental Health Center - Outpatient	0.5251		0.6566		0.7382		*	
Emergency Room	0.4553		0.2822		0.3024		*	
Private Doctor's Office	0.7763		0.6588		0.7635		0.8771	
Self-Help Group	0.4567		0.8893		0.9146		0.3426	
Prison/Jail	0.3769		0.9957		0.9142		0.3562	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.55C Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2004 and 2005

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	65	73	8	9	12	13	63	71
Rehabilitation Facility - Inpatient	76	103	10	8	15	14	73	102
Rehabilitation Facility - Outpatient	110	122	12	10	24	21	107	119
Mental Health Center - Outpatient	101	108	10	9	15	17	99	106
Emergency Room	44	50	6	5	8	8	43	49
Private Doctor's Office	31	38	6	3	8	9	29	37
Self-Help Group	115	102	10	7	20	19	113	99
Prison/Jail	31	31	5	4	8	10	29	30

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.55D Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2004 and 2005

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	3.32	3.53	4.85	5.72	3.10	3.68	4.57	4.66
Rehabilitation Facility - Inpatient	3.62	4.12	5.54	5.33	3.72	3.84	5.03	5.36
Rehabilitation Facility - Outpatient	3.02	3.47	5.25	5.70	3.76	3.83	4.10	4.46
Mental Health Center - Outpatient	3.96	4.20	5.94	5.88	4.12	4.13	5.21	5.51
Emergency Room	2.41	2.86	4.14	4.00	2.23	2.61	3.31	3.77
Private Doctor's Office	2.05	2.23	4.08	2.74	2.27	2.88	2.77	2.91
Self-Help Group	3.47	3.84	5.94	5.34	4.60	3.99	4.42	5.01
Prison/Jail	1.99	1.94	3.53	3.37	2.33	2.93	2.68	2.44

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.55P Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	0.3976		0.0556		0.1648		0.7890	
Rehabilitation Facility - Inpatient	0.2191		0.2623		0.6386		0.1774	
Rehabilitation Facility - Outpatient	0.7265		0.1313		0.5760		0.4950	
Mental Health Center - Outpatient	0.2613		0.5545		0.0442		0.5368	
Emergency Room	0.7522		0.9652		0.5896		0.8613	
Private Doctor's Office	0.8650		0.2358		0.4011		0.8224	
Self-Help Group	0.3856		0.2071		0.5362		0.2974	
Prison/Jail	0.9142		0.6815		0.1294		0.8557	

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.56C Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2004 and 2005

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	88	80	10	11	16	19	85	76
Rehabilitation Facility - Inpatient	88	111	12	10	19	20	84	108
Rehabilitation Facility - Outpatient	137	132	13	14	30	29	130	127
Mental Health Center - Outpatient	111	116	13	11	20	22	107	113
Emergency Room	60	56	8	8	11	12	57	54
Private Doctor's Office	43	41	7	6	10	11	41	39
Self-Help Group	134	121	12	10	26	26	129	117
Prison/Jail	43	37	6	5	10	14	41	35

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.56D Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2004 and 2005

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	2.91	2.69	4.12	4.63	2.57	3.10	4.06	3.76
Rehabilitation Facility - Inpatient	2.90	3.30	4.32	4.49	2.88	3.14	4.08	4.51
Rehabilitation Facility - Outpatient	2.66	2.97	4.30	4.47	3.15	3.29	3.63	4.08
Mental Health Center - Outpatient	3.25	3.48	4.70	4.64	3.21	3.19	4.47	4.82
Emergency Room	2.20	2.26	3.69	3.91	1.88	2.19	3.09	3.15
Private Doctor's Office	1.84	1.70	3.37	2.93	1.78	2.00	2.57	2.33
Self-Help Group	2.98	3.28	4.99	4.50	3.44	3.19	4.09	4.59
Prison/Jail	1.77	1.58	3.15	2.55	1.81	2.42	2.47	2.11

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.56P Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Hospital as an Inpatient	0.9655		0.2953		0.2308		0.6873	
Rehabilitation Facility - Inpatient	0.0955		0.3799		0.6426		0.0546	
Rehabilitation Facility - Outpatient	0.2470		0.7259		0.8790		0.2546	
Mental Health Center - Outpatient	0.5144		0.4053		0.1111		0.6892	
Emergency Room	0.4845		0.7046		0.8366		0.4558	
Private Doctor's Office	0.4169		0.5278		0.6165		0.3755	
Self-Help Group	0.4168		0.2918		0.9668		0.4629	
Prison/Jail	0.8799		0.3084		0.1407		0.6521	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.