

Table 5.57C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence and/or Abuse Status: Standard Errors of Numbers in Thousands, 2004 and 2005

Dependence and/or Abuse Status	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs		Alcohol		Both Illicit Drugs and Alcohol		Illicit Drugs or Alcohol ¹	
	2004	2005	2004	2005	2004	2005	2004	2005
DEPENDENCE								
None	85	83	112	101	49	66	135	118
Illicit Drugs or Alcohol	78	61	78	86	55	54	97	91
Illicit Drugs	66	52	44	47	37	44	72	54
Alcohol	51	47	77	78	49	44	79	82
Both Illicit Drugs and Alcohol	32	34	37	34	29	30	40	38
DEPENDENCE OR ABUSE								
None	80	78	109	90	47	61	130	109
Illicit Drugs or Alcohol	80	71	81	105	56	65	102	108
Illicit Drugs	72	58	51	55	45	49	78	64
Alcohol	58	56	81	94	52	52	85	95
Both Illicit Drugs and Alcohol	46	45	46	44	40	41	52	49

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.57D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence and/or Abuse Status: Standard Errors of Percentages, 2004 and 2005

Dependence and/or Abuse Status	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs		Alcohol		Both Illicit Drugs and Alcohol		Illicit Drugs or Alcohol ¹	
	2004	2005	2004	2005	2004	2005	2004	2005
DEPENDENCE								
None	0.04	0.04	0.05	0.04	0.02	0.03	0.06	0.05
Illicit Drugs or Alcohol	0.66	0.53	0.64	0.72	0.46	0.47	0.81	0.76
Illicit Drugs	1.29	1.04	0.86	0.95	0.75	0.89	1.38	1.09
Alcohol	0.61	0.59	0.90	0.94	0.58	0.55	0.91	0.98
Both Illicit Drugs and Alcohol	2.11	2.31	2.36	2.33	1.96	2.11	2.48	2.52
DEPENDENCE OR ABUSE								
None	0.04	0.04	0.05	0.04	0.02	0.03	0.06	0.05
Illicit Drugs or Alcohol	0.36	0.32	0.35	0.46	0.25	0.29	0.44	0.47
Illicit Drugs	0.95	0.82	0.68	0.79	0.61	0.71	1.02	0.91
Alcohol	0.31	0.30	0.43	0.48	0.28	0.28	0.44	0.49
Both Illicit Drugs and Alcohol	1.27	1.30	1.27	1.28	1.12	1.20	1.40	1.42

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.57P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence and/or Abuse Status: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Dependence and/or Abuse Status	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs		Alcohol		Both Illicit Drugs and Alcohol		Illicit Drugs or Alcohol ¹	
	2004	2005	2004	2005	2004	2005	2004	2005
DEPENDENCE								
None	0.7645		0.7695		0.7390		0.8953	
Illicit Drugs or Alcohol	0.3352		0.5463		0.8568		0.9096	
Illicit Drugs	0.4250		0.9426		0.3353		0.1848	
Alcohol	0.9698		0.7408		0.7497		0.4252	
Both Illicit Drugs and Alcohol	0.3992		0.5284		0.6215		0.8607	
DEPENDENCE OR ABUSE								
None	0.7010		0.7705		0.9973		0.8646	
Illicit Drugs or Alcohol	0.3407		0.2911		0.7084		0.9195	
Illicit Drugs	0.4471		0.7472		0.4231		0.3259	
Alcohol	0.9026		0.5224		0.9775		0.4475	
Both Illicit Drugs and Alcohol	0.8725		0.5666		0.7770		0.6949	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.58C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Standard Errors of Numbers in Thousands, 2004 and 2005

Past Year Dependence or Abuse ¹	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ²		Alcohol		Both Illicit Drugs and Alcohol ²		Illicit Drugs or Alcohol ^{2,3}	
	2004	2005	2004	2005	2004	2005	2004	2005
ILLCIT DRUGS²	72	58	51	55	45	49	78	64
Marijuana and Hashish	34	38	31	35	28	33	37	40
Cocaine	50	41	38	41	35	38	54	46
Heroin	*	*	*	*	*	*	*	*
Hallucinogens	15	11	6	10	6	7	15	13
Inhalants	3	6	4	*	3	4	4	*
Nonmedical Use of Psychotherapeutics ⁴	36	31	25	34	16	26	40	38
Pain Relievers	26	27	21	27	15	24	30	30
Tranquilizers	26	12	15	*	10	8	28	22
Stimulants	24	15	14	12	11	10	25	17
Sedatives	*	*	*	*	*	*	*	*
ALCOHOL	58	56	81	94	52	52	85	95
ILLCIT DRUGS OR ALCOHOL²	80	71	81	105	56	65	102	108
BOTH ILLCIT DRUGS AND ALCOHOL²	46	45	46	44	40	41	52	49

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.58D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Standard Errors of Percentages, 2004 and 2005

Past Year Dependence or Abuse ¹	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drugs ²		Alcohol		Both Illicit Drugs and Alcohol ²		Illicit Drugs or Alcohol ^{2,3}	
	2004	2005	2004	2005	2004	2005	2004	2005
ILLCIT DRUGS²	0.95	0.82	0.68	0.79	0.61	0.71	1.02	0.91
Marijuana and Hashish	0.75	0.89	0.67	0.82	0.61	0.78	0.81	0.93
Cocaine	2.91	2.49	2.24	2.46	2.11	2.30	3.05	2.72
Heroin	*	*	*	*	*	*	*	*
Hallucinogens	3.08	2.84	1.43	2.49	1.33	1.75	3.12	3.29
Inhalants	1.39	2.78	1.69	*	1.20	1.68	1.96	*
Nonmedical Use of Psychotherapeutics ⁴	1.66	1.54	1.18	1.66	0.79	1.28	1.82	1.84
Pain Relievers	1.77	1.70	1.50	1.67	1.08	1.50	2.00	1.84
Tranquilizers	4.25	2.73	2.61	*	1.80	1.74	4.56	4.56
Stimulants	4.62	3.53	2.90	2.88	2.37	2.36	4.83	3.84
Sedatives	*	*	*	*	*	*	*	*
ALCOHOL	0.31	0.30	0.43	0.48	0.28	0.28	0.44	0.49
ILLCIT DRUGS OR ALCOHOL²	0.36	0.32	0.35	0.46	0.25	0.29	0.44	0.47
BOTH ILLCIT DRUGS AND ALCOHOL²	1.27	1.30	1.27	1.28	1.12	1.20	1.40	1.42

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.58P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Past Year Dependence or Abuse ¹	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR						
	Illicit Drugs ²		Alcohol		Both Illicit Drugs and Alcohol ²		Illicit Drugs or Alcohol ^{2,3}
	2004	2005	2004	2005	2004	2005	2004 2005
ILLCIT DRUGS²	0.4471		0.7472		0.4231		0.3259
Marijuana and Hashish	0.3678		0.7479		0.5568		0.4457
Cocaine	0.5933		0.6451		0.5964		0.5571
Heroin	*		*		*		*
Hallucinogens	0.9567		0.2976		0.6204		0.6776
Inhalants	0.1764		*		0.6403		*
Nonmedical Use of Psychotherapeutics ⁴	0.6229		0.4811		0.2741		0.6114
Pain Relievers	0.5645		0.9365		0.5359		0.3819
Tranquilizers	0.5767		*		0.4945		0.9482
Stimulants	0.5909		0.8864		0.8603		0.5711
Sedatives	*		*		*		*
ALCOHOL	0.9026		0.5224		0.9775		0.4475
ILLCIT DRUGS OR ALCOHOL²	0.3407		0.2911		0.7084		0.9195
BOTH ILLCIT DRUGS AND ALCOHOL²	0.8725		0.5666		0.7770		0.6949

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.