

Table 5.60C Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2004 and 2005

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	228	222	114	108	203	198	1.26	1.28
12	10	6	1	1	10	6	*	*
13	12	10	3	1	12	10	*	*
14	20	15	5	2	19	15	2.29	1.21
15	23	23	6	6	22	22	2.26	2.28
16	25	27	9	9	24	26	2.36	2.54
17	29	27	9	10	26	25	1.81	2.20
18	36	38	14	16	34	34	2.47	2.91
19	35	33	8	8	34	32	1.88	1.75
20	33	36	7	8	32	35	1.59	1.89
21	37	29	13	7	35	28	2.71	2.12
22	30	31	8	9	29	29	2.18	2.36
23	25	27	11	10	22	25	4.00	2.87
24	22	23	10	12	19	20	4.20	4.48
25	22	27	7	9	21	26	3.10	3.18
26-29	96	79	39	21	85	74	4.06	2.94
30-34	76	76	36	43	67	64	*	*
35-39	82	81	44	44	70	68	*	*
40-44	91	82	54	54	68	62	5.40	*
45-49	67	76	39	52	55	57	*	*
50-54	71	81	24	19	67	79	*	*
55-59	35	41	10	4	33	41	*	*
60-64	58	23	40	*	42	23	*	*
65 or Older	12	10	*	*	12	10	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.60D Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2004 and 2005

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.09	0.09	0.05	0.04	0.08	0.08	1.26	1.28
12	0.25	0.14	0.02	0.03	0.24	0.14	*	*
13	0.28	0.23	0.06	0.03	0.27	0.23	*	*
14	0.43	0.35	0.11	0.04	0.41	0.34	2.29	1.21
15	0.51	0.51	0.14	0.13	0.50	0.48	2.26	2.28
16	0.57	0.61	0.22	0.22	0.53	0.58	2.36	2.54
17	0.65	0.63	0.20	0.24	0.61	0.59	1.81	2.20
18	0.74	0.78	0.31	0.35	0.69	0.70	2.47	2.91
19	0.80	0.72	0.20	0.18	0.78	0.71	1.88	1.75
20	0.76	0.82	0.18	0.18	0.75	0.81	1.59	1.89
21	0.85	0.67	0.31	0.18	0.80	0.65	2.71	2.12
22	0.68	0.71	0.20	0.22	0.66	0.68	2.18	2.36
23	0.62	0.67	0.28	0.27	0.55	0.62	4.00	2.87
24	0.52	0.60	0.25	0.32	0.47	0.53	4.20	4.48
25	0.58	0.66	0.19	0.22	0.56	0.64	3.10	3.18
26-29	0.60	0.50	0.25	0.13	0.54	0.47	4.06	2.94
30-34	0.38	0.38	0.18	0.22	0.33	0.33	*	*
35-39	0.39	0.40	0.21	0.22	0.33	0.33	*	*
40-44	0.39	0.35	0.23	0.23	0.29	0.26	5.40	*
45-49	0.31	0.34	0.18	0.24	0.25	0.26	*	*
50-54	0.36	0.41	0.12	0.10	0.34	0.40	*	*
55-59	0.21	0.24	0.06	0.02	0.20	0.24	*	*
60-64	0.46	0.17	0.32	*	0.33	0.17	*	*
65 or Older	0.03	0.03	*	*	0.03	0.03	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.60P Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		
	2004	2005	2004	2005	2004	2005	
TOTAL	0.0634		0.3021		0.1303		0.6727
12	0.1056		0.9033		0.0994		*
13	0.3172		0.5878		0.3588		*
14	0.0032		0.0115		0.0138		0.0430
15	0.3508		0.6028		0.4123		0.8739
16	0.5431		0.5958		0.3963		0.4475
17	0.7997		0.2091		0.4580		0.1518
18	0.5026		0.9004		0.5015		0.9006
19	0.6700		0.4604		0.8061		0.5418
20	0.2637		0.5416		0.2016		0.3255
21	0.0323		0.0987		0.0958		0.3079
22	0.8427		0.7378		0.9188		0.7790
23	0.0172		0.3057		0.0326		0.8336
24	0.2708		0.8118		0.2644		0.7704
25	0.3451		0.7461		0.3851		0.9386
26-29	0.0926		0.0105		0.4136		0.0292
30-34	0.6213		0.4649		0.3084		*
35-39	0.7921		0.8181		0.8713		*
40-44	0.2695		0.6227		0.2876		*
45-49	0.8807		0.8804		0.9457		*
50-54	0.4774		0.8994		0.4366		*
55-59	0.8138		0.6378		0.7339		*
60-64	0.1818		*		0.4046		*
65 or Older	0.8223		*		0.8223		*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.61C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	228	222	114	108	203	198	1.26	1.28
AGE								
12-17	48	48	16	15	45	45	1.06	1.12
18-25	84	84	28	29	82	81	0.96	0.97
26 or Older	209	196	107	101	181	170	2.44	2.57
GENDER								
Male	173	176	87	83	153	156	1.54	1.60
Female	138	135	72	66	119	116	2.12	1.96
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	209	205	108	93	184	187	1.38	1.29
White	171	165	73	63	156	154	1.28	1.22
Black or African American	95	109	62	65	75	89	4.00	3.94
American Indian or Alaska Native	29	29	3	4	29	29	*	*
Native Hawaiian or Other Pacific Islander	*	8	*	1	12	8	*	*
Asian	61	28	40	1	46	28	*	*
Two or More Races	35	43	11	7	33	42	*	*
Hispanic or Latino	84	79	38	48	80	59	3.20	4.24

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.61D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.09	0.09	0.05	0.04	0.08	0.08	1.26	1.28
AGE								
12-17	0.19	0.19	0.06	0.06	0.18	0.18	1.06	1.12
18-25	0.26	0.26	0.09	0.09	0.25	0.25	0.96	0.97
26 or Older	0.11	0.11	0.06	0.05	0.10	0.09	2.44	2.57
GENDER								
Male	0.15	0.15	0.08	0.07	0.13	0.13	1.54	1.60
Female	0.11	0.11	0.06	0.05	0.10	0.09	2.12	1.96
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.10	0.10	0.05	0.04	0.09	0.09	1.38	1.29
White	0.10	0.10	0.04	0.04	0.09	0.09	1.28	1.22
Black or African American	0.34	0.38	0.22	0.23	0.27	0.31	4.00	3.94
American Indian or Alaska Native	2.13	2.12	0.26	0.31	2.12	2.11	*	*
Native Hawaiian or Other Pacific Islander	*	1.13	*	0.10	1.79	1.12	*	*
Asian	0.62	0.28	0.40	0.01	0.47	0.28	*	*
Two or More Races	1.36	1.58	0.43	0.26	1.28	1.56	*	*
Hispanic or Latino	0.27	0.25	0.12	0.15	0.26	0.18	3.20	4.24

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.61P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		
	2004	2005	2004	2005	2004	2005	
TOTAL	0.0634		0.3021		0.1303		0.6727
AGE							
12-17	0.0274		0.7631		0.0135		0.2746
18-25	0.8164		0.9098		0.8411		0.9761
26 or Older	0.1592		0.2680		0.3341		0.6007
GENDER							
Male	0.0502		0.1436		0.1609		0.3858
Female	0.5687		0.8865		0.4543		0.6967
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.1969		0.1695		0.4873		0.3099
White	0.1697		0.1891		0.3610		0.3930
Black or African American	0.5950		0.9812		0.5201		0.8121
American Indian or Alaska Native	0.8553		0.4114		0.7690		*
Native Hawaiian or Other Pacific Islander	*		*		0.6435		*
Asian	0.4405		0.2713		0.8839		*
Two or More Races	0.3769		0.2446		0.5354		*
Hispanic or Latino	0.0662		0.5682		0.0134		0.2065

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.62C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	225	219	113	107	199	195	1.50	1.51
GENDER								
Male	170	175	86	82	150	155	1.76	1.85
Female	135	132	72	65	116	112	2.71	2.41
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	206	203	107	92	179	184	1.61	1.50
White	172	161	70	61	157	151	1.51	1.42
Black or African American	98	112	63	65	74	89	4.43	4.36
American Indian or Alaska Native	29	29	3	4	29	28	*	*
Native Hawaiian or Other Pacific Islander	*	7	*	1	12	7	*	*
Asian	61	28	40	1	46	28	*	*
Two or More Races	34	42	11	7	32	42	*	*
Hispanic or Latino	82	75	37	48	77	54	4.12	*
EDUCATION								
< High School	112	121	68	63	89	103	3.32	3.17
High School Graduate	128	129	71	64	110	112	2.71	2.50
Some College	117	102	48	49	107	90	2.29	2.72
College Graduate	104	85	30	22	100	83	3.56	2.91
CURRENT EMPLOYMENT								
Full-Time	174	168	75	71	158	151	2.02	1.99
Part-Time	74	86	40	40	68	77	3.23	3.25
Unemployed	78	64	48	31	59	58	*	4.14
Other ¹	96	95	54	51	81	79	3.26	3.33

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.62D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.10	0.10	0.05	0.05	0.09	0.09	1.50	1.51
GENDER								
Male	0.16	0.17	0.08	0.08	0.14	0.15	1.76	1.85
Female	0.12	0.12	0.06	0.06	0.10	0.10	2.71	2.41
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.11	0.11	0.06	0.05	0.09	0.10	1.61	1.50
White	0.11	0.11	0.05	0.04	0.10	0.10	1.51	1.42
Black or African American	0.39	0.44	0.26	0.26	0.30	0.35	4.43	4.36
American Indian or Alaska Native	2.44	2.45	0.27	0.35	2.43	2.44	*	*
Native Hawaiian or Other Pacific Islander	*	1.16	*	0.11	1.97	1.15	*	*
Asian	0.68	0.31	0.45	0.02	0.52	0.31	*	*
Two or More Races	1.58	1.85	0.52	0.31	1.48	1.83	*	*
Hispanic or Latino	0.31	0.27	0.14	0.17	0.29	0.20	4.12	*
EDUCATION								
< High School	0.30	0.34	0.19	0.18	0.24	0.28	3.32	3.17
High School Graduate	0.19	0.19	0.10	0.09	0.16	0.17	2.71	2.50
Some College	0.21	0.18	0.09	0.09	0.19	0.16	2.29	2.72
College Graduate	0.18	0.15	0.05	0.04	0.17	0.14	3.56	2.91
CURRENT EMPLOYMENT								
Full-Time	0.14	0.14	0.06	0.06	0.13	0.12	2.02	1.99
Part-Time	0.27	0.30	0.14	0.14	0.25	0.27	3.23	3.25
Unemployed	1.04	0.83	0.63	0.41	0.82	0.75	*	4.14
Other ¹	0.15	0.16	0.09	0.08	0.13	0.13	3.26	3.33

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.62P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.1636		0.2775		0.3337		0.5311	
GENDER								
Male	0.0760		0.1317		0.2407		0.3405	
Female	0.9702		0.9122		0.9123		0.8853	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.3109		0.1482		0.7285		0.2340	
White	0.2453		0.1599		0.5152		0.3116	
Black or African American	0.5940		0.9879		0.4922		0.7530	
American Indian or Alaska Native	0.9698		0.2765		0.9183		*	
Native Hawaiian or Other Pacific Islander	*		*		0.6033		*	
Asian	0.4993		0.2715		0.9817		*	
Two or More Races	0.5072		0.2013		0.7205		*	
Hispanic or Latino	0.1974		0.5540		0.0579		*	
EDUCATION								
< High School	0.8162		0.6841		0.5740		0.5476	
High School Graduate	0.8692		0.4834		0.8186		0.4630	
Some College	0.0429		0.6412		0.0453		0.7785	
College Graduate	0.5195		0.6520		0.5921		0.8049	
CURRENT EMPLOYMENT								
Full-Time	0.5054		0.4050		0.7394		0.5195	
Part-Time	0.6874		0.9489		0.6304		0.8337	
Unemployed	0.2577		0.7684		0.2505		*	
Other ¹	0.2898		0.3314		0.5331		0.5828	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.63C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL	163	159	73	78	144	142	0.87	0.90
AGE								
12-17	35	34	11	11	33	32	0.78	0.77
18-25	56	59	19	20	52	57	0.67	0.68
26 or Older	144	143	69	74	124	124	1.68	1.77
GENDER								
Male	134	123	59	60	121	109	1.14	1.11
Female	92	97	45	49	79	83	1.39	1.45
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	151	147	71	71	128	131	0.94	0.95
White	135	119	60	48	115	110	1.04	0.89
Black or African American	65	72	36	45	56	58	2.88	2.81
American Indian or Alaska Native	11	21	7	3	8	20	*	2.83
Native Hawaiian or Other Pacific Islander	8	12	0	*	8	7	*	*
Asian	20	34	4	20	20	27	2.93	*
Two or More Races	18	28	7	6	16	27	*	4.08
Hispanic or Latino	66	58	21	31	66	50	1.93	2.64

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 5.63D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL	0.07	0.07	0.03	0.03	0.06	0.06	0.87	0.90
AGE								
12-17	0.14	0.13	0.05	0.04	0.13	0.13	0.78	0.77
18-25	0.18	0.18	0.06	0.06	0.17	0.18	0.67	0.68
26 or Older	0.08	0.08	0.04	0.04	0.07	0.07	1.68	1.77
GENDER								
Male	0.12	0.11	0.05	0.05	0.11	0.09	1.14	1.11
Female	0.08	0.08	0.04	0.04	0.06	0.07	1.39	1.45
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.07	0.07	0.03	0.03	0.06	0.06	0.94	0.95
White	0.08	0.07	0.04	0.03	0.07	0.07	1.04	0.89
Black or African American	0.24	0.26	0.13	0.16	0.21	0.21	2.88	2.81
American Indian or Alaska Native	0.77	1.50	0.52	0.20	0.56	1.49	*	2.83
Native Hawaiian or Other Pacific Islander	1.18	1.74	0.05	*	1.18	1.03	*	*
Asian	0.21	0.34	0.04	0.20	0.20	0.27	2.93	*
Two or More Races	0.68	1.04	0.27	0.25	0.63	1.01	*	4.08
Hispanic or Latino	0.22	0.18	0.07	0.10	0.22	0.16	1.93	2.64

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 5.63P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004-2005 Versus 2002-2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL	0.7056		0.5420		0.9225		0.5967	
AGE								
12-17	0.1689		0.5925		0.1002		0.3045	
18-25	0.1580		0.3114		0.2540		0.6201	
26 or Older	0.9063		0.7731		0.9722		0.7871	
GENDER								
Male	0.9815		0.7064		0.8646		0.6811	
Female	0.5603		0.6113		0.7025		0.7308	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.2620		0.6471		0.2967		0.9544	
White	0.9143		0.5242		0.8479		0.4999	
Black or African American	0.0749		0.1578		0.2630		0.3913	
American Indian or Alaska Native	0.1039		0.0757		0.0198		*	
Native Hawaiian or Other Pacific Islander	0.8183		*		0.5502		*	
Asian	0.8175		0.4751		0.8672		*	
Two or More Races	0.2478		0.9133		0.2393		*	
Hispanic or Latino	0.0814		0.5907		0.0398		0.2636	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 5.64C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	228	222	114	108	203	198	1.26	1.28
GEOGRAPHIC DIVISION								
Northeast	92	103	57	64	78	81	3.17	3.63
New England	35	53	21	10	33	51	4.24	2.13
Middle Atlantic	85	88	53	63	71	63	4.11	4.88
Midwest	100	85	40	39	94	77	2.20	2.29
East North Central	90	67	28	26	86	61	2.20	2.15
West North Central	44	53	29	30	37	46	5.09	*
South	139	145	77	62	110	129	2.26	2.07
South Atlantic	111	116	70	56	76	99	3.71	3.27
East South Central	50	54	16	17	47	49	2.81	3.79
West South Central	68	70	27	20	65	66	3.01	2.43
West	118	111	47	48	119	101	2.34	2.33
Mountain	41	51	12	31	39	43	2.23	4.20
Pacific	111	97	45	36	112	90	3.04	2.72
COUNTY TYPE								
Large Metro	200	165	89	90	177	143	1.85	1.95
Small Metro	121	131	56	47	113	121	2.04	1.79
250K - 1 Mil. Pop.	97	112	46	44	91	101	2.52	2.34
< 250K Pop.	77	65	33	17	70	63	3.50	2.38
Nonmetro	89	77	41	33	74	66	2.83	2.66
Urbanized	70	56	27	26	60	45	3.57	4.19
Less Urbanized	50	44	31	21	42	38	5.00	3.82
Completely Rural	14	30	2	6	14	30	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.64D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.09	0.09	0.05	0.04	0.08	0.08	1.26	1.28
GEOGRAPHIC DIVISION								
Northeast	0.20	0.23	0.12	0.14	0.17	0.18	3.17	3.63
New England	0.30	0.44	0.17	0.08	0.27	0.43	4.24	2.13
Middle Atlantic	0.25	0.26	0.16	0.19	0.21	0.19	4.11	4.88
Midwest	0.19	0.16	0.07	0.07	0.17	0.14	2.20	2.29
East North Central	0.24	0.18	0.07	0.07	0.23	0.16	2.20	2.15
West North Central	0.27	0.32	0.18	0.18	0.23	0.28	5.09	*
South	0.16	0.17	0.09	0.07	0.13	0.15	2.26	2.07
South Atlantic	0.24	0.25	0.15	0.12	0.17	0.21	3.71	3.27
East South Central	0.35	0.37	0.11	0.11	0.33	0.34	2.81	3.79
West South Central	0.26	0.26	0.10	0.07	0.24	0.25	3.01	2.43
West	0.22	0.20	0.09	0.09	0.22	0.18	2.34	2.33
Mountain	0.25	0.31	0.07	0.19	0.24	0.26	2.23	4.20
Pacific	0.29	0.25	0.12	0.09	0.29	0.23	3.04	2.72
COUNTY TYPE								
Large Metro	0.14	0.12	0.07	0.07	0.13	0.11	1.85	1.95
Small Metro	0.16	0.18	0.08	0.07	0.15	0.16	2.04	1.79
250K - 1 Mil. Pop.	0.19	0.23	0.10	0.09	0.19	0.21	2.52	2.34
< 250K Pop.	0.28	0.27	0.13	0.07	0.26	0.26	3.50	2.38
Nonmetro	0.22	0.19	0.10	0.08	0.18	0.16	2.83	2.66
Urbanized	0.40	0.36	0.16	0.17	0.35	0.29	3.57	4.19
Less Urbanized	0.24	0.21	0.15	0.10	0.20	0.18	5.00	3.82
Completely Rural	0.38	0.63	0.06	0.13	0.36	0.62	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.64P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR					Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility	
	2004	2005	2004	2005	2004	2005
TOTAL	0.0634		0.3021		0.1303	0.6727
GEOGRAPHIC DIVISION						
Northeast	0.6108		0.7576		0.6971	0.8810
New England	0.8403		0.0199		0.2735	0.0099
Middle Atlantic	0.4992		0.7390		0.2448	0.4706
Midwest	0.1766		0.5593		0.2310	0.9852
East North Central	0.1780		0.8495		0.1731	0.6710
West North Central	0.6990		0.5335		0.9871	*
South	0.3102		0.2579		0.5840	0.3649
South Atlantic	0.9521		0.4645		0.5434	0.3482
East South Central	0.0661		0.8099		0.0573	0.5970
West South Central	0.4177		0.2235		0.6777	0.3256
West	0.3924		0.8827		0.3422	0.6579
Mountain	0.0664		0.0634		0.3168	0.1349
Pacific	0.0808		0.3718		0.1528	0.6870
COUNTY TYPE						
Large Metro	0.2773		0.7471		0.2958	0.9570
Small Metro	0.3463		0.1896		0.6830	0.3005
250K - 1 Mil. Pop.	0.9718		0.9013		0.9219	0.8816
< 250K Pop.	0.0739		0.0151		0.3739	0.0523
Nonmetro	0.1650		0.6307		0.1639	0.8846
Urbanized	0.2415		0.9796		0.1624	0.5459
Less Urbanized	0.3290		0.4380		0.5284	0.6249
Completely Rural	0.4579		0.0999		0.6668	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.65C Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2004	2005	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	211	201	58	69	36	42	45	55	202	184
AGE										
12-17	47	47	12	8	5	3	11	8	45	46
18-25	92	87	24	19	12	11	20	16	87	84
26 or Older	186	172	52	66	33	40	41	53	175	157
GENDER										
Male	159	161	44	50	27	27	34	42	152	153
Female	121	115	38	49	23	32	30	36	113	106

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.65D Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2004	2005	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.00	0.00	0.84	1.02	0.52	0.65	0.67	0.84	0.84	1.02
AGE										
12-17	0.00	0.00	0.90	0.73	0.37	0.26	0.83	0.69	0.90	0.73
18-25	0.00	0.00	0.91	0.73	0.49	0.41	0.77	0.62	0.91	0.73
26 or Older	0.00	0.00	1.72	2.27	1.12	1.44	1.38	1.89	1.72	2.27
GENDER										
Male	0.00	0.00	1.02	1.22	0.64	0.69	0.81	1.04	1.02	1.22
Female	0.00	0.00	1.42	1.88	0.92	1.30	1.15	1.45	1.42	1.88

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.65P Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2004	2005	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	.	.	0.6713		0.8687		0.5159		0.6713	
AGE										
12-17	.	.	0.6540		0.6311		0.7796		0.6540	
18-25	.	.	0.0586		0.5086		0.0714		0.0586	
26 or Older	.	.	0.2109		0.9357		0.1455		0.2109	
GENDER										
Male	.	.	0.9319		0.3655		0.5912		0.9319	
Female	.	.	0.4828		0.5301		0.7213		0.4828	

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.66C Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL	147	146	32	45	17	27	28	36	144	137
AGE										
12-17	34	33	6	7	2	3	6	7	34	32
18-25	56	63	11	15	5	8	10	13	54	61
26 or Older	125	127	30	42	16	26	25	33	123	117
GENDER										
Male	120	113	26	33	15	19	21	27	119	108
Female	80	83	19	31	8	20	17	23	76	78

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 5.66D Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL	0.00	0.00	0.51	0.66	0.27	0.41	0.44	0.54	0.51	0.66
AGE										
12-17	0.00	0.00	0.51	0.59	0.12	0.23	0.50	0.55	0.51	0.59
18-25	0.00	0.00	0.43	0.59	0.20	0.32	0.40	0.50	0.43	0.59
26 or Older	0.00	0.00	1.10	1.42	0.61	0.90	0.91	1.16	1.10	1.42
GENDER										
Male	0.00	0.00	0.66	0.79	0.39	0.47	0.54	0.66	0.66	0.79
Female	0.00	0.00	0.78	1.18	0.35	0.79	0.71	0.92	0.78	1.18

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 5.66P Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004-2005 Versus 2002-2003

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL	.		0.0003		0.0180		0.0075		0.0003	
AGE										
12-17	.		0.4143		0.2777		0.2129		0.4143	
18-25	.		0.0010		0.0006		0.0737		0.0010	
26 or Older	.		0.0037		0.1798		0.0117		0.0037	
GENDER										
Male	.		0.0326		0.5583		0.0336		0.0326	
Female	.		0.0018		0.0034		0.1067		0.0018	

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.