

Table 5.72C Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	461	443	165	157	426	412	0.65	0.63
AGE								
12-17	63	61	18	17	60	58	0.74	0.77
18-25	130	133	36	34	127	130	0.50	0.46
26 or Older	424	395	157	150	385	366	1.01	1.00
GENDER								
Male	345	352	143	133	322	326	0.87	0.84
Female	240	240	84	80	222	226	0.97	0.91
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	423	395	132	142	393	373	0.61	0.67
White	374	349	97	104	355	338	0.56	0.63
Black or African American	149	160	74	90	131	136	2.56	2.84
American Indian or Alaska Native	47	55	14	6	45	54	*	2.65
Native Hawaiian or Other Pacific Islander	*	19	*	2	17	19	*	*
Asian	87	57	41	3	76	56	*	0.68
Two or More Races	45	49	11	7	44	48	3.33	2.85
Hispanic or Latino	168	174	98	72	150	154	2.84	2.04

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.72D Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.19	0.18	0.07	0.06	0.18	0.17	0.65	0.63
AGE								
12-17	0.25	0.24	0.07	0.07	0.24	0.23	0.74	0.77
18-25	0.40	0.41	0.11	0.10	0.39	0.40	0.50	0.46
26 or Older	0.23	0.21	0.09	0.08	0.21	0.20	1.01	1.00
GENDER								
Male	0.30	0.30	0.12	0.11	0.28	0.28	0.87	0.84
Female	0.19	0.19	0.07	0.06	0.18	0.18	0.97	0.91
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.20	0.19	0.06	0.07	0.19	0.18	0.61	0.67
White	0.22	0.21	0.06	0.06	0.21	0.20	0.56	0.63
Black or African American	0.53	0.56	0.26	0.31	0.47	0.48	2.56	2.84
American Indian or Alaska Native	3.37	3.64	1.05	0.49	3.21	3.64	*	2.65
Native Hawaiian or Other Pacific Islander	*	2.76	*	0.22	2.75	2.71	*	*
Asian	0.88	0.57	0.41	0.03	0.78	0.57	*	0.68
Two or More Races	1.72	1.79	0.45	0.29	1.65	1.78	3.33	2.85
Hispanic or Latino	0.54	0.54	0.32	0.22	0.48	0.48	2.84	2.04

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.72P Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		
	2004	2005	2004	2005	2004	2005	
TOTAL	0.3777		0.8448		0.3808		0.9567
AGE							
12-17	0.0200		0.8497		0.0177		0.5975
18-25	0.5564		0.5320		0.4398		0.4195
26 or Older	0.4297		0.9685		0.3978		0.8264
GENDER							
Male	0.1518		0.7138		0.1664		1.0000
Female	0.6937		0.8207		0.7341		0.9002
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.4643		0.6306		0.5420		0.7762
White	0.4063		0.6745		0.4568		0.8645
Black or African American	0.5309		0.6425		0.6593		0.7724
American Indian or Alaska Native	0.8126		0.8279		0.7687		*
Native Hawaiian or Other Pacific Islander	*		*		0.6234		*
Asian	0.4491		0.1972		0.7905		*
Two or More Races	0.3767		0.2747		0.5062		0.4954
Hispanic or Latino	0.5483		0.6972		0.3692		0.5728

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.73C Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	460	438	163	155	424	408	0.71	0.69
GENDER								
Male	341	351	141	132	318	326	0.93	0.89
Female	239	237	83	78	222	223	1.12	1.02
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	422	392	131	140	391	371	0.66	0.73
White	379	371	93	102	362	359	0.60	0.68
Black or African American	159	173	74	91	138	144	2.77	3.03
American Indian or Alaska Native	47	53	14	6	44	53	*	2.79
Native Hawaiian or Other Pacific Islander	*	19	*	2	17	18	*	*
Asian	86	56	41	3	76	56	*	0.71
Two or More Races	43	48	11	7	42	48	3.97	3.26
Hispanic or Latino	170	171	98	72	151	151	3.23	2.28
EDUCATION								
< High School	194	209	100	88	167	183	2.15	1.95
High School Graduate	230	221	86	82	219	206	1.24	1.19
Some College	236	226	67	75	225	214	1.08	1.20
College Graduate	240	244	32	71	237	235	0.68	1.44
CURRENT EMPLOYMENT								
Full-Time	363	360	98	87	342	343	0.71	0.65
Part-Time	171	155	48	50	166	148	1.36	1.46
Unemployed	108	105	56	49	89	93	3.07	3.04
Other ¹	179	204	87	106	154	173	2.30	2.49

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.73D Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.21	0.20	0.08	0.07	0.20	0.19	0.71	0.69
GENDER								
Male	0.33	0.33	0.14	0.13	0.31	0.31	0.93	0.89
Female	0.21	0.21	0.07	0.07	0.20	0.20	1.12	1.02
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.22	0.21	0.07	0.07	0.21	0.20	0.66	0.73
White	0.24	0.23	0.06	0.07	0.23	0.22	0.60	0.68
Black or African American	0.62	0.65	0.31	0.36	0.54	0.55	2.77	3.03
American Indian or Alaska Native	3.91	4.14	1.20	0.55	3.71	4.14	*	2.79
Native Hawaiian or Other Pacific Islander	*	2.98	*	0.24	3.05	2.94	*	*
Asian	0.97	0.64	0.46	0.03	0.86	0.64	*	0.71
Two or More Races	2.03	2.10	0.54	0.34	1.94	2.08	3.97	3.26
Hispanic or Latino	0.63	0.61	0.36	0.26	0.56	0.54	3.23	2.28
EDUCATION								
< High School	0.52	0.56	0.27	0.24	0.45	0.50	2.15	1.95
High School Graduate	0.34	0.32	0.13	0.12	0.32	0.30	1.24	1.19
Some College	0.41	0.39	0.12	0.14	0.39	0.37	1.08	1.20
College Graduate	0.41	0.40	0.06	0.12	0.40	0.38	0.68	1.44
CURRENT EMPLOYMENT								
Full-Time	0.29	0.28	0.08	0.07	0.28	0.27	0.71	0.65
Part-Time	0.60	0.52	0.17	0.18	0.58	0.50	1.36	1.46
Unemployed	1.36	1.28	0.73	0.64	1.20	1.16	3.07	3.04
Other ¹	0.28	0.33	0.14	0.17	0.25	0.28	2.30	2.49

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.73P Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.5687		0.8580		0.5849		0.9858	
GENDER								
Male	0.2248		0.7344		0.2459		0.9806	
Female	0.5083		0.8315		0.5278		0.9794	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.6147		0.6438		0.7083		0.7389	
White	0.4937		0.7238		0.5404		0.8835	
Black or African American	0.4720		0.6824		0.5571		0.8591	
American Indian or Alaska Native	0.6784		0.8405		0.6370		*	
Native Hawaiian or Other Pacific Islander	*		*		0.7922		*	
Asian	0.4998		0.1997		0.8586		*	
Two or More Races	0.5062		0.2423		0.6741		0.4016	
Hispanic or Latino	0.7525		0.7006		0.5650		0.6188	
EDUCATION								
< High School	0.9027		0.5575		0.8571		0.5372	
High School Graduate	0.5579		0.5279		0.7071		0.6392	
Some College	0.8216		0.9521		0.8297		1.0000	
College Graduate	0.9413		0.0663		0.6017		0.0572	
CURRENT EMPLOYMENT								
Full-Time	0.3801		0.2235		0.5601		0.3029	
Part-Time	0.3497		0.7796		0.3781		0.9750	
Unemployed	0.2299		0.8397		0.1427		0.4969	
Other ¹	0.1455		0.3765		0.2461		0.6903	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.74C Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL	321	320	94	114	309	296	0.40	0.45
AGE								
12-17	45	44	13	12	44	42	0.55	0.54
18-25	88	93	22	25	86	91	0.32	0.34
26 or Older	287	290	89	108	279	266	0.65	0.71
GENDER								
Male	255	246	79	98	246	229	0.52	0.60
Female	180	170	52	58	170	158	0.62	0.66
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	291	289	91	97	278	271	0.45	0.45
White	252	255	77	71	242	245	0.47	0.42
Black or African American	107	109	44	58	104	94	1.69	1.92
American Indian or Alaska Native	25	36	9	7	23	35	3.72	2.79
Native Hawaiian or Other Pacific Islander	12	16	2	*	12	13	*	*
Asian	49	52	4	21	48	47	0.77	*
Two or More Races	35	33	8	7	34	33	2.33	2.24
Hispanic or Latino	107	121	28	61	105	108	0.89	1.74

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 5.74D Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL	0.14	0.13	0.04	0.05	0.13	0.12	0.40	0.45
AGE								
12-17	0.18	0.17	0.05	0.05	0.18	0.17	0.55	0.54
18-25	0.28	0.29	0.07	0.08	0.27	0.28	0.32	0.34
26 or Older	0.16	0.16	0.05	0.06	0.15	0.14	0.65	0.71
GENDER								
Male	0.22	0.21	0.07	0.08	0.22	0.20	0.52	0.60
Female	0.15	0.14	0.04	0.05	0.14	0.13	0.62	0.66
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.14	0.14	0.04	0.05	0.13	0.13	0.45	0.45
White	0.15	0.15	0.05	0.04	0.15	0.15	0.47	0.42
Black or African American	0.39	0.39	0.16	0.21	0.38	0.33	1.69	1.92
American Indian or Alaska Native	1.54	2.49	0.66	0.58	1.42	2.43	3.72	2.79
Native Hawaiian or Other Pacific Islander	1.97	2.39	0.31	*	1.93	1.94	*	*
Asian	0.52	0.52	0.04	0.21	0.52	0.48	0.77	*
Two or More Races	1.25	1.24	0.30	0.27	1.22	1.21	2.33	2.24
Hispanic or Latino	0.36	0.38	0.09	0.19	0.36	0.34	0.89	1.74

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 5.74P Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004-2005 Versus 2002-2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL	0.4954		0.2913		0.7184		0.3677	
AGE								
12-17	0.1196		0.8534		0.0921		0.4976	
18-25	0.5711		0.0668		0.9111		0.0877	
26 or Older	0.4548		0.5123		0.5808		0.6633	
GENDER								
Male	0.8068		0.2989		0.8925		0.3074	
Female	0.3932		0.7730		0.4157		0.9746	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.3645		0.7416		0.3935		0.9538	
White	0.3136		0.5370		0.2135		0.3319	
Black or African American	0.8491		0.1899		0.6239		0.1755	
American Indian or Alaska Native	0.1039		0.2710		0.0385		0.0544	
Native Hawaiian or Other Pacific Islander	0.7879		*		0.9544		*	
Asian	0.5455		0.3316		0.3438		*	
Two or More Races	0.7406		0.8487		0.7678		0.9639	
Hispanic or Latino	0.6444		0.0944		0.2114		0.0597	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 5.75C Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2004	2005	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	450	437	102	104	64	54	78	88	431	430
AGE										
12-17	65	63	14	12	5	4	13	12	64	61
18-25	157	166	32	26	18	13	25	22	148	160
26 or Older	399	384	96	100	61	52	73	86	382	378
GENDER										
Male	356	348	79	90	44	44	65	79	344	344
Female	223	235	59	54	40	32	42	43	217	229

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.75D Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2004	2005	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.00	0.00	0.46	0.49	0.30	0.26	0.36	0.42	0.46	0.49
AGE										
12-17	0.00	0.00	0.65	0.62	0.25	0.19	0.60	0.60	0.65	0.62
18-25	0.00	0.00	0.47	0.37	0.27	0.20	0.37	0.32	0.47	0.37
26 or Older	0.00	0.00	0.73	0.81	0.48	0.42	0.57	0.69	0.73	0.81
GENDER										
Male	0.00	0.00	0.55	0.66	0.32	0.32	0.46	0.59	0.55	0.66
Female	0.00	0.00	0.79	0.70	0.55	0.43	0.57	0.56	0.79	0.70

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.75P Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2004	2005	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	.	.	0.6953		0.0918		0.4692		0.6953	
AGE										
12-17	.	.	0.8007		0.6935		0.6766		0.8007	
18-25	.	.	0.0967		0.0904		0.3740		0.0967	
26 or Older	.	.	0.9624		0.2043		0.3360		0.9624	
GENDER										
Male	.	.	0.6687		0.4438		0.3366		0.6687	
Female	.	.	0.1663		0.0655		0.8224		0.1663	

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 5.76C Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2004-2005

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL	340	314	73	73	46	42	56	59	325	304
AGE										
12-17	46	46	8	9	4	3	7	9	45	44
18-25	115	114	18	21	7	11	16	17	113	109
26 or Older	304	277	70	69	45	40	53	56	292	269
GENDER										
Male	264	249	62	60	41	31	45	51	256	243
Female	176	162	38	40	20	26	33	30	169	158

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 5.76D Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2004-2005

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL	0.00	0.00	0.34	0.34	0.22	0.20	0.26	0.28	0.34	0.34
AGE										
12-17	0.00	0.00	0.39	0.45	0.20	0.16	0.33	0.42	0.39	0.45
18-25	0.00	0.00	0.27	0.30	0.11	0.17	0.25	0.24	0.27	0.30
26 or Older	0.00	0.00	0.56	0.54	0.37	0.32	0.42	0.45	0.56	0.54
GENDER										
Male	0.00	0.00	0.45	0.43	0.31	0.23	0.33	0.37	0.45	0.43
Female	0.00	0.00	0.52	0.53	0.28	0.35	0.45	0.40	0.52	0.53

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.

Table 5.76P Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004-2005 Versus 2002-2003

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005	2002-2003	2004-2005
TOTAL	.	.	0.6188	0.6188	0.9754	0.9754	0.5145	0.5145	0.6188	0.6188
AGE										
12-17	.	.	0.5803	0.5803	0.8204	0.8204	0.6186	0.6186	0.5803	0.5803
18-25	.	.	0.0945	0.0945	0.0005	0.0005	0.9564	0.9564	0.0945	0.0945
26 or Older	.	.	0.9314	0.9314	0.4193	0.4193	0.4466	0.4466	0.9314	0.9314
GENDER										
Male	.	.	0.8104	0.8104	0.2757	0.2757	0.2561	0.2561	0.8104	0.8104
Female	.	.	0.6100	0.6100	0.1008	0.1008	0.5569	0.5569	0.6100	0.6100

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, and 2005.