

Table 6.60A Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Numbers in Thousands, 2004 and 2005

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	895	822	464	448	72	57	348	315
GENDER								
Male	239	193	104	92	30	25	103	74
Female	656	629	360	357	42	31	245	241
HISPANIC ORIGIN OR RACE								
Not Hispanic or Latino	756	700	377	354	65	53	308	292
White	633 ^a	544	293	243	56	43	278	259
Black or African American	82	113	60	83	*	8	18	22
Other or Two or More Races	*	43	*	28	5	2	*	12
Hispanic or Latino	139	122	88	94	7	4	39	22
FAMILY INCOME								
Less Than \$20,000	135	157	74	91	15	18	43	48
\$20,000 - \$49,999	330 ^a	261	168	156	28	15	132 ^a	88
\$50,000 - \$74,999	186	162	97	84	11	8	78	69
\$75,000 or More	243	242	125	117	18	16	94	109
GOVERNMENT ASSISTANCE²								
Yes	176	187	83	113	16	15	74	57
No	719	635	381	336	55	41	274	258
HEALTH INSURANCE³								
Private	620	545	316	292	49	35	249	217
Medicaid/CHIP ⁴	227	219	117	116	13	14	93	87
Other ⁵	38	*	19	*	5	*	14	*
No Coverage	38	57	26	34	5	9	4	14

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown past year treatment data were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.60B Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Percentages, 2004 and 2005

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	40.3	37.8	21.0	20.5	3.2	2.6	15.7	14.4
GENDER								
Male	37.7	34.1	16.5	16.2	4.7	4.5	16.2	13.1
Female	41.3	39.0	22.8	22.0	2.7	1.9	15.5	14.9
HISPANIC ORIGIN OR RACE								
Not Hispanic or Latino	41.0	39.0	20.5	19.7	3.5	2.9	16.8	16.2
White	44.9 ^a	39.3	20.8	17.5	4.0	3.1	19.8	18.6
Black or African American	28.9	39.3	21.2	28.8	*	2.8	6.1	7.5
Other or Two or More Races	*	35.3	*	22.6	3.4	1.9	*	9.6
Hispanic or Latino	36.8	31.8	23.6	24.5	1.8	1.0	10.6	5.8
FAMILY INCOME								
Less Than \$20,000	33.9	39.4	18.5	22.8	3.9	4.5	10.7	12.0
\$20,000 - \$49,999	42.4 ^a	34.9	21.6	20.9	3.5	2.0	17.0 ^a	11.8
\$50,000 - \$74,999	41.5	35.6	21.6	18.5	2.4	1.7	17.4	15.1
\$75,000 or More	41.0	42.0	21.3	20.2	3.0	2.8	16.1	18.9
GOVERNMENT ASSISTANCE²								
Yes	42.1	41.5	19.8	25.1	3.9	3.4	17.8	12.6
No	39.9	36.8	21.3	19.4	3.1	2.4	15.2	14.9
HEALTH INSURANCE³								
Private	41.2	38.2	21.0	20.4	3.3	2.5	16.6	15.2
Medicaid/CHIP ⁴	41.1	39.9	21.2	20.9	2.4	2.6	16.9	15.8
Other ⁵	37.3	*	18.8	*	5.1	*	13.4	*
No Coverage	26.9	31.6	18.8	19.0	3.6	4.9	3.2	7.7

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown past year treatment data were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.61A Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Numbers in Thousands, 2004 and 2005

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	11,129	10,309	2,850	2,475	587	668	7,692	7,143
GENDER								
Male	3,157	2,998	1,014	924	124	232	2,020	1,842
Female	7,972	7,311	1,836	1,551	463	436	5,673	5,301
HISPANIC ORIGIN OR RACE								
Not Hispanic or Latino	10,142	9,346	2,411	2,171	543	606	7,189	6,567
White	8,589	8,054	1,922	1,726	510	551	6,157	5,775
Black or African American	1,008	864	406	308	27	20	*	536
Other or Two or More Races	*	428	83	137	*	35	*	*
Hispanic or Latino	987	963	*	304	44	63	503	575
FAMILY INCOME								
Less Than \$20,000	2,806	3,000	887	715	153	179	1,766	2,104
\$20,000 - \$49,999	3,596	3,447	847	777	231	227	2,517	2,422
\$50,000 - \$74,999	2,049	1,855	594	444	55	141	1,400	1,270
\$75,000 or More	2,679 ^a	2,008	522	539	147	122	2,010 ^a	1,347
GOVERNMENT ASSISTANCE²								
Yes	2,501	2,886	642	554	189	163	1,670	2,146
No	8,628 ^a	7,424	2,208	1,921	398	505	6,022 ^a	4,997
HEALTH INSURANCE³								
Private	7,504 ^b	5,815	1,793	1,521	377	367	5,333 ^b	3,906
Medicaid/CHIP ⁴	1,553	2,078	296	352	32 ^a	128	1,224	1,575
Other ⁵	1,843	2,181	278	376	154	155	1,411	1,651
No Coverage	1,420	1,481	651	491	95	93	674	897

*Low precision; no estimate reported.

NOTE: Estimates for 2004 in this table are based on a subsample of respondents aged 18 or older, while 2005 estimates are based on all respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown past year treatment data were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample) and 2005.

Table 6.61B Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Percentages, 2004 and 2005

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	65.1	65.6	16.7	15.7	3.4	4.3	45.0	45.4
GENDER								
Male	55.2	55.6	17.7	17.1	2.2	4.3	35.3	34.1
Female	70.1	70.9	16.2	15.0	4.1	4.2	49.9	51.2
HISPANIC ORIGIN OR RACE								
Not Hispanic or Latino	66.0	67.7	15.7	15.7	3.5	4.4	46.7	47.4
White	67.2	69.8	15.0	15.0	4.0	4.8	48.1	50.1
Black or African American	59.8	56.4	24.1	19.5	1.6	1.3	*	34.0
Other or Two or More Races	*	58.3	9.2	18.7	*	4.8	*	*
Hispanic or Latino	57.8	50.2	*	15.9	2.6	3.3	29.5	30.3
FAMILY INCOME								
Less Than \$20,000	60.6	63.7	19.2	15.2	3.3	3.8	38.1	44.7
\$20,000 - \$49,999	62.0	64.3	14.6	14.4	4.0	4.2	43.4	45.0
\$50,000 - \$74,999	69.4	70.7	20.1	16.9	1.9 ^a	5.4	47.4	48.4
\$75,000 or More	72.2	66.5	14.1	17.8	4.0	4.0	54.2	44.6
GOVERNMENT ASSISTANCE²								
Yes	64.7	71.0	16.6	13.5	4.9	4.0	43.2 ^a	52.5
No	65.3	63.7	16.7	16.5	3.0	4.3	45.5	42.9
HEALTH INSURANCE³								
Private	70.3	67.4	16.8	17.6	3.5	4.3	50.0	45.4
Medicaid/CHIP ⁴	74.3	76.5	14.2	13.0	1.5 ^a	4.8	58.6	58.5
Other ⁵	82.6	79.6	12.4	13.7	6.9	5.6	63.3	60.2
No Coverage	41.1	47.9	18.8	15.6	2.7	3.0	19.5 ^a	28.6

*Low precision; no estimate reported.

NOTE: Estimates for 2004 in this table are based on a subsample of respondents aged 18 or older, while 2005 estimates are based on all respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown past year treatment data were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample) and 2005.