

Table 6.13C Serious Psychological Distress in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2004	2005	2004	2005	2004	2005
TOTAL	750	505	494	364	614	370
AGE						
18-25	159	105	93	67	163	111
26-49	516	334	382	234	423	256
50 or Older	481	332	296	255	384	240
GENDER						
Male	454	301	243	209	415	227
Female	606	390	440	291	418	286
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	677	451	473	336	524	327
White	642	423	432	313	454	285
Black or African American	253	188	*	119	194	127
American Indian or Alaska Native	31	48	*	*	24	44
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	16
Asian	152	88	*	*	136	77
Two or More Races	79	53	*	*	47	42
Hispanic or Latino	307	201	154	124	298	168
EDUCATION						
< High School	372	259	232	159	278	200
High School Graduate	427	255	261	170	333	189
Some College	408	258	264	182	295	176
College Graduate	370	253	241	200	264	155
CURRENT EMPLOYMENT						
Full-Time	531	362	309	221	428	280
Part-Time	277	154	153	109	224	107
Unemployed	179	114	122	90	131	69
Other ³	469	332	341	245	308	216

*Low precision; no estimate reported.

NOTE: Estimates for 2004 in this table are based on a subsample of respondents aged 18 or older. Due to the use of alternative 2004 subsample data, these 2004 estimates may differ from 2004 estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

NOTE: Serious Psychological Distress (SPD) is defined as having a score of 13 or higher on the K6 scale. Due to questionnaire changes, these 2004 and 2005 estimates are not comparable with 2004 and earlier estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the Total column represent persons aged 18 or older with past year SPD, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample) and 2005.

Table 6.13D Serious Psychological Distress in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2004	2005	2004	2005	2004	2005
TOTAL	0.35	0.23	1.47	1.03	0.32	0.19
AGE						
18-25	0.50	0.32	1.88	1.25	0.48	0.31
26-49	0.52	0.33	1.87	1.34	0.48	0.29
50 or Older	0.58	0.39	2.87	2.00	0.52	0.31
GENDER						
Male	0.44	0.29	2.42	1.85	0.41	0.23
Female	0.54	0.35	1.89	1.24	0.45	0.30
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.36	0.24	1.51	1.03	0.31	0.19
White	0.40	0.26	1.59	1.07	0.34	0.21
Black or African American	1.02	0.69	*	3.98	0.89	0.54
American Indian or Alaska Native	3.07	3.78	*	*	2.59	4.15
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	2.66
Asian	1.75	0.95	*	*	1.69	0.88
Two or More Races	3.96	2.19	*	*	3.26	2.12
Hispanic or Latino	1.15	0.72	5.46	3.95	1.15	0.63
EDUCATION						
< High School	0.96	0.68	4.14	2.80	0.85	0.60
High School Graduate	0.61	0.37	2.67	1.87	0.55	0.31
Some College	0.74	0.44	2.66	1.82	0.64	0.36
College Graduate	0.62	0.42	2.61	1.93	0.52	0.30
CURRENT EMPLOYMENT						
Full-Time	0.42	0.29	2.00	1.40	0.39	0.26
Part-Time	0.92	0.51	3.34	2.20	0.89	0.43
Unemployed	2.11	1.36	5.90	5.01	1.95	1.08
Other ³	0.76	0.50	2.90	1.88	0.61	0.40

*Low precision; no estimate reported.

NOTE: Estimates for 2004 in this table are based on a subsample of respondents aged 18 or older. Due to the use of alternative 2004 subsample data, these 2004 estimates may differ from 2004 estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

NOTE: Serious Psychological Distress (SPD) is defined as having a score of 13 or higher on the K6 scale. Due to questionnaire changes, these 2004 and 2005 estimates are not comparable with 2004 and earlier estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the Total column represent persons aged 18 or older with past year SPD, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample) and 2005.

Table 6.13P Serious Psychological Distress in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2004	2005	2004	2005	2004	2005
TOTAL	0.0348		0.6381		0.0035	
AGE						
18-25	0.0073		0.9123		0.0007	
26-49	0.0139		0.9438		0.0273	
50 or Older	0.7360		0.2448		0.3730	
GENDER						
Male	0.0504		0.5214		0.0053	
Female	0.2467		0.8788		0.1228	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0285		0.7098		0.0017	
White	0.0870		0.5553		0.0050	
Black or African American	0.3280		*		0.3030	
American Indian or Alaska Native	0.0352		*		0.0620	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.3242		*		0.2230	
Two or More Races	0.2153		*		0.5970	
Hispanic or Latino	0.7270		0.6876		0.6034	
EDUCATION						
< High School	0.5638		0.1401		0.3160	
High School Graduate	0.0230		0.8922		0.0071	
Some College	0.1919		0.5289		0.1680	
College Graduate	0.8275		0.4310		0.5443	
CURRENT EMPLOYMENT						
Full-Time	0.0432		0.9883		0.0466	
Part-Time	0.1639		0.9644		0.0409	
Unemployed	0.5295		0.6639		0.5046	
Other ³	0.7729		0.4709		0.2201	

*Low precision; no estimate reported.

NOTE: Estimates for 2004 in this table are based on a subsample of respondents aged 18 or older. Due to the use of alternative 2004 subsample data, these 2004 estimates may differ from 2004 estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

NOTE: Serious Psychological Distress (SPD) is defined as having a score of 13 or higher on the K6 scale. Due to questionnaire changes, these 2004 and 2005 estimates are not comparable with 2004 and earlier estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the Total column represent persons aged 18 or older with past year SPD, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample) and 2005.

Table 6.14C Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Serious Psychological Distress and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	Total		SERIOUS PSYCHOLOGICAL DISTRESS ¹			
			Yes		No	
	2004	2005	2004	2005	2004	2005
TOTAL	823	573	494	364	729	490
AGE						
18-25	133	88	93	67	98	66
26-49	544	338	382	234	451	288
50 or Older	613	449	296	255	578	393
GENDER						
Male	458	344	243	209	437	298
Female	671	435	440	291	579	377
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	800	541	473	336	702	462
White	790	555	432	313	660	435
Black or African American	266	178	159	119	205	131
American Indian or Alaska Native	*	37	*	*	*	31
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	108	67	*	*	85	52
Two or More Races	96	59	*	*	*	49
Hispanic or Latino	230	170	154	124	181	125
EDUCATION						
< High School	400	220	232	159	321	150
High School Graduate	465	305	261	170	375	260
Some College	428	310	264	182	329	247
College Graduate	471	354	241	200	401	285
CURRENT EMPLOYMENT						
Full-Time	592	378	309	221	500	302
Part-Time	290	208	153	109	243	174
Unemployed	152	126	122	90	90	93
Other ²	569	397	341	245	464	306

*Low precision; no estimate reported.

NOTE: Estimates for 2004 in this table are based on a subsample of respondents aged 18 or older. Due to the use of alternative 2004 subsample data, these 2004 estimates may differ from 2004 estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

¹ Serious Psychological Distress (SPD) is defined as having a score of 13 or higher on the K6 scale. Due to questionnaire changes, these 2004 and 2005 estimates are not comparable with 2004 and earlier estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

² The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample) and 2005.

Table 6.14D Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Serious Psychological Distress and Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	Total		SERIOUS PSYCHOLOGICAL DISTRESS ¹			
			Yes		No	
	2004	2005	2004	2005	2004	2005
TOTAL	0.38	0.26	1.49	1.04	0.36	0.24
AGE						
18-25	0.41	0.27	1.24	0.92	0.36	0.24
26-49	0.54	0.34	2.09	1.39	0.49	0.31
50 or Older	0.74	0.53	4.18	2.91	0.71	0.48
GENDER						
Male	0.44	0.33	2.16	1.77	0.44	0.30
Female	0.60	0.39	1.85	1.28	0.57	0.37
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.43	0.29	1.54	1.10	0.40	0.26
White	0.47	0.33	1.65	1.22	0.45	0.30
Black or African American	1.06	0.67	4.30	3.16	0.96	0.58
American Indian or Alaska Native	*	3.05	*	*	*	3.32
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.24	0.74	*	*	1.10	0.62
Two or More Races	4.46	2.42	*	*	*	2.52
Hispanic or Latino	0.86	0.62	4.33	2.96	0.75	0.50
EDUCATION						
< High School	1.00	0.58	3.17	2.43	0.98	0.47
High School Graduate	0.64	0.43	2.42	1.70	0.60	0.41
Some College	0.76	0.51	2.61	1.80	0.69	0.47
College Graduate	0.78	0.55	3.50	2.44	0.72	0.49
CURRENT EMPLOYMENT						
Full-Time	0.45	0.29	1.95	1.46	0.44	0.27
Part-Time	0.97	0.68	3.12	2.14	0.96	0.67
Unemployed	1.92	1.48	5.54	3.88	1.54	1.43
Other ²	0.87	0.60	2.92	2.06	0.84	0.54

*Low precision; no estimate reported.

NOTE: Estimates for 2004 in this table are based on a subsample of respondents aged 18 or older. Due to the use of alternative 2004 subsample data, these 2004 estimates may differ from 2004 estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

¹ Serious Psychological Distress (SPD) is defined as having a score of 13 or higher on the K6 scale. Due to questionnaire changes, these 2004 and 2005 estimates are not comparable with 2004 and earlier estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

² The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample) and 2005.

Table 6.14P Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Serious Psychological Distress and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	Total		SERIOUS PSYCHOLOGICAL DISTRESS ¹			
			Yes		No	
	2004	2005	2004	2005	2004	2005
TOTAL	0.8002		0.0389		0.4995	
AGE						
18-25	0.2775		0.0200		0.5906	
26-49	0.0258		0.6650		0.0513	
50 or Older	0.1769		0.0559		0.5941	
GENDER						
Male	0.9960		0.0345		0.6209	
Female	0.7627		0.3327		0.6490	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.8476		0.0307		0.5641	
White	0.9667		0.0241		0.5748	
Black or African American	0.7686		0.7688		0.5653	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.6140		*		0.3836	
Two or More Races	0.0978		*		*	
Hispanic or Latino	0.9171		0.6364		0.7074	
EDUCATION						
< High School	0.1661		0.5475		0.0592	
High School Graduate	0.9288		0.1075		0.8579	
Some College	0.9414		0.5266		0.7599	
College Graduate	0.6134		0.2554		0.9906	
CURRENT EMPLOYMENT						
Full-Time	0.2330		0.5363		0.2826	
Part-Time	0.4103		0.0630		0.6372	
Unemployed	0.7980		0.7703		0.6688	
Other ²	0.8068		0.1529		0.7447	

*Low precision; no estimate reported.

NOTE: Estimates for 2004 in this table are based on a subsample of respondents aged 18 or older. Due to the use of alternative 2004 subsample data, these 2004 estimates may differ from 2004 estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

¹ Serious Psychological Distress (SPD) is defined as having a score of 13 or higher on the K6 scale. Due to questionnaire changes, these 2004 and 2005 estimates are not comparable with 2004 and earlier estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

² The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample) and 2005.