

Table 6.22C Specific Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	Received Mental Health Treatment/Counseling ¹		TYPE OF MENTAL HEALTH TREATMENT/COUNSELING ²					
			Inpatient		Outpatient		Prescription Medication	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	554	573	149	177	413	433	500	529
AGE								
18-25	85	88	33	30	66	70	74	75
26-49	338	338	88	97	268	269	305	306
50 or Older	423	449	117	142	296	331	396	420
GENDER								
Male	327	344	104	116	241	256	300	303
Female	443	435	115	130	338	329	406	408
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	552	541	138	154	406	403	502	503
White	559	555	105	130	395	386	507	509
Black or African American	175	178	71	80	111	139	164	150
American Indian or Alaska Native	35	37	6	2	23	19	29	37
Native Hawaiian or Other Pacific Islander	*	*	1	1	*	6	*	*
Asian	83	67	57	19	56	50	77	58
Two or More Races	52	59	8	4	42	51	42	59
Hispanic or Latino	156	170	71	87	106	138	138	151
EDUCATION								
< High School	236	220	83	116	143	150	209	199
High School Graduate	304	305	109	93	218	192	286	288
Some College	313	310	65	72	216	235	292	278
College Graduate	322	354	33	59	268	277	285	309
CURRENT EMPLOYMENT								
Full-Time	385	378	81	64	275	273	342	332
Part-Time	215	208	45	52	172	150	187	183
Unemployed	109	126	43	56	76	94	105	119
Other ³	381	397	113	146	261	285	356	382

*Low precision; no estimate reported.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

² Respondents could report receiving multiple types of mental health treatment/counseling; thus, these response categories are not mutually exclusive.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.22D Specific Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	Received Mental Health Treatment/Counseling ¹		TYPE OF MENTAL HEALTH TREATMENT/COUNSELING ²					
			Inpatient		Outpatient		Prescription Medication	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.26	0.26	0.07	0.08	0.19	0.20	0.23	0.24
AGE								
18-25	0.26	0.27	0.10	0.09	0.21	0.22	0.23	0.23
26-49	0.34	0.34	0.09	0.10	0.27	0.27	0.31	0.31
50 or Older	0.51	0.53	0.14	0.17	0.36	0.39	0.48	0.49
GENDER								
Male	0.32	0.33	0.10	0.11	0.23	0.24	0.29	0.29
Female	0.40	0.39	0.10	0.11	0.30	0.29	0.36	0.36
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.29	0.29	0.07	0.08	0.22	0.21	0.27	0.27
White	0.33	0.33	0.07	0.09	0.25	0.24	0.30	0.31
Black or African American	0.69	0.67	0.29	0.31	0.45	0.54	0.66	0.58
American Indian or Alaska Native	2.96	3.05	0.54	0.21	1.92	1.64	2.59	3.02
Native Hawaiian or Other Pacific Islander	*	*	0.11	0.23	*	0.92	*	*
Asian	0.92	0.74	0.64	0.21	0.63	0.55	0.85	0.64
Two or More Races	2.29	2.42	0.40	0.17	1.94	2.17	1.87	2.40
Hispanic or Latino	0.58	0.62	0.27	0.31	0.40	0.50	0.52	0.55
EDUCATION								
< High School	0.61	0.58	0.23	0.32	0.39	0.41	0.54	0.54
High School Graduate	0.42	0.43	0.16	0.14	0.31	0.28	0.39	0.40
Some College	0.53	0.51	0.12	0.13	0.38	0.40	0.50	0.46
College Graduate	0.51	0.55	0.06	0.10	0.44	0.45	0.47	0.50
CURRENT EMPLOYMENT								
Full-Time	0.29	0.29	0.07	0.05	0.22	0.22	0.27	0.26
Part-Time	0.73	0.68	0.16	0.18	0.61	0.51	0.64	0.62
Unemployed	1.36	1.48	0.57	0.73	1.00	1.18	1.30	1.43
Other ³	0.57	0.60	0.18	0.24	0.42	0.45	0.53	0.59

*Low precision; no estimate reported.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

² Respondents could report receiving multiple types of mental health treatment/counseling; thus, these response categories are not mutually exclusive.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.22P Specific Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	Received Mental Health Treatment/Counseling ¹		TYPE OF MENTAL HEALTH TREATMENT/COUNSELING ²					
			Inpatient		Outpatient		Prescription Medication	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.6626		0.4161		0.3607		0.5698	
AGE								
18-25	0.2842		0.2948		0.4018		0.5430	
26-49	0.3348		0.3268		0.0222		0.5699	
50 or Older	0.2571		0.5679		0.5414		0.2943	
GENDER								
Male	0.7605		0.9958		0.1890		0.7442	
Female	0.7273		0.2793		0.8656		0.6194	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.7206		0.3569		0.3014		0.6015	
White	0.7199		0.0908		0.2463		0.6004	
Black or African American	0.6531		0.9642		0.4672		0.9625	
American Indian or Alaska Native	0.5188		0.2304		0.9869		0.2193	
Native Hawaiian or Other Pacific Islander	*		0.5541		*		*	
Asian	0.5466		0.2228		0.6963		0.5495	
Two or More Races	0.6786		0.3052		0.7553		0.6903	
Hispanic or Latino	0.6271		0.9539		0.7000		0.6868	
EDUCATION								
< High School	0.5796		0.2854		0.8151		0.7652	
High School Graduate	0.7623		0.5103		0.0520		0.3198	
Some College	0.7192		0.5757		0.7250		0.6243	
College Graduate	0.2493		0.1283		0.7692		0.4902	
CURRENT EMPLOYMENT								
Full-Time	0.6836		0.5391		0.4187		0.6814	
Part-Time	0.9241		0.8297		0.1454		0.6534	
Unemployed	0.8730		0.1534		0.5763		0.5647	
Other ³	0.2786		0.4340		0.7193		0.2323	

*Low precision; no estimate reported.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

² Respondents could report receiving multiple types of mental health treatment/counseling; thus, these response categories are not mutually exclusive.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.23C Specific Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older, by Geographic or Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic/Socioeconomic Characteristic	Received Mental Health Treatment/Counseling ¹		TYPE OF MENTAL HEALTH TREATMENT/COUNSELING ²					
			Inpatient		Outpatient		Prescription Medication	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	554	573	149	177	413	433	500	529
GEOGRAPHIC REGION								
Northeast	250	251	47	70	182	202	230	230
Midwest	217	231	70	50	165	162	192	222
South	341	350	110	127	262	257	301	322
West	285	280	52	88	204	224	265	258
COUNTY TYPE								
Large Metro	459	465	112	129	318	359	412	414
Small Metro	349	331	83	91	259	204	321	310
250K - 1 Mil. Pop.	294	269	64	70	199	165	266	248
< 250K Pop.	198	193	54	62	153	124	189	179
Nonmetro	251	263	56	80	175	176	210	248
Urbanized	169	172	43	64	129	132	136	156
Less Urbanized	173	178	36	45	104	108	165	175
Completely Rural	82	85	8	17	46	49	59	82
FAMILY INCOME								
Less Than \$20,000	294	318	101	137	209	237	264	279
\$20,000 - \$49,999	330	330	77	88	238	219	294	315
\$50,000 - \$74,999	277	251	70	52	201	190	265	232
\$75,000 or More	313	322	37	43	220	232	269	287
GOVERNMENT ASSISTANCE³								
Yes	264	293	90	124	199	217	231	282
No	528	535	119	125	374	390	483	482

*Low precision; no estimate reported.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

² Respondents could report receiving multiple types of mental health treatment/counseling; thus, these response categories are not mutually exclusive.

³ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.23D Specific Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older, by Geographic or Socioeconomic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic/Socioeconomic Characteristic	Received Mental Health Treatment/Counseling ¹		TYPE OF MENTAL HEALTH TREATMENT/COUNSELING ²					
			Inpatient		Outpatient		Prescription Medication	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.26	0.26	0.07	0.08	0.19	0.20	0.23	0.24
GEOGRAPHIC REGION								
Northeast	0.61	0.61	0.12	0.17	0.44	0.49	0.56	0.56
Midwest	0.45	0.47	0.14	0.10	0.34	0.33	0.40	0.45
South	0.44	0.45	0.14	0.16	0.34	0.33	0.39	0.41
West	0.59	0.57	0.11	0.18	0.42	0.46	0.54	0.52
COUNTY TYPE								
Large Metro	0.36	0.36	0.10	0.11	0.26	0.29	0.32	0.33
Small Metro	0.46	0.47	0.13	0.14	0.37	0.31	0.44	0.45
250K - 1 Mil. Pop.	0.61	0.56	0.15	0.16	0.44	0.37	0.56	0.53
< 250K Pop.	0.73	0.83	0.24	0.29	0.65	0.55	0.72	0.78
Nonmetro	0.64	0.63	0.15	0.22	0.47	0.46	0.53	0.60
Urbanized	0.97	1.03	0.28	0.46	0.82	0.84	0.76	0.98
Less Urbanized	0.87	0.85	0.20	0.25	0.55	0.57	0.85	0.85
Completely Rural	2.37	1.58	0.25	0.41	1.41	1.10	1.72	1.53
FAMILY INCOME								
Less Than \$20,000	0.63	0.69	0.24	0.32	0.47	0.53	0.57	0.62
\$20,000 - \$49,999	0.39	0.41	0.10	0.12	0.30	0.28	0.35	0.39
\$50,000 - \$74,999	0.67	0.59	0.18	0.13	0.50	0.46	0.64	0.55
\$75,000 or More	0.50	0.48	0.07	0.07	0.37	0.36	0.45	0.44
GOVERNMENT ASSISTANCE³								
Yes	0.78	0.82	0.29	0.38	0.63	0.64	0.69	0.81
No	0.26	0.26	0.06	0.07	0.19	0.20	0.24	0.24

*Low precision; no estimate reported.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

² Respondents could report receiving multiple types of mental health treatment/counseling; thus, these response categories are not mutually exclusive.

³ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.23P Specific Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older, by Geographic or Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic/Socioeconomic Characteristic	Received Mental Health Treatment/Counseling ¹		TYPE OF MENTAL HEALTH TREATMENT/COUNSELING ²					
			Inpatient		Outpatient		Prescription Medication	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.6626		0.4161		0.3607		0.5698	
GEOGRAPHIC REGION								
Northeast	0.4107		0.7229		0.9295		0.6392	
Midwest	0.5865		0.3115		0.1518		0.2064	
South	0.3608		0.5592		0.5760		0.2369	
West	0.1645		0.1562		0.1991		0.0910	
COUNTY TYPE								
Large Metro	0.9769		0.6194		0.9815		0.6237	
Small Metro	0.5398		0.9636		0.0252		0.8940	
250K - 1 Mil. Pop.	0.6497		0.9355		0.0418		0.7556	
< 250K Pop.	0.6789		0.9903		0.2745		0.8393	
Nonmetro	0.0607		0.3151		0.5561		0.0268	
Urbanized	0.1335		0.5599		0.1648		0.1771	
Less Urbanized	0.1761		0.4776		0.4397		0.0840	
Completely Rural	0.7997		0.2569		0.4383		0.6033	
FAMILY INCOME								
Less Than \$20,000	0.2351		0.2939		0.4441		0.1855	
\$20,000 - \$49,999	0.5672		0.8494		0.0101		0.9600	
\$50,000 - \$74,999	0.6160		0.9448		0.7340		0.8484	
\$75,000 or More	0.9793		0.3879		0.8818		0.8117	
GOVERNMENT ASSISTANCE³								
Yes	0.2494		0.1749		0.7949		0.1814	
No	0.8923		0.8693		0.2130		0.9225	

*Low precision; no estimate reported.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

² Respondents could report receiving multiple types of mental health treatment/counseling; thus, these response categories are not mutually exclusive.

³ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.