

**Table 6.27C Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2004 and 2005**

Location of Treatment/Counseling <sup>1</sup>	Total		AGE GROUP					
			18-25		26-49		50 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Outpatient Mental Health Clinic or Center	189	236	29	37	136	137	131	173
Office of a Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor - Not Part of a Clinic	293	309	50	52	225	202	190	236
Doctor's Office - Not Part of a Clinic	228	185	26	29	134	122	182	147
Outpatient Medical Clinic	125	126	19	20	69	70	106	100
Partial Day Hospital or Day Treatment Program	60	70	11	14	35	31	48	59
School or University Setting/Clinic/Center <sup>2</sup>	18	18	11	15	13	10	*	*
Some Other Place <sup>3</sup>	60	36	11	8	27	22	52	28

\*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

<sup>1</sup> Respondents could indicate multiple locations; thus, these response categories are not mutually exclusive.

<sup>2</sup> Respondents were permitted to specify other locations for receiving outpatient mental health treatment/counseling. This location is one of the most commonly reported other locations for receiving outpatient treatment/counseling.

<sup>3</sup> Respondents with unknown or invalid responses to the other-specify question on Some Other Place Received Outpatient Mental Health Treatment/Counseling were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 6.27D Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2004 and 2005**

Location of Treatment/Counseling <sup>1</sup>	Total		AGE GROUP					
			18-25		26-49		50 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Outpatient Mental Health Clinic or Center	1.10	1.34	1.33	1.45	1.38	1.54	2.63	3.02
Office of a Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor - Not Part of a Clinic	1.39	1.41	1.59	1.67	1.64	1.68	3.26	3.23
Doctor's Office - Not Part of a Clinic	1.27	1.13	1.22	1.29	1.39	1.41	3.15	2.64
Outpatient Medical Clinic	0.77	0.81	0.91	0.94	0.78	0.84	2.11	1.94
Partial Day Hospital or Day Treatment Program	0.40	0.46	0.58	0.67	0.40	0.39	1.03	1.16
School or University Setting/Clinic/Center <sup>2</sup>	0.12	0.12	0.58	0.72	0.16	0.13	*	*
Some Other Place <sup>3</sup>	0.40	0.24	0.58	0.40	0.32	0.28	1.12	0.56

\*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

<sup>1</sup> Respondents could indicate multiple locations; thus, these response categories are not mutually exclusive.

<sup>2</sup> Respondents were permitted to specify other locations for receiving outpatient mental health treatment/counseling. This location is one of the most commonly reported other locations for receiving outpatient treatment/counseling.

<sup>3</sup> Respondents with unknown or invalid responses to the other-specify question on Some Other Place Received Outpatient Mental Health Treatment/Counseling were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

**Table 6.27P Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004**

Location of Treatment/Counseling <sup>1</sup>	Total		AGE GROUP					
			18-25		26-49		50 or Older	
	2004	2005	2004	2005	2004	2005	2004	2005
Outpatient Mental Health Clinic or Center	0.0926		0.0904		0.1309		0.5532	
Office of a Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor - Not Part of a Clinic	0.1695		0.7552		0.9666		0.0464	
Doctor's Office - Not Part of a Clinic	0.0488		0.1561		0.1785		0.2109	
Outpatient Medical Clinic	0.8191		0.1940		0.6512		0.6348	
Partial Day Hospital or Day Treatment Program	0.7748		0.8765		0.7112		0.6516	
School or University Setting/Clinic/Center <sup>2</sup>	0.6417		0.2044		0.3741		*	
Some Other Place <sup>3</sup>	0.0102		0.2009		0.5044		0.0159	

\*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

<sup>1</sup> Respondents could indicate multiple locations; thus, these response categories are not mutually exclusive.

<sup>2</sup> Respondents were permitted to specify other locations for receiving outpatient mental health treatment/counseling. This location is one of the most commonly reported other locations for receiving outpatient treatment/counseling.

<sup>3</sup> Respondents with unknown or invalid responses to the other-specify question on Some Other Place Received Outpatient Mental Health Treatment/Counseling were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.