

Table 6.29C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2004	2005	2004	2005	2004	2005
TOTAL	348	360	212	243	264	265
AGE						
18-25	75	73	51	51	64	62
26-49	250	230	160	161	196	174
50 or Older	204	243	132	171	156	186
GENDER						
Male	211	237	128	142	169	201
Female	254	259	170	192	189	168
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	326	327	204	221	245	240
White	286	263	189	194	202	176
Black or African American	134	190	68	95	114	158
Other or Two or More Races	67	69	36	58	57	37
Hispanic or Latino	106	142	62	99	89	108
EDUCATION						
< High School	146	189	89	88	114	168
High School Graduate	173	144	118	101	117	97
Some College	170	165	120	119	119	110
College Graduate	187	215	106	161	149	138
CURRENT EMPLOYMENT						
Full-Time	244	225	124	151	200	170
Part-Time	129	124	82	95	91	79
Unemployed	65	103	54	81	40	63
Other ³	187	224	147	145	114	170

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.29D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2004	2005	2004	2005	2004	2005
TOTAL	0.16	0.17	0.73	0.80	0.14	0.14
AGE						
18-25	0.23	0.23	1.21	1.15	0.21	0.20
26-49	0.25	0.23	1.00	1.07	0.22	0.20
50 or Older	0.25	0.29	1.31	1.51	0.21	0.25
GENDER						
Male	0.20	0.23	1.31	1.39	0.18	0.21
Female	0.23	0.23	0.88	0.96	0.20	0.18
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.17	0.17	0.76	0.79	0.15	0.15
White	0.19	0.17	0.79	0.78	0.16	0.14
Black or African American	0.53	0.73	3.22	3.69	0.50	0.68
Other or Two or More Races	0.53	0.53	3.65	5.08	0.48	0.31
Hispanic or Latino	0.40	0.51	2.86	3.85	0.35	0.41
EDUCATION						
< High School	0.39	0.51	1.96	2.12	0.34	0.52
High School Graduate	0.25	0.21	1.47	1.21	0.20	0.16
Some College	0.30	0.29	1.39	1.33	0.25	0.23
College Graduate	0.33	0.36	1.36	1.72	0.30	0.27
CURRENT EMPLOYMENT						
Full-Time	0.20	0.18	0.94	1.10	0.18	0.16
Part-Time	0.45	0.42	1.80	1.95	0.38	0.32
Unemployed	0.89	1.25	3.75	4.78	0.66	0.97
Other ³	0.31	0.36	1.47	1.39	0.22	0.33

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.29P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²	
			Received	Not Received
	2004	2005	2004	2005
TOTAL	0.7919		0.7485	0.8934
AGE				
18-25	0.6307		0.0176	0.0768
26-49	0.1265		0.7383	0.1328
50 or Older	0.0401		0.0651	0.3933
GENDER				
Male	0.7865		0.8335	0.7438
Female	0.5416		0.5786	0.8812
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.9789		0.7802	0.7025
White	0.6054		0.8728	0.4199
Black or African American	0.4860		0.7923	0.5699
Other or Two or More Races	0.5329		0.1269	0.7808
Hispanic or Latino	0.4752		0.8833	0.5561
EDUCATION				
< High School	0.8526		0.6616	0.5517
High School Graduate	0.0757		0.3091	0.0617
Some College	0.8036		0.8631	0.9255
College Graduate	0.0508		0.0488	0.5149
CURRENT EMPLOYMENT				
Full-Time	0.5884		0.2782	0.1804
Part-Time	0.7831		0.5803	0.9877
Unemployed	0.2440		0.2106	0.5816
Other ³	0.4787		0.4796	0.2307

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.30C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic or Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2004	2005	2004	2005	2004	2005
TOTAL	348	360	212	243	264	265
GEOGRAPHIC REGION						
Northeast	177	133	79	88	151	111
Midwest	132	138	89	112	87	84
South	204	242	134	149	155	185
West	175	198	113	131	124	135
COUNTY TYPE						
Large Metro	284	272	156	188	214	191
Small Metro	203	220	131	124	141	181
Nonmetro	112	141	81	97	74	80
FAMILY INCOME						
Less Than \$20,000	174	220	122	139	118	171
\$20,000 - \$49,999	200	194	125	127	153	144
\$50,000 - \$74,999	134	132	79	98	103	89
\$75,000 or More	166	167	102	119	121	115
GOVERNMENT ASSISTANCE³						
Yes	153	182	115	134	101	113
No	313	319	187	203	234	244

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.30D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic or Socioeconomic Characteristics: Standard Errors of Percentages, 2004 and 2005

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2004	2005	2004	2005	2004	2005
TOTAL	0.16	0.17	0.73	0.80	0.14	0.14
GEOGRAPHIC REGION						
Northeast	0.43	0.32	1.47	1.51	0.42	0.31
Midwest	0.27	0.28	1.33	1.46	0.21	0.20
South	0.27	0.31	1.39	1.34	0.22	0.27
West	0.36	0.40	1.59	2.07	0.30	0.30
COUNTY TYPE						
Large Metro	0.24	0.23	1.03	1.21	0.21	0.18
Small Metro	0.30	0.32	1.33	1.27	0.25	0.32
Nonmetro	0.29	0.37	1.55	1.64	0.23	0.26
FAMILY INCOME						
Less Than \$20,000	0.39	0.50	1.64	1.74	0.31	0.47
\$20,000 - \$49,999	0.25	0.25	1.37	1.37	0.22	0.21
\$50,000 - \$74,999	0.33	0.32	1.50	1.71	0.31	0.26
\$75,000 or More	0.28	0.27	1.42	1.47	0.24	0.21
GOVERNMENT ASSISTANCE³						
Yes	0.49	0.54	1.75	1.82	0.40	0.44
No	0.17	0.17	0.82	0.86	0.14	0.15

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.30P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic or Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2004	2005	2004	2005	2004	2005
TOTAL	0.7919		0.7485		0.8934	
GEOGRAPHIC REGION						
Northeast	0.6547		0.8923		0.5329	
Midwest	0.5211		0.7072		0.3241	
South	0.9165		0.8328		0.7130	
West	0.2254		0.4043		0.1394	
COUNTY TYPE						
Large Metro	0.7898		0.7671		0.9612	
Small Metro	0.8362		0.9892		0.9415	
Nonmetro	0.5901		0.7519		0.6278	
FAMILY INCOME						
Less Than \$20,000	0.4182		0.8432		0.7308	
\$20,000 - \$49,999	0.8905		0.8267		0.9081	
\$50,000 - \$74,999	0.5715		0.2611		0.6891	
\$75,000 or More	0.8535		0.9940		0.8625	
GOVERNMENT ASSISTANCE³						
Yes	0.6263		0.4701		0.3603	
No	0.9939		0.5028		0.5806	

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.