

Table 6.33C Substance Use and Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Receipt of and Perceived Need for Past Year Mental Health Treatment/Counseling: Standard Errors of Numbers in Thousands, 2004 and 2005

Substance Use/Dependence or Abuse	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²							
			Received				Not Received			
			Unmet Need		No Unmet Need		Unmet Need		No Unmet Need	
	2004	2005	2004	2005	2004	2005	2004	2005	2004	2005
ILLICIT DRUGS³	519	541	122	119	197	190	158	119	463	482
Marijuana and Hashish	437	463	103	96	150	145	147	99	378	416
Nonmedical Use of Psychotherapeutics ⁴	341	341	89	83	136	130	76	80	278	286
ILLICIT DRUGS OTHER THAN MARIJUANA³	399	393	103	91	153	150	87	88	332	333
CIGARETTES	784	811	142	145	289	316	165	145	800	819
ALCOHOL	880	908	195	200	455	449	231	201	1,514	1,528
ILLICIT DRUG OR ALCOHOL DEPENDENCE OR ABUSE^{3,5}	432	421	114	117	164	162	134	113	359	366
Illicit Drug Dependence or Abuse ^{3,5}	205	199	77	70	95	71	79	66	150	154
Alcohol Dependence or Abuse ⁵	411	394	98	101	154	153	115	103	334	350

*Low precision; no estimate reported.

¹ Estimates in the Total column represent substance use and substance dependence or abuse in the past year for all persons aged 18 or older, including those with unknown mental health treatment/counseling or unmet need information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module. Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown treatment/counseling or unmet need information were excluded.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.33D Substance Use and Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Receipt of and Perceived Need for Past Year Mental Health Treatment/Counseling: Standard Errors of Percentages, 2004 and 2005

Substance Use/Dependence or Abuse	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²							
			Received				Not Received			
			Unmet Need		No Unmet Need		Unmet Need		No Unmet Need	
	2004	2005	2004	2005	2004	2005	2004	2005	2004	2005
ILLICIT DRUGS³	0.24	0.25	1.97	1.86	0.81	0.81	2.15	2.01	0.24	0.25
Marijuana and Hashish	0.20	0.21	1.77	1.60	0.64	0.63	2.13	1.75	0.20	0.22
Nonmedical Use of Psychotherapeutics ⁴	0.16	0.16	1.54	1.46	0.59	0.57	1.26	1.40	0.15	0.15
ILLICIT DRUGS OTHER THAN MARIJUANA³	0.19	0.18	1.74	1.59	0.65	0.64	1.37	1.55	0.17	0.18
CIGARETTES	0.36	0.37	2.10	2.19	1.05	1.12	2.14	2.30	0.39	0.40
ALCOHOL	0.41	0.42	1.84	2.06	1.19	1.12	1.84	2.60	0.44	0.46
ILLICIT DRUG OR ALCOHOL DEPENDENCE OR ABUSE^{3,5}	0.20	0.19	1.85	1.91	0.68	0.68	1.94	1.87	0.19	0.19
Illicit Drug Dependence or Abuse ^{3,5}	0.10	0.09	1.35	1.24	0.41	0.31	1.25	1.18	0.08	0.08
Alcohol Dependence or Abuse ⁵	0.19	0.18	1.65	1.71	0.65	0.64	1.81	1.70	0.18	0.18

*Low precision; no estimate reported.

¹ Estimates in the Total column represent substance use and substance dependence or abuse in the past year for all persons aged 18 or older, including those with unknown mental health treatment/counseling or unmet need information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module. Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown treatment/counseling or unmet need information were excluded.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.33P Substance Use and Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Receipt of and Perceived Need for Past Year Mental Health Treatment/Counseling: P Values from Tests of Differences of Percentages, 2005 Versus 2004

Substance Use/Dependence or Abuse	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²							
			Received				Not Received			
			Unmet Need		No Unmet Need		Unmet Need		No Unmet Need	
	2004	2005	2004	2005	2004	2005	2004	2005	2004	2005
ILLCIT DRUGS³	0.8516		0.1461		0.2302		0.4269		0.2543	
Marijuana and Hashish	0.9204		0.0713		0.2868		0.2402		0.3673	
Nonmedical Use of Psychotherapeutics ⁴	0.3012		0.1624		0.6998		0.7968		0.0843	
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.4834		0.1318		0.7823		0.5947		0.2741	
CIGARETTES	0.7220		0.3436		0.0141		0.3432		0.8260	
ALCOHOL	0.0106		0.2815		0.9302		0.2926		0.0026	
ILLCIT DRUG OR ALCOHOL DEPENDENCE OR ABUSE^{3,5}	0.5766		0.7084		0.0987		0.1889		0.6413	
Illicit Drug Dependence or Abuse ^{3,5}	0.1926		0.4528		0.0587		0.4406		0.8517	
Alcohol Dependence or Abuse ⁵	0.8756		0.5600		0.3751		0.1644		0.4784	

*Low precision; no estimate reported.

¹ Estimates in the Total column represent substance use and substance dependence or abuse in the past year for all persons aged 18 or older, including those with unknown mental health treatment/counseling or unmet need information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module. Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown treatment/counseling or unmet need information were excluded.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.34C Substance Use and Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Perceived Need for Past Year Mental Health Treatment/Counseling: Standard Errors of Numbers in Thousands, 2004 and 2005

Substance Use/Dependence or Abuse	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Unmet Need		No Unmet Need	
	2004	2005	2004	2005	2004	2005
ILLCIT DRUGS³	519	541	206	166	513	534
Marijuana and Hashish	437	463	184	136	416	449
Nonmedical Use of Psychotherapeutics ⁴	341	341	125	117	316	325
ILLCIT DRUGS OTHER THAN MARIJUANA³	399	393	144	128	382	377
CIGARETTES	784	811	227	207	867	880
ALCOHOL	880	908	319	281	1,645	1,638
ILLCIT DRUG OR ALCOHOL DEPENDENCE OR ABUSE^{3,5}	432	421	182	156	404	411
Illicit Drug Dependence or Abuse ^{3,5}	205	199	111	96	185	168
Alcohol Dependence or Abuse ⁵	411	394	156	133	380	390

*Low precision; no estimate reported.

¹ Estimates in the Total column represent substance use and substance dependence or abuse in the past year for all persons aged 18 or older, including those with unknown unmet need information.

² Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.34D Substance Use and Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Perceived Need for Past Year Mental Health Treatment/Counseling: Standard Errors of Percentages, 2004 and 2005

Substance Use/Dependence or Abuse	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Unmet Need		No Unmet Need	
	2004	2005	2004	2005	2004	2005
ILLICIT DRUGS³	0.24	0.25	1.47	1.30	0.24	0.25
Marijuana and Hashish	0.20	0.21	1.40	1.15	0.20	0.21
Nonmedical Use of Psychotherapeutics ⁴	0.16	0.16	1.05	0.99	0.15	0.15
ILLICIT DRUGS OTHER THAN MARIJUANA³	0.19	0.18	1.14	1.09	0.18	0.18
CIGARETTES	0.36	0.37	1.48	1.62	0.37	0.37
ALCOHOL	0.41	0.42	1.34	1.67	0.42	0.43
ILLICIT DRUG OR ALCOHOL DEPENDENCE OR ABUSE^{3,5}	0.20	0.19	1.38	1.27	0.19	0.19
Illicit Drug Dependence or Abuse ^{3,5}	0.10	0.09	0.90	0.84	0.09	0.08
Alcohol Dependence or Abuse ⁵	0.19	0.18	1.26	1.13	0.18	0.18

*Low precision; no estimate reported.

¹ Estimates in the Total column represent substance use and substance dependence or abuse in the past year for all persons aged 18 or older, including those with unknown unmet need information.

² Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.34P Substance Use and Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Perceived Need for Past Year Mental Health Treatment/Counseling: P Values from Tests of Differences of Percentages, 2005 Versus 2004

Substance Use/Dependence or Abuse	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Unmet Need		No Unmet Need	
	2004	2005	2004	2005	2004	2005
ILLCIT DRUGS³	0.8516		0.1087		0.5628	
Marijuana and Hashish	0.9204		0.0362		0.6217	
Nonmedical Use of Psychotherapeutics ⁴	0.3012		0.4371		0.1931	
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.4834		0.4898		0.3873	
CIGARETTES	0.7220		0.1971		0.5745	
ALCOHOL	0.0106		0.1354		0.0043	
ILLCIT DRUG OR ALCOHOL DEPENDENCE OR ABUSE^{3,5}	0.5766		0.2115		0.8016	
Illicit Drug Dependence or Abuse ^{3,5}	0.1926		0.2786		0.2783	
Alcohol Dependence or Abuse ⁵	0.8756		0.1455		0.7827	

*Low precision; no estimate reported.

¹ Estimates in the Total column represent substance use and substance dependence or abuse in the past year for all persons aged 18 or older, including those with unknown unmet need information.

² Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.