

Table 6.56C Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 to 17, by Substance Use and Health Measures: Standard Errors of Numbers in Thousands, 2004 and 2005

Substance Use/Health Measures	2004	2005
PAST MONTH DAILY CIGARETTE USE¹		
Yes	17	14
No	67	67
PAST MONTH HEAVY ALCOHOL USE²		
Yes	12	12
No	68	67
PAST YEAR ILLICIT DRUG USE³		
Yes	43	39
No	51	54
PAST YEAR DEPENDENCE OR ABUSE⁴		
Illicit Drugs or Alcohol ³		
Yes	30	27
No	61	62
Illicit Drugs ³		
Yes	25	22
No	63	64
Alcohol		
Yes	24	23
No	64	64
PAST YEAR ILLICIT DRUG OR ALCOHOL TREATMENT AT A SPECIALTY FACILITY^{3,5}		
Received	8	7
Not Received	70	69

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Respondents with unknown past year MDE data were excluded.

¹ Past Month Daily Cigarette Use is defined as smoking on each of the past 30 days.

² Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁵ Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.56D Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 to 17, by Substance Use and Health Measures: Standard Errors of Percentages, 2004 and 2005

Substance Use/Health Measures	2004	2005
PAST MONTH DAILY CIGARETTE USE¹		
Yes	1.85	1.83
No	0.25	0.25
PAST MONTH HEAVY ALCOHOL USE²		
Yes	1.73	1.94
No	0.25	0.25
PAST YEAR ILLICIT DRUG USE³		
Yes	0.72	0.73
No	0.24	0.25
PAST YEAR DEPENDENCE OR ABUSE⁴		
Illicit Drugs or Alcohol ³		
Yes	1.21	1.20
No	0.24	0.25
Illicit Drugs ³		
Yes	1.62	1.69
No	0.24	0.25
Alcohol		
Yes	1.41	1.46
No	0.24	0.25
PAST YEAR ILLICIT DRUG OR ALCOHOL TREATMENT AT A SPECIALTY FACILITY^{3,5}		
Received	3.76	3.78
Not Received	0.25	0.25

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Respondents with unknown past year MDE data were excluded.

¹ Past Month Daily Cigarette Use is defined as smoking on each of the past 30 days.

² Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁵ Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.56P Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 to 17, by Substance Use and Health Measures: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Substance Use/Health Measures	2004	2005
PAST MONTH DAILY CIGARETTE USE¹		
Yes	0.0951	
No	0.9814	
PAST MONTH HEAVY ALCOHOL USE²		
Yes	0.8677	
No	0.6719	
PAST YEAR ILLICIT DRUG USE³		
Yes	0.6711	
No	0.8636	
PAST YEAR DEPENDENCE OR ABUSE⁴		
Illicit Drugs or Alcohol ³		
Yes	0.4082	
No	0.5637	
Illicit Drugs ³		
Yes	0.7994	
No	0.7753	
Alcohol		
Yes	0.1356	
No	0.3740	
PAST YEAR ILLICIT DRUG OR ALCOHOL TREATMENT AT A SPECIALTY FACILITY^{3,5}		
Received	0.3817	
Not Received	0.7061	

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Respondents with unknown past year MDE data were excluded.

¹ Past Month Daily Cigarette Use is defined as smoking on each of the past 30 days.

² Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁵ Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.57C Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Substance Use and Health Measures: Standard Errors of Numbers in Thousands, 2004 and 2005

Substance Use/Health Measures	2004	2005
PAST MONTH DAILY CIGARETTE USE¹		
Yes	324	217
No	549	372
PAST MONTH HEAVY ALCOHOL USE²		
Yes	171	107
No	613	418
PAST YEAR ILLICIT DRUG USE³		
Yes	296	195
No	563	385
PAST YEAR DEPENDENCE OR ABUSE⁴		
Illicit Drugs or Alcohol ³		
Yes	261	153
No	575	404
Illicit Drugs ³		
Yes	145	96
No	618	421
Alcohol		
Yes	237	128
No	588	416
PAST YEAR ILLICIT DRUG OR ALCOHOL TREATMENT AT A SPECIALTY FACILITY^{3,5}		
Received	122	81
Not Received	624	428

*Low precision; no estimate reported.

NOTE: Estimates for 2004 in this table are based on a subsample of respondents aged 18 or older, while 2005 estimates are based on all respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Respondents with unknown past year MDE data were excluded.

¹ Past Month Daily Cigarette Use is defined as smoking on each of the past 30 days.

² Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁵ Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample) and 2005.

Table 6.57D Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Substance Use and Health Measures: Standard Errors of Percentages, 2004 and 2005

Substance Use/Health Measures	2004	2005
PAST MONTH DAILY CIGARETTE USE¹		
Yes	0.80	0.56
No	0.30	0.20
PAST MONTH HEAVY ALCOHOL USE²		
Yes	1.02	0.67
No	0.30	0.20
PAST YEAR ILLICIT DRUG USE³		
Yes	0.86	0.60
No	0.30	0.20
PAST YEAR DEPENDENCE OR ABUSE⁴		
Illicit Drugs or Alcohol ³		
Yes	1.17	0.72
No	0.29	0.20
Illicit Drugs ³		
Yes	1.98	1.51
No	0.29	0.20
Alcohol		
Yes	1.27	0.72
No	0.29	0.21
PAST YEAR ILLICIT DRUG OR ALCOHOL TREATMENT AT A SPECIALTY FACILITY^{3,5}		
Received	4.65	3.26
Not Received	0.28	0.20

*Low precision; no estimate reported.

NOTE: Estimates for 2004 in this table are based on a subsample of respondents aged 18 or older, while 2005 estimates are based on all respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Respondents with unknown past year MDE data were excluded.

¹ Past Month Daily Cigarette Use is defined as smoking on each of the past 30 days.

² Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁵ Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample) and 2005.

Table 6.57P Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Substance Use and Health Measures: *P* Values from Tests of Differences of Percentages, 2005 Versus 2004

Substance Use/Health Measures	2004	2005
PAST MONTH DAILY CIGARETTE USE¹		
Yes	0.3689	
No	0.0690	
PAST MONTH HEAVY ALCOHOL USE²		
Yes	0.1583	
No	0.0857	
PAST YEAR ILLICIT DRUG USE³		
Yes	0.3665	
No	0.0872	
PAST YEAR DEPENDENCE OR ABUSE⁴		
Illicit Drugs or Alcohol ³		
Yes	0.0529	
No	0.1980	
Illicit Drugs ³		
Yes	0.9243	
No	0.0616	
Alcohol		
Yes	0.0135	
No	0.2085	
PAST YEAR ILLICIT DRUG OR ALCOHOL TREATMENT AT A SPECIALTY FACILITY^{3,5}		
Received	0.6776	
Not Received	0.0474	

*Low precision; no estimate reported.

NOTE: Estimates for 2004 in this table are based on a subsample of respondents aged 18 or older, while 2005 estimates are based on all respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Respondents with unknown past year MDE data were excluded.

¹ Past Month Daily Cigarette Use is defined as smoking on each of the past 30 days.

² Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁵ Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample) and 2005.