

Table 6.60C Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	41	39	32	29	11	10	25	24
GENDER								
Male	20	18	14	13	7	7	13	11
Female	35	34	28	27	8	7	20	21
HISPANIC ORIGIN OR RACE								
Not Hispanic or Latino	38	36	28	25	10	10	23	24
White	33	30	24	19	9	9	22	21
Black or African American	13	19	12	17	*	4	5	9
Other or Two or More Races	*	8	*	7	2	2	*	3
Hispanic or Latino	17	17	14	16	4	2	9	7
FAMILY INCOME								
Less Than \$20,000	15	19	11	16	5	6	7	9
\$20,000 - \$49,999	26	21	20	16	6	4	15	13
\$50,000 - \$74,999	19	18	14	13	5	3	12	11
\$75,000 or More	22	22	17	14	5	6	13	15
GOVERNMENT ASSISTANCE²								
Yes	18	21	11	18	5	5	12	10
No	37	34	30	24	9	8	22	22
HEALTH INSURANCE³								
Private	32	31	25	22	9	8	20	20
Medicaid/CHIP ⁴	22	21	16	16	5	5	14	13
Other ⁵	7	*	6	*	2	*	4	*
No Coverage	8	11	7	9	2	4	2	5

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Respondents with unknown past year treatment data were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.60D Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	1.38	1.42	1.25	1.21	0.47	0.45	1.03	1.03
GENDER								
Male	2.56	2.61	1.98	2.10	1.04	1.15	1.99	1.79
Female	1.67	1.61	1.55	1.45	0.51	0.44	1.20	1.21
HISPANIC ORIGIN OR RACE								
Not Hispanic or Latino	1.48	1.59	1.31	1.32	0.53	0.52	1.14	1.19
White	1.62	1.74	1.49	1.31	0.65	0.61	1.39	1.36
Black or African American	3.60	4.67	3.48	4.53	*	1.35	1.71	2.95
Other or Two or More Races	*	5.52	*	4.99	1.63	1.25	*	2.58
Hispanic or Latino	3.63	3.61	3.27	3.47	0.96	0.56	2.42	1.72
FAMILY INCOME								
Less Than \$20,000	3.05	3.60	2.49	3.40	1.19	1.44	1.78	2.19
\$20,000 - \$49,999	2.49	2.34	2.19	1.94	0.80	0.58	1.77	1.63
\$50,000 - \$74,999	3.05	3.01	2.70	2.54	1.01	0.63	2.47	2.23
\$75,000 or More	2.61	2.84	2.47	2.26	0.89	1.01	2.05	2.25
GOVERNMENT ASSISTANCE²								
Yes	3.05	3.47	2.50	3.35	1.16	1.17	2.48	2.06
No	1.57	1.55	1.44	1.26	0.52	0.47	1.13	1.16
HEALTH INSURANCE³								
Private	1.66	1.73	1.47	1.39	0.60	0.54	1.22	1.27
Medicaid/CHIP ⁴	2.85	2.99	2.43	2.58	0.82	0.83	2.22	2.21
Other ⁵	5.74	*	4.72	*	2.28	*	3.52	*
No Coverage	4.87	4.88	4.67	4.32	1.59	2.36	1.37	2.77

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Respondents with unknown past year treatment data were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.60P Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.1981		0.7894		0.3388		0.3684	
GENDER								
Male	0.3182		0.9140		0.9069		0.2456	
Female	0.3227		0.7280		0.2984		0.7022	
HISPANIC ORIGIN OR RACE								
Not Hispanic or Latino	0.3581		0.6719		0.4416		0.7543	
White	0.0193		0.0957		0.3235		0.5528	
Black or African American	0.0778		0.1810		*		0.6861	
Other or Two or More Races	*		*		0.4814		*	
Hispanic or Latino	0.3251		0.8499		0.4852		0.1104	
FAMILY INCOME								
Less Than \$20,000	0.2426		0.3140		0.7246		0.6425	
\$20,000 - \$49,999	0.0283		0.7946		0.1158		0.0294	
\$50,000 - \$74,999	0.1733		0.3955		0.5829		0.4919	
\$75,000 or More	0.7980		0.7247		0.8503		0.3574	
GOVERNMENT ASSISTANCE²								
Yes	0.8980		0.2085		0.7838		0.1095	
No	0.1592		0.3166		0.3260		0.8215	
HEALTH INSURANCE³								
Private	0.2223		0.7650		0.3031		0.4228	
Medicaid/CHIP ⁴	0.7594		0.9378		0.8792		0.7191	
Other ⁵	*		*		*		*	
No Coverage	0.4959		0.9718		0.6367		0.1463	

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Respondents with unknown past year treatment data were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 6.61C Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2004 and 2005

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	520	367	280	165	101	90	425	308
GENDER								
Male	275	201	175	114	50	55	201	161
Female	444	293	221	115	88	70	375	253
HISPANIC ORIGIN OR RACE								
Not Hispanic or Latino	489	348	257	155	99	86	411	291
White	434	313	235	144	97	84	359	257
Black or African American	163	129	100	49	18	12	*	119
Other or Two or More Races	*	71	26	37	*	16	*	*
Hispanic or Latino	154	126	*	55	21	25	99	105
FAMILY INCOME								
Less Than \$20,000	259	198	150	79	60	48	195	172
\$20,000 - \$49,999	271	223	121	99	58	54	233	187
\$50,000 - \$74,999	259	145	170	67	23	40	193	116
\$75,000 or More	266	157	113	78	54	34	240	133
GOVERNMENT ASSISTANCE²								
Yes	246	197	129	77	54	39	194	178
No	459	308	251	146	86	82	378	250
HEALTH INSURANCE³								
Private	450	256	238	136	85	66	369	202
Medicaid/CHIP ⁴	199	180	92	63	12	37	165	162
Other ⁵	213	214	66	86	56	53	194	187
No Coverage	177	109	112	62	30	26	106	82

*Low precision; no estimate reported.

NOTE: Estimates for 2004 in this table are based on a subsample of respondents aged 18 or older, while 2005 estimates are based on all respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

¹ Respondents with unknown past year treatment data were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample) and 2005.

Table 6.61D Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2004 and 2005

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	1.75	1.24	1.48	0.96	0.59	0.55	1.83	1.38
GENDER								
Male	3.14	2.20	2.71	1.91	0.86	0.99	2.85	2.34
Female	2.03	1.40	1.75	1.05	0.77	0.66	2.30	1.56
HISPANIC ORIGIN OR RACE								
Not Hispanic or Latino	1.83	1.28	1.54	1.03	0.64	0.60	1.91	1.45
White	1.91	1.35	1.67	1.14	0.75	0.69	2.06	1.54
Black or African American	5.67	4.44	5.07	3.04	1.04	0.81	*	5.41
Other or Two or More Races	*	5.22	3.03	4.53	*	2.14	*	*
Hispanic or Latino	5.97	4.00	*	2.69	1.26	1.28	5.22	4.20
FAMILY INCOME								
Less Than \$20,000	3.45	2.20	2.91	1.57	1.26	0.99	3.21	2.45
\$20,000 - \$49,999	2.91	2.13	1.95	1.70	0.98	0.98	2.95	2.39
\$50,000 - \$74,999	4.36	2.58	4.87	2.26	0.80	1.48	4.99	2.93
\$75,000 or More	3.44	2.80	2.91	2.37	1.44	1.09	4.01	3.17
GOVERNMENT ASSISTANCE²								
Yes	3.95	2.08	3.03	1.77	1.38	0.96	3.78	2.67
No	1.93	1.45	1.71	1.13	0.64	0.67	2.08	1.57
HEALTH INSURANCE³								
Private	2.13	1.63	2.00	1.40	0.79	0.74	2.41	1.79
Medicaid/CHIP ⁴	4.59	2.57	3.86	2.20	0.59	1.34	5.02	3.30
Other ⁵	3.88	2.73	2.87	2.89	2.44	1.89	4.88	3.80
No Coverage	4.08	2.58	2.81	1.82	0.86	0.81	2.77	2.29

*Low precision; no estimate reported.

NOTE: Estimates for 2004 in this table are based on a subsample of respondents aged 18 or older, while 2005 estimates are based on all respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

¹ Respondents with unknown past year treatment data were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample) and 2005.

Table 6.61P Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2005 Versus 2004

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2004	2005	2004	2005	2004	2005	2004	2005
TOTAL	0.8275		0.5794		0.3076		0.8754	
GENDER								
Male	0.9216		0.8560		0.1046		0.7529	
Female	0.7739		0.5603		0.8718		0.6329	
HISPANIC ORIGIN OR RACE								
Not Hispanic or Latino	0.4227		0.9965		0.3258		0.7723	
White	0.2532		0.9751		0.4424		0.4536	
Black or African American	0.6455		0.4466		0.8329		*	
Other or Two or More Races	*		0.0827		*		*	
Hispanic or Latino	0.2927		*		0.6912		0.8973	
FAMILY INCOME								
Less Than \$20,000	0.4487		0.2288		0.7536		0.1049	
\$20,000 - \$49,999	0.5288		0.9274		0.8544		0.6841	
\$50,000 - \$74,999	0.8072		0.5481		0.0381		0.8677	
\$75,000 or More	0.1946		0.3138		0.9751		0.0603	
GOVERNMENT ASSISTANCE²								
Yes	0.1611		0.3730		0.6154		0.0459	
No	0.5257		0.9179		0.1541		0.3078	
HEALTH INSURANCE³								
Private	0.2853		0.7297		0.5018		0.1280	
Medicaid/CHIP ⁴	0.6688		0.7863		0.0276		0.9893	
Other ⁵	0.5190		0.7549		0.6825		0.6188	
No Coverage	0.1594		0.3400		0.8284		0.0118	

*Low precision; no estimate reported.

NOTE: Estimates for 2004 in this table are based on a subsample of respondents aged 18 or older, while 2005 estimates are based on all respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2005 National Survey on Drug Use and Health: National Findings*.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

¹ Respondents with unknown past year treatment data were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample) and 2005.